DETERMINING GRAPHS BY THE COMPLEMENTARY SPECTRUM

LUCÉLIA K. PINHEIRO

IFFAR – Uruguaiiana
Rua Monteiro Lobato, 4442
CEP: 97503-748 – Uruguaiiana, Brazil

e-mail: luceliakowalski@gmail.com

BRUNA S. SOUZA

AND

VILMAR TREVISAN

UFRGS – Instituto de Matemática
Av. Bento Gonçalves, 9500
CEP 91509-900, Porto Alegre, Brazil

e-mail: brunasouza@ufrgs.br
trevisan@mat.ufrgs.br

Abstract

The complementary spectrum of a connected graph G is the set of the complementary eigenvalues of the adjacency matrix of G . In this note, we discuss the possibility of representing G using this spectrum. On one hand, we give evidence that this spectrum distinguishes more graphs than other standard graph spectra. On the other hand, we show that it is hard to compute the complementary spectrum. In particular, we see that computing the complementary spectrum is equivalent to finding all connected induced subgraphs.

Keywords: graphs, complementary eigenvalues, graph isomorphism.

2010 Mathematics Subject Classification: 05C50.

REFERENCES

- [1] F. Belardo, *On the structure of bidegreed graphs with minimal spectral radius*, *Filomat* **28** (2014) 1–10.
doi:10.2298/FIL1401001B

- [2] J.A. Carvalho, B.S. Souza, V. Trevisan and F.C. Tura, *Exponentially many graphs have a Q -cospectral mate*, Discrete Math. **340** (2017) 2079–2085.
doi:10.1016/j.disc.2017.04.009
- [3] D. Cvetković and S.K. Simić, *Towards a spectral theory of graphs based on the signless Laplacian I*, Publ. Inst. Math. (Beograd) (N.S.) **85(99)** (2009) 19–33.
doi:10.2298/PIM0999019C
- [4] D. Cvetković and S.K. Simić, *Towards a spectral theory of graphs based on the signless Laplacian. II*, Linear Algebra Appl. **432** (2010) 2257–2272.
doi:10.1016/j.laa.2009.05.020
- [5] D. Cvetković and S.K. Simić, *Towards a spectral theory of graphs based on the signless Laplacian III*, Appl. Anal. Discrete Math. **4** (2010) 156–166.
doi:10.2298/AADM1000001C
- [6] R. Fernandes, J. Judice and V. Trevisan, *Complementary eigenvalues of graphs*, Linear Algebra Appl. **527** (2017) 216–231.
doi:10.1016/j.laa.2017.03.029
- [7] C.D. Godsil and B.D. McKay, *Constructing cospectral graphs*, Aequationes Math. **25** (1982) 257–268.
doi:10.1007/BF02189621
- [8] W.H. Haemers, *Are almost all graphs determined by their spectrum?*, Not. S. Afr. Math. Soc. **47** (2016) 42–45.
- [9] A.J. Hoffman and J.H. Smith, *On the spectral radii of topologically equivalent graphs*, in: Proc. Second Czechoslovak Sympos., Prague, 1974, Recent Advances in Graph Theory (Academia, Prague, 1975) 273–281.
- [10] B.D. McKay, *On the spectral characterisation of trees*, Ars Combin. **3** (1977) 219–232.
- [11] E.R. Oliveira, D. Stevanović and V. Trevisan, *Spectral radius ordering of starlike trees*, Linear Multilinear Algebra (2018), in press.
doi:10.1080/03081087.2018.1524435
- [12] A.J. Schwenk, *Almost all trees are cospectral*, in: Proc. Third Ann Arbor Conf., Univ. Michigan, Ann Arbor, Mich., 1971, New Directions in the Theory of Graphs (Academic Press, New York, 1973) 275–307.
- [13] A. Seeger, *Complementarity eigenvalue analysis of connected graphs*, Linear Algebra Appl. **543** (2018) 205–225.
doi:10.1016/j.laa.2017.12.021
- [14] E.R. van Dam and W.H. Haemers, *Which graphs are determined by their spectrum?*, Linear Algebra Appl. **373** (2003) 241–272.
doi:10.1016/S0024-3795(03)00483-X
- [15] E.R. van Dam and W.H. Haemers, *Developments on spectral characterizations of graphs*, Discrete Math. **309** (2009) 576–586.
doi:10.1016/j.disc.2008.08.019

Received 26 June 2019
Revised 22 September 2019
Accepted 14 October 2019