TURÁN'S THEOREM IMPLIES STANLEY'S BOUND

V. NIKIFOROV

*Department of Mathematical Sciences
University of Memphis, Memphis TN 38152, USA
e-mail: vnikifrv@memphis.edu*

Dedicated to the memory of Slobodan K. Simić

Abstract

Let G be a graph with m edges and let ρ be the largest eigenvalue of its adjacency matrix. It is shown that

$$\rho \leq \sqrt{2 \left(1 - \left\lfloor 1/2 + \sqrt{2m + 1/4} \right\rfloor^{-1} \right) m},$$

improving the well-known bound of Stanley. Moreover, writing ω for the clique number of G and W_k for the number of its walks on k vertices, it is shown that the sequence

$$\left\{ \left((1 - 1/\omega) W_{2^k} \right)^{1/2^k} \right\}_{k=1}^{\infty}$$

is nonincreasing and converges to ρ .

Keywords: graph spectral radius, Stanley's bound, Turán's theorem, clique number, Motzkin-Straus's inequality, walks.

2010 Mathematics Subject Classification: 05C50.

REFERENCES

- [1] R. Brualdi and A. Hoffman, *On the spectral radius of $(0, 1)$ matrices*, Linear Algebra Appl. **65** (1985) 133–146.
doi:10.1016/0024-3795(85)90092-8
- [2] D. Cvetković, *Graphs and their spectra*, Ph.D. Thesis, Univ. Beograd. Publ. Elektrotehn. Fak., Ser. Mat. Fiz. **354–356** (1971) 1–50.

- [3] C. Edwards and C. Elphick, *Lower bounds for the clique and the chromatic number of a graph*, Discrete Appl. Math. **5** (1983) 51–64.
doi:10.1016/0166-218X(83)90015-X
- [4] S. Friedland, *The maximal eigenvalue of 0–1 matrices with prescribed number of ones*, Linear Algebra Appl. **69** (1985) 33–69.
doi:10.1016/0024-3795(85)90068-0
- [5] S. Friedland, *Bounds on the spectral radius of graphs with e edges*, Linear Algebra Appl. **101** (1988) 88–86.
doi:10.1016/0024-3795(88)90144-9
- [6] T. Motzkin and E. Straus, *Maxima for graphs and a new proof of a theorem of Turán*, Canad. J. Math. **17** (1965) 533–540.
doi:10.4153/CJM-1965-053-6
- [7] V. Nikiforov, *Some inequalities for the largest eigenvalue of a graph*, Combin. Probab. Comput. **11** (2002) 179–189.
doi:10.1017/S0963548301004928
- [8] V. Nikiforov, *Walks and the spectral radius of graphs*, Linear Algebra Appl. **418** (2006) 257–268.
doi:10.1016/j.laa.2006.02.003
- [9] E. Nosal, *Eigenvalues of Graphs* (Master’s Thesis, University of Calgary, 1970).
- [10] P. Rowlinson, *On the maximal index of graphs with a prescribed number of edges*, Linear Algebra Appl. **110** (1988) 43–53.
doi:10.1016/0024-3795(83)90131-3
- [11] A.F. Sidorenko, *The maximal number of edges in a homogeneous hypergraph containing no prohibited subgraphs*, Mat. Zametki **41** (1987) 433–455, (English translation in Math. Notes Acad. Sci. USSR **41** (1987) 247–259).
doi:10.1007/BF01158259
- [12] R. Stanley, *A bound on the spectral radius of graphs with e edges*, Linear Algebra Appl. **87** (1987) 267–269.
doi:10.1016/0024-3795(87)90172-8
- [13] P. Turán, *On an extremal problem in graph theory*, Mat. Fiz. Lapok **48** (1941) 436–452, in Hungarian.
- [14] H.S. Wilf, *Spectral bounds for the clique and independence numbers of graphs*, J. Combin. Theory Ser. B **40** (1986) 113–117.
doi:10.1016/0095-8956(86)90069-9

Received 3 June 2019
Revised 30 November 2019
Accepted 19 December 2019