INDEPENDENCE NUMBER AND PACKING COLORING OF GENERALIZED MYCIELSKI GRAPHS

EZ ZOBAIR BIDINE, TAOUFIQ GADI

*Hassan First University of Settat
Faculty of Sciences and Technologies of Settat
Informatics, Imaging and Modeling
of Complex Systems Laboratory, Morocco*

e-mail: z.bidine@uhp.ac.ma
gtaoufiq@yahoo.fr

AND

MUSTAPHA KCHIKECH

*Cadi Ayad University
Polydisciplinary Faculty of Safi, Morocco*

e-mail: m.kchikech@uca.ac.ma

Abstract

For a positive integer $k \geq 1$, a graph G with vertex set V is said to be k -packing colorable if there exists a mapping $f : V \mapsto \{1, 2, \dots, k\}$ such that any two distinct vertices x and y with the same color $f(x) = f(y)$ are at distance at least $f(x) + 1$. The packing chromatic number of a graph G , denoted by $\chi_\rho(G)$, is the smallest integer k such that G is k -packing colorable.

In this work, we study both independence and packing colorings in the m -generalized Mycielskian of a graph G , denoted $\mu_m(G)$. We first give an explicit formula for $\alpha(\mu_m(G))$ when m is odd and bounds when m is even. We then use these results to give exact values of $\alpha(\mu_m(K_n))$ for any m and n . Next, we give bounds on the packing chromatic number, χ_ρ , of $\mu_m(G)$. We also prove the existence of large planar graphs whose packing chromatic number is 4. The rest of the paper is focused on packing chromatic numbers of the Mycielskian of paths and cycles.

Keywords: independence number, packing chromatic number, Mycielskians, generalized Mycielskians.

2010 Mathematics Subject Classification: 05C15, 05C70, 05C12.

REFERENCES

- [1] G. Argiroffo, G. Nasini and P. Torres, *The packing coloring problem for $(q, q - 4)$ graphs*, in: International Symposium on Combinatorial Optimization, Lecture Notes in Comput. Sci. **7422** (2012) 309–319.
doi:10.1007/978-3-642-32147-4_28
- [2] G. Argiroffo, G. Nasini and P. Torres, *The packing coloring problem for lobsters and partner limited graphs*, Discrete Appl. Math. (2014) **164** 373–382.
doi:10.1016/j.dam.2012.08.008
- [3] J. Balogh, A. Kostochka and X. Liu, *Packing chromatic number of cubic graphs*, Discrete Math. (2018) **341** 474–483.
doi:10.1016/j.disc.2017.09.014
- [4] B. Brešar and J. Ferme, *An infinite family of subcubic graphs with unbounded packing chromatic number*, Discrete Math. **341** (2018) 2337–2342.
doi:10.1016/j.disc.2018.05.004
- [5] B. Brešar and J. Ferme, *Packing coloring of Sierpiński-type graphs*, Aequationes Math. **92** (2018) 1091–1118.
doi:10.1007/s00010-018-0561-8
- [6] B. Brešar, S. Klavžar and D.F. Rall, *On the packing chromatic number of Cartesian products, hexagonal lattice, and trees*, Discrete Appl. Math. **155** (2007) 2303–2311.
doi:10.1016/j.dam.2007.06.008
- [7] B. Brešar, S. Klavžar and D.F. Rall, *Packing chromatic number of base-3 Sierpiński graphs*, Graphs Combin. **32** (2016) 1313–1327.
doi:10.1007/s00373-015-1647-x
- [8] B. Brešar, S. Klavžar, D.F. Rall and K. Wash, *Packing chromatic number, $(1, 1, 2, 2)$ -colorings, and characterizing the Petersen graph*, Aequationes Math. **91** (2017) 169–184.
doi:10.1007/s00010-016-0461-8
- [9] B. Brešar, S. Klavžar, D.F. Rall and K. Wash, *Packing chromatic number under local changes in a graph*, Discrete Math. **340** (2017) 1110–1115.
doi:10.1016/j.disc.2016.09.030
- [10] B. Brešar, S. Klavžar, D.F. Rall and K. Wash, *Packing chromatic number versus chromatic and clique number*, Aequationes Math. **92** (2018) 497–513.
doi:10.1007/s00010-017-0520-9
- [11] F. Deng, Z. Shao and A. Vesel, *On the packing coloring of base-3 Sierpiński and H graphs*, (2018).
arXiv preprint arXiv:1909.08285
- [12] T. Doslić, *Mycielskians and matchings*, Discuss. Math. Graph Theory **25** (2005) 261–266.
doi:10.7151/dmgt.1279

- [13] J. Ekstein, J. Fiala, P. Holub and B. Lidický, *The packing chromatic number of the square lattice is at least 12*, (2010).
arXiv preprint arXiv:1003.2291
- [14] J. Ekstein, P. Holub and O. Togni, *The packing coloring of distance graphs $D(k, t)$* , Discrete Appl. Math. **167** (2014) 100–106.
doi:10.1016/j.dam.2013.10.036
- [15] J. Fiala and P.A. Golovach, *Complexity of the packing coloring problem for trees*, Discrete Appl. Math. **158** (2010) 771–778.
doi:10.1016/j.dam.2008.09.001
- [16] J. Fiala, S. Klavžar and B. Lidický, *The packing chromatic number of infinite product graphs*, European J. Combin. **30** (2009) 1101–1113.
doi:10.1016/j.ejc.2008.09.014
- [17] A.S. Finbow and D.F. Rall, *On the packing chromatic number of some lattices*, Discrete Appl. Math. **158** (2010) 1224–1228.
doi:10.1016/j.dam.2009.06.001
- [18] D.C. Fisher, P.A. McKenna and E.D. Boyer, *Hamiltonicity, diameter, domination, packing, and biclique partitions of Mycielski's graphs*, Discrete Appl. Math. **84** (1998) 93–105.
doi:10.1016/S0166-218X(97)00126-1
- [19] N. Gastineau and O. Togni, *S-packing colorings of cubic graphs*, Discrete Math. **339** (2016) 2461–2470.
doi:10.1016/j.disc.2016.04.017
- [20] W. Goddard, S.M. Hedetniemi, S.T. Hedetniemi, J.M. Harris and D.F. Rall, *Broadcast chromatic numbers of graphs*, Ars Combin. **86** (2008) 33–50.
- [21] L. Guo, R. Liu, and X. Guo, *Super connectivity and super edge connectivity of the Mycielskian of a graph*, Graphs Combin. **28** (2012) 143–147.
doi:10.1007/s00373-011-1032-3
- [22] L. Huang and G.J. Chang, *The circular chromatic number of the Mycielskian of G_k^d* , J. Graph Theory **32** (1999) 63–71.
doi:10.1002/(SICI)1097-0118(199909)32:1<63::AID-JGT6>3.0.CO;2-B
- [23] Y. Jacobs, E. Jonck and E. Joubert, *A lower bound for the packing chromatic number of the Cartesian product of cycles*, Open Math. **11** (2013) 1344–1357.
doi:10.2478/s11533-013-0237-5
- [24] D. Korže and A. Vesel, *On the packing chromatic number of square and hexagonal lattice*, Ars Math. Contemp. **7** (2014) 13–22.
- [25] D. Laïche, I. Bouchemakh and E. Sopena, *On the packing coloring of undirected and oriented generalized theta graphs*, Australas. J. Combin. **66** (2016) 310–329.
- [26] M. Larsen, J. Propp and D. Ullman, *The fractional chromatic number of Mycielski's graphs*, J. Graph Theory **19** (1995) 411–416.
doi:10.1002/jgt.3190190313

- [27] W. Lin, D. Der-Fen Liu and X. Zhu, *Multi-coloring the Mycielskian of graphs*, J. Graph Theory **63** (2010) 311–323.
doi:10.1002/jgt.20429
- [28] W. Lin, J. Wu, P.C. Lam and G. Gu, *Several parameters of generalized Mycielskians*, Discrete Appl. Math. **154** (2006) 1173–1182.
doi:10.1016/j.dam.2005.11.001
- [29] B. Martin, F. Raimondi, T. Chen and J. Martin, *The packing chromatic number of the infinite square lattice is between 13 and 15*, Discrete Appl. Math. **225** (2017) 136–142.
doi:10.1016/j.dam.2017.03.013
- [30] J. Mycielski, *Sur le coloriage des graphs*, Colloq. Math. **3** (1955) 161–162.
doi:10.4064/cm-3-2-161-162
- [31] KS. Savitha, MR. Chithra and A. Vijayakumar, *Some diameter notions of the generalized Mycielskian of a graph*, in: International Conference on Theoretical Computer Science and Discrete Mathematics 2016, Lecture Notes in Comput. Sci. **10398** (2017) 371–382.
doi:10.1007/978-3-319-64419-6_48
- [32] Z. Shao and A. Vesel, *Modeling the packing coloring problem of graphs*, Appl. Math. Model. **39** (2015) 3588–3595.
doi:10.1016/j.apm.2014.11.060
- [33] R. Soukal and P. Holub, *A note on packing chromatic number of the square lattice*, Electron. J. Combin. **17** (2010) #N17.
doi:10.37236/466
- [34] O. Togni, *On packing colorings of distance graphs*, Discrete Appl. Math. **167** (2014) 280–289.
doi:10.1016/j.dam.2013.10.026
- [35] P. Torres and M. Valencia-Pabon, *The packing chromatic number of hypercubes*, Discrete Appl. Math. **190–191** (2015) 127–140.
doi:10.1016/j.dam.2015.04.006
- [36] A. Vesel and D. Korže, *Packing coloring of generalized Sierpiński graphs*, Discrete Math. Theor. Comput. Sci. **21** (2019) #7.
doi:10.23638/DMTCS-21-3-7

Received 15 January 2020

Revised 11 May 2020

Accepted 11 May 2020