GRAPH OPERATIONS AND NEIGHBORHOOD POLYNOMIALS

MARYAM ALIPOUR AND PETER TITTMANN

University of Applied Sciences Mittweida

e-mail: malipour@hs-mittweida.de
peter@hs-mittweida.de

Abstract

The neighborhood polynomial of graph G is the generating function for the number of vertex subsets of G of which the vertices have a common neighbor in G . In this paper, we investigate the behavior of this polynomial under several graph operations. Specifically, we provide an explicit formula for the neighborhood polynomial of the graph obtained from a given graph G by vertex attachment. We use this result to propose a recursive algorithm for the calculation of the neighborhood polynomial. Finally, we prove that the neighborhood polynomial can be found in polynomial-time in the class of k -degenerate graphs.

Keywords: neighborhood complex, neighborhood polynomial, domination polynomial, graph operations, graph degeneracy.

2010 Mathematics Subject Classification: 05C31, 05C76.

REFERENCES

- [1] S. Akbari, S. Alikhani and Y.-h. Peng, *Characterization of graphs using domination polynomials*, European J. Combin. **31** (2010) 1714–1724.
doi:10.1016/j.ejc.2010.03.007
- [2] A. Andrzejak, *Splitting formulas for Tutte polynomials*, J. Combin. Theory Ser. B **70** (1997) 346–366.
doi:10.1006/jctb.1997.1767
- [3] J.L. Arocha and B. Llano, *Mean value for the matching and dominating polynomials*, Discuss. Math. Graph Theory **20** (2000) 57–69.
doi:10.7151/dmgt.1106
- [4] A.E. Brouwer, P. Csorba and A. Schrijver, *The number of dominating sets of a finite graph is odd* (2009).
<https://www.win.tue.nl/~aeb/preprints/domin4a.pdf>

- [5] J.I. Brown and R.J. Nowakowski, *The neighbourhood polynomial of a graph*, Australas. J. Combin. **42** (2008) 55–68.
- [6] M. Dod, *The independent domination polynomial*.
arXiv preprint arXiv:1602.08250 (2016).
- [7] K. Dohmen and P. Tittmann, *Domination reliability*, Electron. J. Combin. **19** (2012) #P15.
doi:10.37236/1166
- [8] J. Flum and M. Grohe, *The parameterized complexity of counting problems*, SIAM J. Comput. **33** (2004) 892–922.
doi:10.1137/S0097539703427203
- [9] B.S. Gubser, *A characterization of almost-planar graphs*, Combin. Probab. Comput. **5** (1996) 227–245.
doi:10.1017/S0963548300002005
- [10] I. Heinrich and P. Tittmann, *Neighborhood and domination polynomials of graphs*, Graphs Combin. **34** (2018) 1203–1216.
doi:10.1007/s00373-018-1968-7
- [11] S. Kijima, Y. Okamoto and T. Uno, *Dominating set counting in graph classes*, in: Proc. 17th Annual International Conference, COCOON 2011, Lecture Notes in Comput. Sci. **6842** (2011) 13–24.
doi:10.1007/978-3-642-22685-4_2
- [12] T. Kotek, J. Preen, f. Simon, P. Tittmann and M. Trinks, *Recurrence relations and splitting formulas for the domination polynomial*, Electron. J. Combin. **19** (2012) #P47.
doi:10.37236/2475
- [13] T. Kotek, J. Preen and P. Tittmann, *Subset-sum representations of domination polynomials*, Graphs Combin. **30** (2014) 647–660.
doi:10.1007/s00373-013-1286-z
- [14] T. Kotek, J. Preen and P. Tittmann, *Domination polynomials of graph products*.
arXiv preprint arXiv:1305.1475 (2013)
- [15] L. Lovász, *Kneser’s conjecture, chromatic number, and homotopy*, J. Combin. Theory Ser. A **25** (1978) 319–324.
doi:10.1016/0097-3165(78)90022-5

Received 5 December 2019

Revised 7 July 2020

Accepted 7 July 2020