Gargano, M. L., Di Gristina, E., Domina, G. & Venturella, G.: Trees and shrubs in the city of Bari (Italy). — Fl. Medit. 31: 23-30. 2021. — ISSN: 1120-4052 printed, 2240-4538 online.

Electronic Supplementary File 1.

<https://doi.org/10.7320/FlMedit31.023.1>

Version of Record published online on 22 March 2021

The census of trees and shrubs in the city of Bari

Family	Taxon	Origin	Biological Form
<i>Pinaceae</i>	<i>Abies alba</i> Mill.	Orof. S-Europ.	P scap
<i>Fabaceae</i>	<i>Acacia dealbata</i> Link	Australia	P scap
<i>Fabaceae</i>	<i>Acacia farnesiana</i> (L.) Willd.	Australia	P caesp
<i>Fabaceae</i>	<i>Acacia saligna</i> (Labill.) H.L. Wendl.	Australia	P scap
<i>Myrtaceae</i>	<i>Acacia sellowiana</i> (O.Berg) Burret	S America	P caesp
<i>Sapindaceae</i>	<i>Acer campestre</i> L.	*Europ.-Caucas.	P scap
<i>Asparagaceae</i>	<i>Agave americana</i> L. var. <i>americana</i>	Messico	P caesp
<i>Asparagaceae</i>	<i>Agave americana</i> var. <i>marginata</i> Trel.	Messico	P caesp
<i>Asparagaceae</i>	<i>Agave sisalana</i> Perrine	S America	P caesp
<i>Simaroubaceae</i>	<i>Ailanthus altissima</i> (Mill.) Swingle	Asia	P scap
<i>Casuarinaceae</i>	<i>Allocasuarina torulosa</i> (Aiton) L.A.S. Johnson	Australia	P scap
<i>Asphodelaceae</i>	<i>Aloe arborescens</i> Mill.	S Africa	P succ
<i>Asphodelaceae</i>	<i>Aloe vera</i> (L.) Bunn.	Medit.	P succ
<i>Annonaceae</i>	<i>Annona cherimola</i> Mill.	S America	P scap
<i>Fabaceae</i>	<i>Anthyllis barba-jovis</i> L.	*W Stenomedit.	P caesp
<i>Araucariaceae</i>	<i>Araucaria columnaris</i> (G. Forst.) Hook.	New Caledonia	P scap
<i>Araucariaceae</i>	<i>Araucaria heterophylla</i> (Salisb.) Franco	S America	P scap
<i>Ericaceae</i>	<i>Arbutus unedo</i> L.	*Stenomedit.	P caesp
<i>Sapotaceae</i>	<i>Argania spinosa</i> (L.) Skeels	Africa	P scap
<i>Asparagaceae</i>	<i>Asparagus acutifolius</i> L.	*Stenomedit.	G rhiz
<i>Asparagaceae</i>	<i>Asparagus aethiopicus</i> L.	S Africa	G rhiz
<i>Asparagaceae</i>	<i>Asparagus asparagoides</i> (L.) Druce	Africa	G rhiz

<i>Poaceae</i>	<i>Bambusa vulgaris</i> Schrad.	Asia	NP
<i>Fabaceae</i>	<i>Bauhinia variegata</i> var. <i>candida</i> Voigt	Asia	P scap
<i>Berberidaceae</i>	<i>Berberis aquifolium</i> Pursh	N America	NP
<i>Berberidaceae</i>	<i>Berberis thunbergii</i> DC. 'Atropurpurea'	Horticultural	NP
<i>Berberidaceae</i>	<i>Berberis vulgaris</i> L.	Eursasiat.	NP
<i>Nyctaginaceae</i>	<i>Bougainvillea glabra</i> Choisy	S America	P lian
<i>Nyctaginaceae</i>	<i>Bougainvillea spectabilis</i> Willd.	S America	P lian
<i>Malvaceae</i>	<i>Brachychiton discolor</i> F.Muell.	Tropic.	P scap
<i>Malvaceae</i>	<i>Brachychiton diversifolius</i> R.Br.	Tropic.	P scap
<i>Areaceae</i>	<i>Brahea armata</i> S.Watson	S America	P scap
<i>Moraceae</i>	<i>Broussonetia papyrifera</i> (L.) Vent.	Asia	P scap
<i>Solanaceae</i>	<i>Brugmansia arborea</i> (L.) Steud.	S America	P caesp
<i>Areaceae</i>	<i>Butia capitata</i> (Mart.) Becc.	S America	P caesp
<i>Buxaceae</i>	<i>Buxus sempervirens</i> L.	Stenomedit-Subatlant.	P caesp
<i>Bignoniaceae</i>	<i>Campsis radicans</i> (L.) Seem.	N America	P lian
<i>Betulaceae</i>	<i>Carpinus orientalis</i> Mill.	Pontic	P scap
<i>Areaceae</i>	<i>Caryota urens</i> L.	Asia	P scap
<i>Casuarinaceae</i>	<i>Casuarina equisetifolia</i> L.	Asia	P scap
<i>Bignoniaceae</i>	<i>Catalpa bignonioides</i> Walter	America	P scap
<i>Pinaceae</i>	<i>Cedrus atlantica</i> (Endl.) Carrière	Africa	P scap
<i>Pinaceae</i>	<i>Cedrus deodara</i> (D.Don) G.Don	Asia	P scap
<i>Pinaceae</i>	<i>Cedrus libani</i> A.Rich.	E-Medit.	P scap
<i>Bombacaceae</i>	<i>Ceiba speciosa</i> (A.St.-Hil.) Ravenna	S America	P scap
<i>Ulmaceae</i>	<i>Celtis australis</i> L.	*Euri-Medit.	P scap
<i>Caesalpiniaceae</i>	<i>Ceratonia siliqua</i> L.	S. Medit.	P scap
<i>Fabaceae</i>	<i>Cercis siliquastrum</i> L.	S. Europ.	P scap
<i>Cactaceae</i>	<i>Cereus repandus</i> (L.) Mill.	S America	P caesp
<i>Solanaceae</i>	<i>Cestrum parqui</i> L'Her.	S America	NP
<i>Areaceae</i>	<i>Chamaerops humilis</i> L.	W Stenomedit.	P caesp
<i>Oleaceae</i>	<i>Chrysojasminum fruticans</i> (L.) Banfi	E Medit.	P caesp
<i>Rutaceae</i>	<i>Citrus limon</i> (L.) Osbeck	Asia	P scap

<i>Rutaceae</i>	<i>Citrus reticulata</i> Blanco	Asia	P scap
<i>Rutaceae</i>	<i>Citrus sinensis</i> (L.) Osbeck	Asia	P scap
<i>Asparagaceae</i>	<i>Cordyline australis</i> (G. Forst.) Endl.	New Zeland	P caesp
<i>Cornaceae</i>	<i>Cornus sanguinea</i> L.	*Eurasiat.	P caesp
<i>Poaceae</i>	<i>Cortaderia selloana</i> (Schult. & Schult.f.) Asch. & Graebn.	Sudamerica	P caesp
<i>Betulaceae</i>	<i>Corylus avellana</i> L.	*Europ.-Caucas.	P caesp
<i>Rosaceae</i>	<i>Cotoneaster divaricatus</i> Rehder & E.H. Wilson	America	P caesp
<i>Rosaceae</i>	<i>Crataegus rhipidophylla</i> Gand.	N Europe	P caesp
<i>Cupressaceae</i>	<i>Cupressus arizonica</i> Greene	N America	P scap
<i>Cupressaceae</i>	<i>Cupressus macrocarpa</i> Hartw.	N America	P scap
<i>Cupressaceae</i>	<i>Cupressus sempervirens</i> var. <i>horizontalis</i> (Mill.) Loudon	Asia	P scap
<i>Cupressaceae</i>	<i>Cupressus sempervirens</i> L. var. <i>sempervirens</i>	Euri-Medit	P scap
<i>Cupressaceae</i>	<i>Cupressus ×leylandii</i> A.B. Jacks. & Dallim.	N America	P scap
<i>Cycadaceae</i>	<i>Cycas revoluta</i> Thunb.	E Asia	P caesp
<i>Cyperaceae</i>	<i>Cyperus papyrus</i> L.	Africa	He
<i>Saxifragaceae</i>	<i>Deutzia scabra</i> Thunb.	E Asia	P caesp
<i>Saxifragaceae</i>	<i>Deutzia gracilis</i> Siebold & Zucc.	E Asia	P caesp
<i>Bignoniaceae</i>	<i>Dolichandra unguis-cati</i> (L.) L.G. Lohmann	Messico, S America	P lian
<i>Elaeagnaceae</i>	<i>Elaeagnus ×ebbingei</i> J. Door.	Horticultural	P caesp
<i>Rosaceae</i>	<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Asia	P scap
<i>Myrtaceae</i>	<i>Eucalyptus camaldulensis</i> Dehnh.	Australia	P scap
<i>Myrtaceae</i>	<i>Eugenia uniflora</i> L.	Sud America	P caesp
<i>Celastraceae</i>	<i>Euonymus japonicus</i> Thunb.	E Asia	P caesp
<i>Celastraceae</i>	<i>Euonymus japonicus</i> Thunb. 'Aureo-variegatus'	Horticultural	P caesp
<i>Euphorbiaceae</i>	<i>Euphorbia dendroides</i> L.	*Stenomedit.- Macarones.	P caesp
<i>Euphorbiaceae</i>	<i>Euphorbia ingens</i> E. Mayer	Africa	P succ
<i>Polygonaceae</i>	<i>Fallopia baldeschuanica</i> (Regel) Holub	Asia	P lian
<i>Moraceae</i>	<i>Ficus carica</i> L.	*Medit Turan.	P scap
<i>Moraceae</i>	<i>Ficus elastica</i> Hornem.	Asia	P scap
<i>Moraceae</i>	<i>Ficus elastica</i> var. <i>decora</i> Guillaumin	Asia	P scap
<i>Moraceae</i>	<i>Ficus rubiginosa</i> Desf.	Australia	P scap

<i>Malvaceae</i>	<i>Firmiana simplex</i> (L.) W.Wight	Asia	P scap
<i>Oleaceae</i>	<i>Fraxinus angustifolia</i> subsp. <i>oxycarpa</i> (Willd.) Franco & Rocha Afonso	*SE Europ.	P scap
<i>Oleaceae</i>	<i>Fraxinus excelsior</i> L.	*Europ.-Caucas.	P scap
<i>Oleaceae</i>	<i>Fraxinus ornus</i> L.	*Euri-N-Medit-Pontic	P scap
<i>Ginkgoaceae</i>	<i>Ginkgo biloba</i> L.	E- Asia	P scap
<i>Fabaceae</i>	<i>Gleditsia triacanthos</i> L.	America	P scap
<i>Proteaceae</i>	<i>Grevillea robusta</i> A.Cunn.	Australia	P scap
<i>Araliaceae</i>	<i>Hedera helix</i> L.	*Submedit-Subatlant.	P lian
<i>Araliaceae</i>	<i>Hedera canariensis</i> Willd.	Canary Is.	P lian
<i>Malvaceae</i>	<i>Hibiscus rosa-sinensis</i> L.	E- Asia	P caesp
<i>Malvaceae</i>	<i>Hibiscus syriacus</i> L.	Asia	P caesp
<i>Aquifoliaceae</i>	<i>Ilex aquifolium</i> L.	*Submedit.-Subatlant.	P caesp
<i>Bignoniaceae</i>	<i>Jacaranda mimosifolia</i> D. Don	S America	P scap
<i>Asteraceae</i>	<i>Jacobaea maritima</i> (L.) Pelser & Meijden	*S Medit.	Ch suffr
<i>Oleaceae</i>	<i>Jasminum officinale</i> L.	SW Asia.	P caesp
<i>Oleaceae</i>	<i>Jasminum polyanthum</i> Franch.	China	P caesp
<i>Juglandaceae</i>	<i>Juglans regia</i> L.	SW Asia	P scap
<i>Cupressaceae</i>	<i>Juniperus chinensis</i> L. 'Pfitzeriana Glauca'	Horticultural	NP
<i>Cupressaceae</i>	<i>Juniperus horizontalis</i> Moench	America	NP
<i>Cupressaceae</i>	<i>Juniperus oxycedrus</i> L.	Euri Medit	P caesp
<i>Acanthaceae</i>	<i>Justicia adhatoda</i> L.	Asia	P caesp
<i>Sapindaceae</i>	<i>Koelreuteria paniculata</i> Laxm.	Cina, Giappone	P scap
<i>Lythraceae</i>	<i>Lagerstroemia indica</i> L.	Asia	P caesp
<i>Verbenaceae</i>	<i>Lantana camara</i> L.	Neotrop.	P caesp
<i>Verbenaceae</i>	<i>Lantana montevidensis</i> (Spreng.) Brig.	S America	P caesp
<i>Lauraceae</i>	<i>Laurus nobilis</i> L.	*Stenomedit.	P caesp
<i>Oleaceae</i>	<i>Ligustrum japonicum</i> Thunb.	Asia	P caesp
<i>Oleaceae</i>	<i>Ligustrum japonicum</i> Thunb. 'Aureo-variegatum'	Horticultural	P scap
<i>Oleaceae</i>	<i>Ligustrum lucidum</i> W.T. Aiton	Asia	P scap
<i>Hamamelidaceae</i>	<i>Liquidambar styraciflua</i> L.	America	P scap
<i>Arecaceae</i>	<i>Livistona chinensis</i> (Jacq.) Mart.	Asia	P scap

<i>Hamamelidaceae</i>	<i>Loropetalum chinense</i> f. <i>rubrum</i> H.T. Chang	China	NP?
<i>Magnoliaceae</i>	<i>Magnolia grandiflora</i> L.	America	P scap
<i>Meliaceae</i>	<i>Melia azederach</i> L.	Asia-Australia	P scap
<i>Moraceae</i>	<i>Morus alba</i> L.	Asia	P scap
<i>Musaceae</i>	<i>Musa</i> × <i>paradisiaca</i> L.	Tropics	G rhiz
<i>Myrtaceae</i>	<i>Myrtus communis</i> L.	Steno-Medit	P caesp
<i>Myrtaceae</i>	<i>Myrtus communis</i> L. 'Tarentina'	*S Italy	P caesp
<i>Berberidaceae</i>	<i>Nandina domestica</i> Thunb.	Asia	NP
<i>Apocynaceae</i>	<i>Nerium oleander</i> L.	*Stenomedit.	P caesp
<i>Oleaceae</i>	<i>Olea europaea</i> L.	*Stenomedit.	P scap
<i>Cactaceae</i>	<i>Opuntia ficus-indica</i> (L.) Mill.	Neotropic.	P succ
<i>Betulaceae</i>	<i>Ostrya carpinifolia</i> Scop.	Pontic	P scap
<i>Paeoniaceae</i>	<i>Paeonia</i> × <i>suffruticosa</i> Andrews	Asia	P caesp
<i>Fabaceae</i>	<i>Parkinsonia aculeata</i> L.	Africa/America	P scap
<i>Vitaceae</i>	<i>Parthenocissus quinquefolia</i> (L.) Planch.	N America	P lian
<i>Vitaceae</i>	<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.	E Asia	P lian
<i>Passifloraceae</i>	<i>Passiflora caerulea</i> L.	Sudamerica	P lian
<i>Lauraceae</i>	<i>Persea americana</i> Mill.	Sudamerica	P scap
<i>Lauraceae</i>	<i>Persea indica</i> (L.) Spreng.	Macaronesia	P scap
<i>Hydrangeaceae</i>	<i>Philadelphus grandiflorus</i> Willd.	America	P caesp
<i>Lamiaceae</i>	<i>Phlomis purpurea</i> L.	Stenomedit.	NP
<i>Lamiaceae</i>	<i>Phlomis viscosa</i> Poir.	Asia	NP
<i>Arecaceae</i>	<i>Phoenix canariensis</i> H. Wildpret	Canary Is.	P scap
<i>Arecaceae</i>	<i>Phoenix dactylifera</i> L.	Paleo-Subtrop.	P scap
<i>Rosaceae</i>	<i>Photinia serratifolia</i> (Desf.) Kalkman 'Red Robin'	China	P scap
<i>Poaceae</i>	<i>Phyllostachys aurea</i> Rivière & C. Rivière	Asia-Australia	NP
<i>Poaceae</i>	<i>Phyllostachys nigra</i> (Lindl.) Munro	E Asia	NP
<i>Pinaceae</i>	<i>Picea abies</i> (L.) H. Karst.	Eurosib.	P scap
<i>Pinaceae</i>	<i>Picea pungens</i> Engelm. 'Kosteriana'	Horticultural	P scap
<i>Pinaceae</i>	<i>Pinus halepensis</i> Mill. subsp. <i>halepensis</i>	*Stenomedit.	P scap
<i>Pinaceae</i>	<i>Pinus halepensis</i> subsp. <i>brutia</i> (Ten.) Holmboe	NE Medit. Mont.	P scap

<i>Pinaceae</i>	<i>Pinus pinea</i> L.	Eurimedit.	P scap
<i>Pinaceae</i>	<i>Pinus canariensis</i> C. Sm.	Macaronesia	P scap
<i>Pinaceae</i>	<i>Pinus nigra</i> J.F. Arnold	E Europ.	P scap
<i>Pinaceae</i>	<i>Pinus pinaster</i> Aiton	Stenomedit.	P scap
<i>Anacardiaceae</i>	<i>Pistacia lentiscus</i> L.	*Stenomedit.	P caesp
<i>Anacardiaceae</i>	<i>Pistacia terebinthus</i> L.	*Eurimedit.	P caesp
<i>Pittosporaceae</i>	<i>Pittosporum tobira</i> (Thunb.) W.T. Aiton	E Asia	NP
<i>Pittosporaceae</i>	<i>Pittosporum tobira</i> (Thunb.) W.T. Aiton 'Nanum'	Horticultural	NP
<i>Platanaceae</i>	<i>Platanus</i> × <i>hispanica</i> Münchh.	Eurimedit.	P scap
<i>Cupressaceae</i>	<i>Platycladus orientalis</i> (L.) Franco	Asia	P caesp
<i>Plumbaginaceae</i>	<i>Plumbago auriculata</i> Lam.	S Africa	P lian
<i>Polygalaceae</i>	<i>Polygala myrtifolia</i> L.	S Africa	NP
<i>Rutaceae</i>	<i>Poncirus polyandra</i> S.Q. Ding, X.N. Zhang, Z.R. Bao & M.Q. Liang	Asia	P scap
<i>Salicaceae</i>	<i>Populus alba</i> L.	Paleotemp	P scap
<i>Salicaceae</i>	<i>Populus nigra</i> L.	Paleotemp	P scap
<i>Didiereaceae</i>	<i>Portulacaria afra</i> Jacq.	S Africa	P succ
<i>Rosaceae</i>	<i>Prunus dulcis</i> (Mill.) D.A. Webb	S Medit	P scap
<i>Rosaceae</i>	<i>Prunus cerasifera</i> Ehrh.	W-Asiat.-Pontic	P caesp
<i>Rosaceae</i>	<i>Prunus cerasifera</i> subsp. <i>pissardii</i> (Carrière) Dostál	Horticultural	P scap
<i>Rosaceae</i>	<i>Prunus laurocerasus</i> L.	SE Europe, Anatolia	P scap
<i>Rosaceae</i>	<i>Prunus mahaleb</i> L.	S. Europ-Pontico	P caesp
<i>Rosaceae</i>	<i>Prunus webbii</i> (Spach) Vierh.	E Medit.	P caesp
<i>Juglandaceae</i>	<i>Pterocarya fraxinifolia</i> (Poir.) Spach	Asia	P scap
<i>Punicaceae</i>	<i>Punica granatum</i> L.	SW Asia	P scap
<i>Rosaceae</i>	<i>Pyracantha coccinea</i> M. Roem.	Eurasiat.	P caesp
<i>Rosaceae</i>	<i>Pyrus spinosa</i> Forssk.	*Stenomedit.	P caesp
<i>Fagaceae</i>	<i>Quercus cerris</i> L.	*N-Eurimedit.	P scap
<i>Fagaceae</i>	<i>Quercus ilex</i> L.	*Stenomedit.	P scap
<i>Fagaceae</i>	<i>Quercus ithaburensis</i> subsp. <i>macrolepis</i> (Kotschy) Hedge & Yalt.	E Medit.	P scap
<i>Fagaceae</i>	<i>Quercus pubescens</i> Willd.	*SE Europ.	P scap

<i>Fagaceae</i>	<i>Quercus trojana</i> Webb	*NE Medit.	P scap
<i>Rhamnaceae</i>	<i>Rhamnus alaternus</i> L.	*Stenomedit.	P caesp
<i>Fabaceae</i>	<i>Robinia pseudoacacia</i> L.	N America	P scap
<i>Rosaceae</i>	<i>Rosa canina</i> L.	*Paleotemp.	NP
<i>Rosaceae</i>	<i>Rosa</i> × <i>hybrida</i> Vill. 'La Sevillana'	Horticultural	NP
<i>Asparagaceae</i>	<i>Ruscus aculeatus</i> L.	*Eurimedit.	G rhiz
<i>Arecaceae</i>	<i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult.f.	S America	P scap
<i>Salicaceae</i>	<i>Salix babylonica</i> L.	Subtrop-Asia	P scap
<i>Lamiaceae</i>	<i>Salvia officinalis</i> L.	*E Stenomedit.	Ch suffr
<i>Lamiaceae</i>	<i>Salvia fruticosa</i> Mill.	Macaronesia	P caesp
<i>Lamiaceae</i>	<i>Salvia rosmarinus</i> Spenn.	*Stenomedit.	NP
<i>Anacardiaceae</i>	<i>Schinus molle</i> L.	C-S America	P scap
<i>Araliaceae</i>	<i>Schefflera arborea</i> (L.) M. Gómez 'Variegata'	Horticultural	P scap
<i>Asteraceae</i>	<i>Senecio angulatus</i> L. f.	S Africa	Ch frut
<i>Asteraceae</i>	<i>Senecio grandiflorus</i> Meyen	S Africa	Ch frut
<i>Cupressaceae</i>	<i>Sequoia sempervirens</i> (D. Don) Endl.	America	P scap
<i>Fabaceae</i>	<i>Spartium junceum</i> L.	Eurimedit.	P caesp
<i>Strelitziaceae</i>	<i>Strelitzia nicolai</i> Regel & Körn.	S Africa	P caesp
<i>Strelitziaceae</i>	<i>Strelitzia reginae</i> Banks	S Africa	P caesp
<i>Fabaceae</i>	<i>Styphnolobium japonicum</i> (L.) Schott	E Asia	P scap
<i>Arecaceae</i>	<i>Syagrus romanzoffiana</i> (Cham.) Glassman	S America	P scap
<i>Tamaricaceae</i>	<i>Tamarix arborea</i> (Ehrenb.) Bunge	N Africa	P scap
<i>Bignoniaceae</i>	<i>Tecoma capensis</i> Lindl.	S Africa	P caesp
<i>Lamiaceae</i>	<i>Teucrium fruticans</i> L.	*W Stenemedit.	
<i>Cupressaceae</i>	<i>Thuja occidentalis</i> L.	Australia	P caesp
<i>Tiliaceae</i>	<i>Tilia americana</i> L.	N America	P scap
<i>Tiliaceae</i>	<i>Tilia cordata</i> Mill.	Europ.-Caucas.	P scap
<i>Tiliaceae</i>	<i>Tilia platyphyllos</i> Scop.	Europ.-Caucas.	P scap
<i>Tiliaceae</i>	<i>Tilia</i> × <i>europaea</i> L.	Europ.-Caucas.	P scap
<i>Apocynaceae</i>	<i>Trachelospermum jasminoides</i> Lem.	China	P caesp
<i>Arecaceae</i>	<i>Trachycarpus fortunei</i> Wendt	E Asia	P scap

<i>Cannabaceae</i>	<i>Trema micrantha</i> (L.) Blume	C-S America	P scap
<i>Ulmaceae</i>	<i>Ulmus canescens</i> Melville	*E-Medit.	P scap
<i>Ulmaceae</i>	<i>Ulmus minor</i> Mill.	Europ.-Caucas.	P scap
<i>Fabaceae</i>	<i>Vachellia karroo</i> (Hayne) Banfi & Galasso	S Africa	P caesp
<i>Viburnaceae</i>	<i>Viburnum lucidum</i> Mill.	Himalaya	P caesp
<i>Viburnaceae</i>	<i>Viburnum rhytidophyllum</i> Hemsl.	Asia	P caesp
<i>Viburnaceae</i>	<i>Viburnum tinus</i> L.	*Stenomedit.	P caesp
<i>Vitaceae</i>	<i>Vitex agnus-castus</i> L.	*Stenomedit. - Turan.	P caesp
<i>Arecaceae</i>	<i>Washingtonia filifera</i> (André) de Bary	N America	P scap
<i>Arecaceae</i>	<i>Washingtonia robusta</i> H. Wendl.	California	P scap
<i>Fabaceae</i>	<i>Wisteria sinensis</i> (Sims) Sweet	Asia	P lian
<i>Asparagaceae</i>	<i>Yucca aloifolia</i> L.	C America	P caesp
<i>Asparagaceae</i>	<i>Yucca gigantea</i> Lem.	C America	P caesp
<i>Asparagaceae</i>	<i>Yucca gloriosa</i> L.	N America	P caesp

* indicates the taxa native to Apulia.