Original Article

Improvement of the motor performance difference in athletes of wheelchair Basketball

MONTESANO, P.¹; TAFURI, D.¹; MAZZEO, F.¹

¹University of Naples “Parthenope”, Department of Sport Sciences and Wellness, Via Medina 40, 80133 Naples – ITALY.

Published online: September 30, 2013

(Accepted for publication September 05, 2013)

DOI:10.7752/jpes.2013.03058;

Abstract:

The purpose of this study was to investigate the reliability and validity of wheelchair basketball as motor difference performance of 20 disabled athletes practising wheelchair basketball.

They resulted with variable classifications-point between 1 and 4.5 and had different positions.

Pre-requisites were the different disabilities of the athletes, due to mobility impairment by traumatic injuries, polio, mutilations, and others, resulted compatible with the basketball practice.

Aims were improving the percentage of shooting and passing by strengthening the upper limbs through specific exercises and the use of competition balls, medicine balls, and elastics fitband.

The data were collected during two academic years at the Faculty of Sport Sciences (now the Department of Sport Sciences and Wellness) of the University of Naples Parthenope to evaluate the conditional and coordinative abilities used in passing and shooting in wheelchair basketball.

The research carried out using an observation method and handwriting reporting-was made on a sample of 20 disabled athletes who already had experienced national wheelchair basketball leagues and who belonged to the “CISS Basket Napoli” team, including athletes of the junior team. The study included initial, intermediate and final tests.

The final output, recorded at the end of the second agonistic season, showed the improvement percentage of about 6, 5% validating a methodology based on supplementary training. The athletes of group B showed an incremented percentage and even some athletes of group A, determined to train with greater concentration, showed improvements in their performances reaching higher points of percentage.

Key words: wheelchair basketball, disability, motor capacity, passes, shoots, precision and percentage

Introduction

Beach volleyball is a very demanding sport which is played outdoors usually under difficult conditions such as Sportive disciplines have different characteristics according to the type of activities and to the neuromuscular, cardiovascular and respiratory efforts involved (Moreno et al, 2012).

Basketball (Messina, 2004) is a team sport in which efforts are well balanced and are well proved through the efficiency of the shot, of the throw and the assist performed in a very changeable agonistic situation (Mondoni, 1984; Peterson, 2003); as a matter of fact the basketball player must use his/her abilities (Barnes, Marsden, 2002) as quickly as possible and with great mastery, in particular, he/she must be able to show the so-called open skills (Vanlandewijck, 1999).

The physical abilities of athletes-distinguished in coordination and conditioning abilities-are always evaluated according to their performance and their success both as individual and as a team (Magni, 2009; Weineck, 2001).

Wheelchair basketball has enjoyed great success at the Paralympic Games (International Wheelchair Basketball Federation, 2011) and it is one of the most popular sports for disabled (Filoramo Bal, 2007) people and one of the oldest practiced, having little difference a part from the use of the wheelchair compared to the dynamic of the discipline played by able-bodied people (Piras, Carboni, 1999; Beretta, Mosconi, 2001). The main differences relate to the classification expressed by a score and by some infractions, i.e. if a player rises from the wheelchair which is considered a technical fault, if a player moves forward more than twice without bouncing the ball, if a player the wheelchair rear wheels off the floor holding the ball in his/her hand (de Oliveira et al. 2009; Gil-Agudo et. al. 2010).

Wheelchair basketball classification is the grouping of players into categories (classes), based on the player's physical capacity to execute fundamental basketball movements; pushing the wheelchair, dribbling,

shooting, passing catching, rebounding and reacting to contact (International Wheelchair Basketball Federation, 2010). Athletes must be classified before they can take part in league matches by a technical medical commission which assesses the functional capacity of players on a point scale ranging from 0,5 to 4,5, according to the type of injury of the spinal cord, amputation etc. The total point value of each team participating in a game must not exceed the 14.5-point limit.

The purpose of this study was investigate the improvement of the percentage of the fundamentals of passing and shooting, by monitoring the performance of the players of the “CISS Basket Napoli”, a wheelchair club joining the national second division team championship and previously joining the A2 team league. The validity of the tests as characteristics and percentage of each player were recorded by testing them during their trial on court in an approved indoor stadium.

Method

The data were collected during the last two academic years at the Faculty of Sciences (now the Department of Exercise Science and Wellness), University of Naples Parthenope (course of Theory Methodology and Education of The Sports) to assess the skills coordinative and conditional used in passing and shooting of wheelchair basketball.

The research carried out using an observation method and handwriting reporting-was made on a sample of 20 disabled athletes, both male and female, who already had experienced national wheelchair basket leagues and who belonged to the “CISS Basket Napoli” team, including athletes of the junior team.

The study included initial, intermediate and final tests. In the light of the result of the initial test a subdivision of the athletes in two groups was made: the control group, consisting of athletes having the higher percentage of shoots and passings (named “group A”) and the experimental group, consisting of athletes having the lower percentage (named “group B”).

During the annual performances, the two groups followed an ordinary training planned by their coach Mrs Eufemia Romano, consisting of three weekly training sessions, characterized by athletic activities (Vanlandewijck et al. 1994), technique and tactics, proposed to the players at alternating times and requiring a prevailing neuromuscular effort. Group B was asked to do supplementary shooting and passing training sessions for an amount of six for month.

Were used an analytical method, great attention was put on the development of each singular passing and shooting fundamentals in each training session alternating the use of official balls and medicine balls. Strengthening through fit band elastics was implemented, during gym training session, twice a month, on different days from the team training ones.

During training sessions, in order to improve the passing, athletes used medicine balls from 1 to 3 kilos while, to improve the shooting technique, they used only a medicine ball of 1 kilo.

Participants

20 athletes between aged 18 and 50 practising wheelchair basketball. They resulted with variable classifications-point between 1 and 4.5 and had different positions and different roles (Pivot, Small forward, Power forward, Shooting guard, Guard-play, Guard).

Material

- Basketball court (28m. x 14m.); 3.05 high basketball hoop.
- Ball normally used in the game
- Medicine ball : 1, 2, 3 kilos.
- Elastic Fitband
- Reporting grids

Design

Pre-requisites were the different disabilities of the athletes, due to mobility impairment by traumatic injuries, polio, mutilations, and others, resulted compatible with the basketball practice.

Aims were improving the percentage of passing (table 1) and shooting (table 2) by strengthening the upper limbs through specific exercises and the use of competition balls, medicine balls, and elastics fit band.

Two students having the task to count the number of passes and shoots.

Training tests

1) *Exercises with the records of percentages of passing with one hand (fig. 1)*

Fig. 1 – Positions of athletes station to test the number of passes (Number of passes required 20)

From station no. 1 the athletes, in turn, shot:

- n. 5 passes towards station n. 2;
 - n. 5 passes towards station n. 3;
 - n. 5 passes towards station n. 4;
 - n. 5 passes towards station n. 5.
 - Station n. 5 was located under the basket .
 - Station n 1 was 8-9 m from stations n .2,3,4 while station n 5 was located at 15 m
- This test/exercise was given during the initial, intermediate and final tests .

2) Exercises recording the percentage of shots (fig. 2)

Fig. 2 – Positions of athletes station to test the number of shoots (Total amount of shots N 20).

- N. 2 shots towards the basket from each station , for an amount of 20 shots.
 - Progressive execution from station n 1 to n 10 using shots in movement without going beyond the demarcation line below the basket and the free-throw lane.
 - Stations n. 1,2,3,8,9,10 were located opposite the side lines.
 - Stations n 4,5,6,7 were located 1m. from the half court line.
- This test/exercise was given during the initial, intermediate and final tests.

3) Extra training sessions

Strengthening isotonic and isometric exercises (Bosco, 1985; Verchosanskij 1997) using medicine balls of different weight ranging, from 1 kilo to 3 kilos, as well as elastics fit band used during indoor training.

Results

Initial testing

Table 1 – Percentage of precise passes in initial test - Theoric number passes 20.

Athlete	Station n.2	Station n.3	Station n.4	Station n. 5	Total number of precise passes	% Total percentage of precise passes
Subject 1	5	5	5	3	18	90
Subject 2	5	5	5	5	20	100
Subject 3	4	5	5	4	18	90
Subject 4	4	5	4	5	18	90
Subject 5	3	4	4	3	14	70
Subject 6	4	5	5	3	17	85
Subject 7	4	5	4	3	16	80
Subject 8	5	5	5	5	20	100
Subject 9	4	5	5	4	18	90
Subject 10	5	5	4	3	17	85
Subject 11	4	4	5	3	16	80
Subject 12	2	5	3	3	13	65
Subject 13	4	5	3	3	15	75
Subject 14	4	5	4	5	18	90
Subject 15	5	5	4	5	19	95
Subject 16	4	5	3	4	16	80
Subject 17	4	4	3	4	15	75
Subject 18	5	5	5	4	19	95
Subject 19	5	3	4	4	16	80
Subject 20	4	5	3	3	15	75

Table 2 - Percentage of precise shoots in initial test - Theoric number shoots 20.

Athlete	n.1 *	n.2 *	n.3 *	n.4 *	n.5 *	n.6 *	n.7 *	n.8 *	n.9 *	n.10 *	Total numberof precise shoots	% Total percenta ge of precise shoots
Subject 1	2	2	2	1	2	2	2	2	1	2	18	90
Subject 2	2	2	2	2	2	2	2	2	2	2	20	100
Subject 3	2	2	1	2	2	1	2	2	1	1	16	80
Subject 4	2	1	1	1	2	2	2	2	2	2	17	85
Subject 5	1	1	1	0	2	2	1	2	1	2	13	65
Subject 6	1	1	1	1	2	1	2	2	2	2	15	75
Subject 7	2	2	1	2	1	1	0	1	2	2	14	70
Subject 8	2	2	2	2	2	2	2	2	2	2	20	100
Subject 9	2	2	2	2	2	0	2	1	2	2	17	85
Subject 10	2	1	2	2	1	1	2	1	2	2	16	80
Subject 11	2	2	0	2	2	1	2	1	2	1	15	75
Subject 12	2	1	1	1	2	0	2	0	2	1	12	60
Subject 13	2	1	1	2	2	2	2	0	2	1	15	75
Subject 14	2	2	2	1	2	1	2	2	2	2	18	90
Subject 15	2	2	2	1	2	2	2	2	2	2	19	95
Subject 16	1	2	1	2	2	1	1	2	2	1	15	75
Subject 17	1	1	1	2	2	1	2	1	2	1	14	70
Subject 18	2	2	2	2	2	2	2	2	1	2	19	95
Subject 19	2	2	0	2	2	0	2	2	2	1	15	75
Subject 20	1	2	2	2	2	0	2	1	2	1	15	75

* Shooting station

The initial survey proved that only six athletes had a percentage between 90% and 100%. Two athletes reached, in both passing and shooting, a percentage of 100%, two athletes a percentage of 95% and two athletes of 90%.

As a result of the analysis of the average percentage, group A (table 3, fig. 3) and group B (table 4, fig. 4) were formed; eventually the athletes who resulted to have a minor percentage of the average total precision including passing and shooting were added to group B.

Table 3 - Grouping of the average percentage of precise passing and shooting (group A)

% Total percentage of precise shoots	% Total percentage of precise passes	Athlete	% average percentage
90	90	Subject 1	90
100	100	Subject 2	100
80	90	Subject 3	85
85	90	Subject 4	87,5
100	100	Subject 8	100
85	90	Subject 9	87,5
95	95	Subject 15	95
95	95	Subject 18	95
90	90	Subject 14	90
80	85	Subject 10	82,5

Fig. 3 – Group A - Average percentage of precise passing and shooting initial test

Table 4 - Grouping of the average percentage of precise passing and shooting (group B)

% total percentage of precise shoots	% total percentage of precise passes	Athlete	% average percentage
65	70	Subject 5	67,5
75	85	Subject 6	80
70	80	Subject 7	75
75	75	Subject 13	75
75	80	Subject 11	77,5
60	65	Subject 12	62,5
75	80	Subject 16	77,5
70	75	Subject 17	72,5
75	80	Subject 19	77,5
75	75	Subject 20	75

Fig. 4 – Group B - Average percentage of precise passing and shooting initial test

Intermediate testing

Intermediate testing has highlighted an average increment in group B of about 8 %. In particular, the performances of S.L. and D.N.G. have shown an individual increase of about 10% (table 5, fig. 5).

Table 5 – Group B – Average percentage of intermediate improvement of passing and shooting

Athlete	% average percentage
Subject 5	74,25
Subject 6	86,4
Subject 7	81
Subject 13	83,7
Subject 11	68,75
Subject 12	81
Subject 16	83,7
Subject 17	78,3
Subject 19	83,7
Subject 20	81

Fig. 5 – Group B - Average percentage of precise passing and shooting intermediate test

Final testing

Tables 6, 7 and tables 8, 9 respectively the final testing of precise percentage of passing group A and group B, the final testing of precise percentage of shooting group A and group B. Table 10 and 11 respectively the final testing of total average percentage of passing and shooting group A (fig. 6) and group B (fig. 7).

Table 6 – Final testing of precise percentage of passing group A

Athlete	Station n.2	Station n.3	Station n.4	Station n. 5	Total number of precise passes	% total percentage of precise passes
Subject 1	5	5	5	4	19	95
Subject 2	5	5	5	5	20	100
Subject 3	4	5	5	4	18	90
Subject 4	4	5	4	5	18	90
Subject 8	5	5	5	5	20	100
Subject 9	4	5	5	4	18	90
Subject 15	5	5	4	4	18	90
Subject 18	4	5	4	5	18	90
Subject 14	5	5	4	5	19	95
Subject 10	5	5	5	4	19	95

Table 7 – Final testing of precise percentage of passing group B

Athlete	Station n.2	Station n.3	Station n.4	Station n. 5	Total number of precise passes	% total percentage of precise passes
Subject 5	4	5	5	3	17	85
Subject 6	3	5	5	4	17	85
Subject 7	4	5	4	4	17	85
Subject 13	5	5	5	3	18	90
Subject 11	3	5	4	3	15	75
Subject 12	4	5	4	3	16	80
Subject 16	4	5	3	4	16	80
Subject 17	4	5	3	4	16	80
Subject 19	5	3	4	4	16	80
Subject 20	4	5	4	3	16	80

Table 8 – Final testing of precise percentage of shooting group A

Athlete	n.1 *	n.2 *	n.3 *	n.4 *	n.5 *	n.6 *	n.7 *	n.8 *	n.9 *	n.10 *	Total number of precise shoots	% total percentage of precise shoots
Subject 1	1	2	2	1	2	2	2	2	2	2	18	90
Subject 2	2	2	2	2	2	2	2	2	2	2	20	100
Subject 3	2	2	1	2	2	1	2	2	1	1	16	80
Subject 4	2	1	2	1	2	2	2	2	2	2	18	90
Subject 8	2	2	2	2	2	2	2	2	2	2	20	100
Subject 9	2	2	2	2	2	0	2	1	2	2	17	85
Subject 15	2	1	2	2	1	1	2	1	2	2	16	80
Subject 18	2	2	1	2	2	1	2	2	2	2	18	90
Subject 14	2	2	2	1	2	2	2	2	2	2	19	95
Subject 10	2	2	2	2	2	2	2	2	1	2	19	95

Table 9 – Final testing of precise percentage of shooting group B

Athlete	n.1 *	n.2 *	n.3 *	n.4 *	n.5 *	n.6 *	n.7 *	n.8 *	n.9 *	n.10 *	Total number of precise shoots	% total percentage of precise shoots
Subject 5	1	2	1	0	2	2	2	2	1	2	15	75
Subject 6	1	2	1	1	2	1	2	2	2	2	16	80
Subject 7	2	2	1	2	2	1	0	1	2	2	15	75
Subject 13	2	1	1	2	1	1	2	1	2	2	15	80
Subject 11	2	2	0	2	2	1	2	1	2	1	15	75
Subject 12	2	2	1	2	1	0	2	0	2	2	14	70
Subject 16	2	2	1	2	2	2	2	1	2	1	17	85
Subject 17	2	1	2	2	2	1	2	2	2	1	17	85
Subject 19	2	2	1	2	2	0	2	2	2	1	16	80
Subject 20	2	2	2	2	2	0	2	1	2	1	15	80

Table 10. Total average percentage of passing and shooting group A

% total percentage of precise passes	% total percentage of precise shoots	Athlete	% total average percentage
95	90	Subject 1	92,5
100	100	Subject 2	100
90	80	Subject 3	85
90	90	Subject 4	90
100	100	Subject 8	100
90	85	Subject 9	87,5
90	80	Subject 15	85
90	90	Subject 18	90
95	95	Subject 14	95
95	95	Subject 10	95

Fig. 6 - Group A - Total average percentage of precise passing and shooting final test

Table 11 – Total average percentage of passing and shooting group B

% total percentage of precise passes	% total percentage of precise shoots	Athlete	% total average percentage
85	75	Subject 5	80
85	80	Subject 6	82,5
85	75	Subject 7	80
90	80	Subject 13	85
90	75	Subject 11	82,5
75	70	Subject 12	72,5
80	85	Subject 16	82,5
80	85	Subject 17	82,5
80	80	Subject 19	80
80	80	Subject 20	80

Fig. 7 – Group B - Total percentage of precise passing and shooting final test

Discussion

The tests were given after the classification of the wheelchair basketball player's disabilities and the definition of their characteristics according to sex, age and position. Twenty wheelchair basketball players performed two test items to determine the reliability of the training. The validity of the tests was assessed by relating the scores to the players' classification and competition standard, and rating of coach and player. The percentage of passing and shootings at the initial, intermediate and final stage was recorded through specific tests given during the training session of the team.

The output of the initial survey made possible the subdivision of the athletes into two groups: the control group, made up of athletes with the highest percentage of passing and shootings named group A and the experimental group, made up of the athletes with a lower percentage named group B who underwent supplementary technique and athletic training.

The intermediate survey, made at the end of the first agonistic season and at the beginning of the second, showed a general increase percentage of around 5/7 %, with peaks of 10% per athlete S.L. and of 13% per D.N.G.

The final output, recorded at the end of the second agonistic season, showed the improvement percentage of about 6, 5% validating a methodology based on supplementary training. The athletes of group B showed an incremented percentage and even some athletes of group A, determined to train with greater concentration, showed improvements in their performances reaching higher points of percentage.

The objectives relating to the increase of the percentage of passing and shooting through the improvement of conditional and coordinative abilities have been achieved. It was also found that improved interpersonal relationships and collaboration within the team and this is very important result in the integration of disabled people. (Angermeyer, Kilian, 1997).

Conclusions

Wheelchair basketball is an oldest disabled play and it is an official discipline of the Paralympic Games (Di Russo et al. 2010). The first specification is the classification into categories (classes) by a technical medical commission which assesses the functional capacity of players on a point scale ranging from 0,5 to 4.5, according to the type of injury of the spinal cord, amputation etc (Patatoukas 2011). The total point value of each team participating in a game must not exceed the 14.5-point limit.

The research aimed to record the coordinative and conditional skills used by athletes in passing and shootings in wheelchair basketball during two academic years; it also aimed to improve the percentage of passing and shootings fundamentals of the athletes of the CISS Basket Napoli. Our results show that the wheelchair basketball may compensate for executive control, impairment by fostering the stability of motor responses and favoring response flexibility.

Disabled athletes practicing wheelchair basketball, showed great enthusiasm and participation in the development of research activities carried out during two academic years.

The research was also conducted with the aim of bringing out the reality of sports activities for people with disabilities that are practiced by a growing number of athletes. In this regard, the athletes were listed as "subject" in order to comply with the conditions for privacy.

Perspective

The working model can be successful in schools to facilitate a strong awareness and the formation of a consciousness open to diversity. The opportunity to grow together disabled and able-bodied attentive to the culture of physical activity and particularly sports can only be one way to encourage the harmonious growth of the subjects and have a solid foundation to develop this process since the teens and then on competitive activities of adults.

References

- Angermeyer M.C. & Kilian R. (1997). *Theoretical models of quality of life for mental disorders*, in H. Katschnig, H. Freeman, N. Sartorius, *Quality of life in mental disorders*, Chichester, England, John Wiley & Sons, pp. 19-30
- Barnes, GR. & Marsden, JF. (2002) *Anticipatory control of hand and eye movements in humans during oculo-manual tracking*. *J Physiol*; 539(Pt 1):317-30
- Beretta M. & Mosconi, A. (2001). *Un canestro che aiuta*. Il Galleggiante, Cappella Cantone (CR)
- Bosco, C. (1985). *Elasticità muscolare e forza esplosiva nelle attività fisico-sportive*. Società Stampa Sportiva, Roma
- de Oliveira, R.F., Oudejans, R.R. & Beek P.J.(2009). Experts appear to use angle of elevation information in basketball shooting. *J Exp Psychol Hum Percept Perform*. Jun;35(3):750-61
- Di Russo, F., Bultrini, A., Brunelli, S., Delussu, AS, Polidori, L., Taddei, F. et al. (2010). Benefits of sports participation for executive function in disabled athletes. *J Neurotrauma*.; 27(12):2309-19
- Filoramo, Bal L. (2007). *Disabilità e Sport*, Celid, Torino
- Gil-Agudo, A., Del Ama-Espinosa, A, Crespo-Ruiz, B. (2010). Wheelchair basketball quantification. *Phys Med Rehabil Clin N Am*.; 21(1):141-56.
- Magni, A. (2009). *L'ottimizzazione delle capacità coordinative nei tempi d'intervento*. Calzetti e Mariucci, Perugia
- Messina, P.M. (2004). *L'insegnamento della pallacanestro. Problematiche didattiche e metodologie*. Greco Editore, Milano
- Mondoni, M. (1984). *La preparazione fisico-atletica nella pallacanestro*. Società Stampa Sportiva, Roma
- Moreno, M.A., Zamunér, A.R., Paris, J.V., Teodori ,R.M., & Barros, R.M. (2012). Effects of Wheelchair Sports on Respiratory Muscle Strength and Thoracic Mobility of Individuals with Spinal Cord Injury. *Am J Phys Med Rehabil*; 91(6):470-7
- Patatoukas, D., Farmakides, A., Aggeli, V., Fotaki, S., Tsibidakis, H., Mavrogenis, A.F., et al. (2011). Disability-related injuries in athletes with disabilities. *Folia Med (Plovdiv)*;53(1):40-6
- Peterson, D. (2003). *Basket essenziale*. Libreria dello Sport, Milano
- Piras, D, Carboni, A. (1999). *Il Basket in carrozzina*. Marchesi Grafiche Editoriali, Roma
- Vanlandewijck, Y.C., Daly, D.J. & Theisen, D.M. (1999). Field test evaluation of aerobic, anaerobic, and wheelchair basketball skill performances. *Int J Sports Med*. Nov;20(8):548-54
- Vanlandewijck, Y.C., Spaepen, A.J. & Lysens, R.J. (1994). Wheelchair propulsion: functional ability dependent factors in wheelchair basketball players. *Scand J Rehabil Med*; 26(1):37-48
- Verchosanskij, Y.V. (1997). *Mezzi e metodi per l'allenamento della forza esplosiva. Tutto sul metodo d'urto*. Società Stampa Sportiva, Roma
- Weineck, J. (2001). *L'allenamento ottimale*. Calzetti e Mariucci, Perugia