Preparation and Characterization of Poly Metal Complexes Derived from 5,5'-Methylenebis(2-Hydroxy Benzaldehyde) and 6,6'-Methylenebis(2-hydroxy naphthaldehyde) with Hydrazine and 4-Amino Phenyl Ether

AMBREEN SHAH^{1,*}, M.Y. KHUHAWAR¹ and ASIF ALI SHAH²

¹M.A. Kazi Institute of Chemistry, University of Sindh, Jamshoro, Sindh, Pakistan

²Mehran University Institute of Science and Technology Development, Jamshoro, Pakistan

*Corresponding author: E-mail: anashba_shah@yahoo.com; a_jeelani2002@yahoo.com

Received: 7 November 2013;

Accepted: 22 January 2014;

Published online: 1 September 2014;

AJC-15853

Some new Schiff base polymers were prepared by polycondensation of 5,5'-methylenebis(2-hydroxy benzaldehyde) and 6,6'-methylenebis(2-hydroxy naphthaldehyde) with 4-aminophenyl ether and hydrazine in acidic media. After polymerization, Schiff base polymers were treated with Cu and Ni acetate to prepare poly metal chelates by solution technique. The poly metal chelates were characterized by elemental micro-analysis, IR, UV-visible and spectroscopic techniques. The solutions of poly metal chelates were prepared in THF at 30 °C, to investigate viscometric study by dilute solution viscometry (DSV) method. The intrinsic viscosities of these poly metal complexes were ranged within 0.393-0.5201 dL/g as compared to 0.174-0.249 dL/g for Schiff base polymers in THF. Thermoanalytical studies of poly metal complexes were examined and compared.

Keywords: Poly metal chelates, Schiff base, Infrared spectroscopy, Ultraviolet-visible spectroscopy, Viscometry.

INTRODUCTION

A polymer-metal chelates is composed from man-made polymer as ligand with metal ions by a coordinate bond. Those polymers contain nitrogen, oxygen or sulphur at anchoring sites, are able to form metal complexes with different metals by coordination covalent bonding¹⁻⁷. Different sort of polymer metal complexes formed with a variety of metal ions such as, cross-linked polymers formed by intramolecular or intermolecular bonding. Some copper(II) and nickel(II) metal chelates were reported from 5,5'-methylene bis(salicylaldehyde) with different diamines tetramethylethylenediimine, *meso*-stilbene-diimine, *dl*-stilbenediimine and 2,6-diiminopyridine⁸.

Tunçel *et al.*⁹ synthesized and characterized the thermally stable Schiff base polymers from monomers [$\{M_1; N,N'$ -*p*-phenylene bis(salicylideneimine) and ethylenediamine (M_2 ; N,N' -*p*-ethylenebis(salicylideneimine))}] by the condensation reaction and also prepared their copper(II), cobalt(II) and nickel(II) complexes. These polymers and their metal chelates were characterized by elemental analyses, UV-visible, FT-IR, atomic absorption spectroscopy (AAS), thermogravimetric analyses and magnetic susceptibility measurements. Thermal stability of metal chelates is higher than Schiff base polymer.

Recently, Zolfaghar *et al.*¹⁰ prepared two new tetradentate N,N' -di-[5-(4-alkoxyphenyl)azo]-salicylidene-1,2-phenylene

diimine ligands (alkoxy = octyloxy, decyloxy) and their nickel(II) chelates. The ligands and their nickel complexes have been characterized by all spectroscopic techniques and by using a polarizing microscope equipped with a heating and cooling stage. None of the free ligands exhibited liquid-crystalline behavior except the copper chelates.

In the present work, the newer polymers were formed by polycondensation of 5, 5'-methylene bis(2-hydroxybenzaldehyde) and 6,6'-methylene bis(2-hydroxy naphthaldehyde) with hydrazine as well as 4-amino phenyl ether. These polymers formed metal chelates with copper and nickel metal ions. These metal complexes were characterized by CHN analysis, FT-IR and UV/visible spectroscopy. The viscometric parameters (intrinsic viscosity and absolute viscosity) of polymeric solution in THF were obtained by extrapolation with different temperatures and concentrations and based on DSV method.

EXPERIMENTAL

2-Hydroxy(naphthaldehyde), hydrazine, 4-amino phenyl ether, glacial acetic acid, sulphuric acid (98 %), chloroform, *n*-hexane, NH_4OH , dimethyl acetamide (DMAc), dimethylformamide (DMSO), tetrahydrofuran (THF), acetone, methanol, Cu(II) acetate and Ni(II) acetate obtained from (Fluka, Switserzerland) were used. Pure nitrogen obtained from British Oxygen Company (BOC), Karachi, was used.

The elemental micro-analyses were carried out by a Devon elemental microanalyzer (UK). Infrared spectra were recorded on a Nicolet Avatar 330 FTIR (Thermo Nicolet Electron Corporation, USA) with attenuated total reflectance (ATR) accessory (Smart partner) within 4000-600 cm^{-1} . Spectrophotometric studies were carried out in dimethyl formamide (DMF) and tetrahydrofuran (THF) on a double beam Hitachi 220 spectrophotometer (Tokyo, Japan), with dual 1 cm silica cuvettes within 185-700 nm.

Thermogravimetry (TG) and differential thermal analysis (DTA) were recorded on a Shimadzu TG 30 thermal analyzer from room temperature to 600 $^{\circ}\text{C}$ with a nitrogen flow rate of 50 mL/min. The known samples of copper and nickel complexes (10 mg) were placed in platinum sample holder and α -alumina was used as reference. The viscosity measurements of dialdehyde (MBC) and their polythioamides were noted within temperatures 283-323 K with interval of 10 K by using a Technico ASTM 445 suspended level viscometer. Each time 15 mL of solution was taken and an average flow time of at least three readings was taken. The flow time of solvent under the same condition was also noted. A Gallenkamp viscometer bath was used to control the temperature.

Preparation of polymers: The preparation of 5,5'-methylene bis(2-hydroxy benzaldehyde) as well as their polymers are reported, and the procedure for 6,6'-methylene bis(2-hydroxy naphthaldehyde) was given below: To 6,6'-methylene bis(2-hydroxy naphthaldehyde) (1.78 g) dissolved in DMSO (50 mL) was added hydrazine (0.16 mL) or 4-amino phenyl ether (1.002 g) dissolved in THF (5 mL) and acetic acid (2 mL). The reaction mixture was refluxed for 24 h with constant stirring, the content was concentrated to about half of the volume and the mixture was poured to ethanol (50 mL). The coloured precipitates obtained, were filtered and dried in oven. Finally, recrystallized the crude precipitates in acetone and *n*-hexane.

Preparation of of poly metal complexes: Polymeric Schiff metal chelates were prepared by a solution technique. A typical procedure for the preparation is as follows¹¹ with some modification:

2 mmol of polymer was dissolved in (100 mL) of THF and the pH of solution was adjusted to 7 with dilute NH_4OH . An aqueous solution of Cu(II) acetate (5 mmol) was added drop wise to the Schiff base polymeric solution with constant stirring in nitrogen atmosphere. The mixture was then digested at 80-85 $^{\circ}\text{C}$ for 14 h and kept overnight at room temperature with continuous stirring. The reaction mixture was poured in chilled water. The precipitates of metal chelates formed, was filtered, washed with hot distilled water and recrystallized from ethanol. This crude product was dried at 100 $^{\circ}\text{C}$. The similar procedure was adopted for the preparation of Ni(II) chelates.

Poly[6,6'-methylene bis(2-hydroxy naphthaldehyde)-azine] Cu complex [PMBHNNH Cu(II)]: FTIR: 3046, 3028, 2994, 2856, 1632, 1618, 1562, 1494, 1377, 1356, 1280, 1208, 1164, 978, 934, 855, 815, 767, 720 cm^{-1} . Analysis of $(\text{C}_{24}\text{H}_{14}\text{N}_2\text{O}_2\cdot\text{Cu})_n$, calculated (%): C, 51.27; H, 2.49; N, 4.98. Found (%): C, 51.15; H, 2.51; N, 4.79.

Poly[6,6'-methylene bis(2-hydroxy naphthaldehyde)-4-imino phenyl ether] Cu complex [PMBHNIPE Cu(II)]: FTIR: 3024, 3010, 2977, 1619, 1590, 1445, 1382, 1281, 1171,

1030, 908, 917, 856, 759, 707 cm^{-1} . Analysis of $(\text{C}_{36}\text{H}_{22}\text{N}_2\text{O}_3\cdot\text{Cu})_n$, calculated (%): C, 59.2; H, 3.01; N, 3.83; S. Found (%): C, 59.08; H, 2.99; N, 3.74.

Poly[6,6'-methylene bis(2-hydroxy naphthaldehyde)-azine] Ni complex [PMBHNNH Ni(II)]: FTIR: 3020, 3006, 2900, 2830, 1620, 1550, 1480, 1406, 1395, 1220, 1145, 1020, 900, 855, 760, 714 cm^{-1} . Analysis of $(\text{C}_{24}\text{H}_{14}\text{N}_2\text{O}_2\cdot\text{Ni})_n$, calculated (%): C, 48.02; H, 2.33; N, 5.05. Found (%): C, 47.97; H, 2.35; N, 4.93.

Poly[6,6'-methylene bis(2-hydroxy naphthaldehyde)-4-imino phenyl ether] Ni complex [PMBHNIPE Ni(II)]: FTIR: 3067, 3033, 2979, 2880, 1635, 1598, 1583, 1460, 1460, 1123, 1048, 924, 880, 834, 766, 700 cm^{-1} . Analysis of $(\text{C}_{36}\text{H}_{22}\text{N}_2\text{O}_3\cdot\text{Ni})_n$, calculated (%): C, 56.2; H, 2.86; N, 3.64. Found (%): C, 56.08; H, 2.89; N, 3.59.

RESULTS AND DISCUSSION

Synthesis: Monomer was prepared as reported method, which is a general procedure for the preparation of 5,5'-methylene bis(2-hydroxy benzaldehyde), 6,6'-methylene bis(2-hydroxy naphthaldehyde) and 5,5'-methylene bis(2-hydroxy acetophenone)^{12,13}. The prepared monomer was further used to prepare new Schiff polymers by polycondensation with hydrazine and 4-aminophenylether. Each time a solid product was obtained. Structural formulae of Schiff base polymers are given in (Fig. 1). These polymers were further reacted with Cu(II) and Ni(II) metal solution, to prepare poly metal chelates. After synthesis, poly metal chelates confirmed by elemental analysis (Table-1) and spectroscopic techniques.

The effects of reaction conditions were examined for the syntheses of poly metal complexes were examined. Heating time of reaction mixture was varied for 6, 14, 18 and 20 h but maximum yield was obtained at 85 $^{\circ}\text{C}$ with 14 h of heating and were selected. Solubility of polymers and its poly metal chelates were insoluble in water but soluble in methanol ethanol, acetone, chloroform, THF and DMF¹⁴.

Fig. 1. (i) Structure diagrams of poly Schiff metal chelates of poly 6,6'-methylene bis(2-hydroxy naphthaldehyde) hydrazone and (ii) poly Schiff metal chelates of poly 6,6'-methylene bis(2-hydroxy naphthaldehyde) 4-imino phenyl ether

Spectral studies: IR spectrum of monomer indicated strong bands at aldehyde reacts with diamines then absorption of infrared radiation causes covalent bonds within the molecule to be promoted from one vibrational energy level to high energy level. Copper(II) and nickel(II) metal chelates gave

TABLE-1
C.H.N ANALYSIS OF POLY METAL COMPLEXES OF POLYMERS DERIVED FROM THE MONOMERS 5,5'-METHYLENE
bis(2-HYDROXY BENZALDEHYDE) AND 6,6'-METHYLENE *bis*(2-HYDROXY NAPHTHALDEHYDE)

S.#:	Compounds	m.f.	% Calculated			% Found		
			C	H	N	C	H	N
1	[PMBHBHCu(II)]	(C ₁₅ H ₁₀ N ₂ O ₂ Cu) _n	40.03	2.23	6.22	40.01	2.31	6.10
2	[PMBHBHPECu(II)]	(C ₂₇ H ₁₈ N ₂ O ₂ Cu) _n	52.45	2.91	4.53	52.22	2.67	4.28
3	[PMBHBHNI(II)]	(C ₁₅ H ₁₀ N ₂ O ₂ Ni) _n	36.10	2.05	5.74	35.89	2.10	5.52
4	[PMBHBHPIENi(II)]	(C ₂₇ H ₁₈ N ₂ O ₂ Ni) _n	49.41	2.74	4.27	49.24	2.62	4.16
5	[PMBHNHCu(II)]	(C ₂₄ H ₁₄ N ₂ O ₂ Cu) _n	51.27	2.49	4.98	51.15	2.51	4.79
6	[PMBHNIPECu(II)]	(C ₃₆ H ₂₂ N ₂ O ₂ Cu) _n	59.2	3.01	3.83	59.08	2.99	3.74
7	[PMBHNHNI(II)]	(C ₂₄ H ₁₄ N ₂ O ₂ Ni) _n	48.02	2.33	5.05	47.97	2.35	4.93
8	[PMBHNIPIENi(II)]	(C ₃₆ H ₂₂ N ₂ O ₂ Ni) _n	56.20	2.86	3.64	56.0	2.89	3.59

weak absorption band at 3082-3016 cm⁻¹ due to C-H aromatic stretching. Infrared spectrum of poly metal chelates gave rise a characterized peak around 1648-1615 cm⁻¹ due to $\nu(\text{C}=\text{N})$ vibration frequencies. The imine peak ($-\text{HC}=\text{N}-$ group) in metal complexes were showed red shifts below 12-20 cm⁻¹ compared to polymers, indicating coordination of the imine nitrogen to the metal ions. These poly metal chelates indicated a few bands within 1603-1580 cm⁻¹ due to aromatic ring and C=C vibration. All gave two to three bands within 1578-1395 cm⁻¹ due to aliphatic and aromatic ring and $\nu(\text{C}=\text{C})$ vibration. Another peak of N-N vibration was only found in poly metal complexes of hydrazine around 1440-1340 cm⁻¹. The C-O-Cu band frequency in metal complexes appeared 1281 cm⁻¹ as strong band, indicating involvement of phenolate oxygen atom in the coordination¹⁵. These frequencies also observed in Cu complexes [Fig. 2 (a & b)].

The electronic spectra of newly synthesized poly metal chelates were carried out in THF. As the polymers indicated almost three absorption bands due to $\pi-\pi^*$ transition in the benzenoid rings, $\pi-\pi^*$ conjugated carbonyl groups and C=N chromophoric groups of compounds. The metal chelates indicated three or four bands [Fig. 3 (a & b)] and the observation of a new band or the shift in the position of the band as compared to Schiff base polymers might be attributed to metal ions incorporated in the metal chelates. The initial absorption

Fig. 2 (b) Infrared spectrum for poly metal chelate (PMBHBHPECu) and (PMBHNIPECu)

band appeared due to $\pi-\pi^*$ transition in the benzoid and phenyl system and a hypsochromic shift of 8-12 nm also appeared in THF solvent as compare to acetone.

Fig. 2. (a) Infrared spectrum for poly metal chelate (PMBHBHCu) and (PMBHNHCu)

Fig. 3. (a) UV/visible spectrum for poly metal chelate (PMBHBHCu)

Fig. 3. (b) UV/visible spectrum for poly metal chelate (PMBHNIPECu)

The new band with strong intensity for all metal complexes were observed between 290-330 nm, which indicated bathochromic shift, this assigned for $\pi-\pi^*$ transition involving the ligand π -orbital near carbonyl oxygen¹³. The copper chelates indicated a shoulder band between 340-400 nm which might be due to a charge transfer band but in nickel metal chelates these shoulder bands were obtained after 410-440 nm with higher absorbance. Therefore it was concluded that the nickel chelates were more planar than copper chelates¹⁶.

Thermal properties: The thermal stability by thermogravimetry (TG) and differential thermal analysis (DTA) of these newly prepared poly metal chelates were recorded from room temperature to 600 °C with a heating rate 15 °C/min and nitrogen flow rate 50 mL/min.

The weight loss for copper and nickel chelates of (PMBHBH) started from 370 and 380 °C upto 480 °C, then the loss in weight followed till 700 °C with total loss of 80 and 78 %. The TGA for copper and nickel complexes of (PMBHBIPE) showed many variations from 500-565 °C with 64 % weight loss but its nickel complexes gave three clear humps 220-280, 390-430 and 342-525 °C with 69 % weight loss, correspondingly [Fig. 4 (a & b)].

The thermograph for copper and nickel complexes of (PMBHNH) observed maximum weight loss temperature at 385 and 410 °C with 78 and 73 % till 700 °C. The copper and nickel complexes of (PMBHNIPE) indicated maximum weight loss temperature at 430 and 408 °C with 70 and 68 % till 700 °C.

According to thermogravimetric analysis, nickel chelates were more thermally stable than corresponding copper chelates and loss in weight in nickel complexes was almost quantitative (70- 75 %) up to 410 °C, but copper chelates were more volatile in nature as followed by nickel chelates. This work also agreed with reported work¹⁷.

Viscosity studies: The viscosity measurements of dialdehyde MBC and newly synthesized formed were recorded

Fig. 4. (a) Thermogravimetric Spectrum for poly metal chelate (PMBHBIPECu)

Fig. 4. (b) TG/DTA thermogram for poly metal chelate (PMBHNIPENi)

within 283-323 K with concentration within 0.02-0.08 g/dL in THF. The relationship between the reduced viscosity (η_{red}) and concentration was observed linear for all poly metal complexes the compounds and an increase in reduced viscosity was observed with an increase in concentration and decrease in temperature (Fig: 5). The intrinsic viscosity for poly metal complexes of *bis*(2-hydroxy benzaldehyde)/*bis*(2-hydroxy naphthaldehyde) was calculated from Huggins's equation. According to equation, when a graph is plotted between reduced viscosity *versus* concentrations, then intercept gave the intrinsic viscosity of polymeric solution. Intrinsic viscosity increased with increase in molecular weight of metal chelate as (PMBHNHNi) (1.173 dL/g) which was higher than (PMBHBHNi) as well as (PMBHNHCu) complexes intrinsic viscosity decreased on high temperature. The values are summarized in (Table-2). The poly metal chelates indicated increasing intrinsic viscosity in the series (PMBHBHCu) < (PMBHBHNi)

Fig. 5. Absolute viscosity vs. concentration for different copper complexes (m.N.S/m²).

$< (\text{PMBHBIPeCu}) < (\text{PMBHNHCu}) < (\text{PMBHNHNi}) < (\text{PMBHBIPeNi}) < (\text{PMBHNIPECu}) < (\text{PMBHNIPeNi})$. The poly chelate (PMBHBIPeNi) had highest intrinsic viscosity in the series and might be due to considered have highest molecular mass because intrinsic viscosity depend upon molecular mass of the compound. Similar trend of intrinsic viscosities were also obtained in reported data^{18,19} in THF, which gave intrinsic viscosities within 0.019-0.241 g/dL in different solutions. The nature of the solvent has the predominant effect on the values of the Huggins viscometric constant in polymeric solutions. The poly metal complex (PMBHBIPe) Cu has less power of solvation in solvent than (PMBHNH)Cu because of the high aromatic character of phenyl rings in poly chelate of 4-imino phenyl ether (Table-3).

The values of absolute viscosity of poly metal chelates increased with increase in concentration and decreased with increase in temperature (Table-4). The values of absolute viscosities for poly metal chelates ranged within 1.27-2.06 mNS/m² in different concentrations of polymeric solutions.

The thermodynamic parameters of polymeric solution have characteristics behaviors which gave information about the structure and orientation of polymer molecules in the dilute solution. The energy of activation of viscous flow was calculated from the viscosity of a system using eqn. 1, as following:

$$\Delta G = 2.303 RT \log(\eta_{\text{abs}}/10^{-3}) \quad (1)$$

where R is gas constant and T is absolute temperature. A straight line was obtained by plotting $\log \eta_{\text{abs}}$ versus $1/T$. The energy of activation (ΔG_v) of (PMBHNIPeNi) was gradually raised with increase in concentrations of dilute solution because molecules have weaker association with each other and easily overcome during flow of solution. The values of ΔG_v for MBC were lower at different temperature about 11.989- 14.1287 kJ mol⁻¹ as compared to the poly metal complexes. The results of metal chelates at different temperature and concentration are listed in (Table-5).

when a graph was plotted between $\log \eta$ versus $1/T$, then a straight line was obtained. The values of heat of activation of flow (ΔH_v) were calculated from the slope (Slope $\times$ R). As the molecular mass was increased, the results of ΔH_v became lower because more energy was required to over come the flow of polymeric solvents (Table-6). The values of ΔH_v indicated the process of degradation of structure and orientation of macromolecule during the flow process. These newly prepared poly metal complexes indicated negative values so they showed the process of uncoiling and orientation of macromolecules occurred during flow process The entropy of activation of viscous flow (ΔS_v) was calculated from equation:

$$\Delta G_v = \Delta H_v - T\Delta S_v \quad (2)$$

TABLE-2
INTRINSIC VISCOSITY OF POLY METAL CHELATES AT DIFFERENT TEMPERATURES

S.No	Compound	Temperature (K)				
		283	293	303	313	323
1	(PMBHBHCu)	0.65	0.57	0.49	0.41	0.33
2	(PMBHBHNI)	0.76	0.685	0.66	0.635	0.61
3	(PMBHBIPeCu)	0.91	0.88	0.86	0.83	0.81
4	(PMBHNHCu)	1.05	0.97	0.82	0.81	0.73
5	(PMBHNHNi)	1.17	1.10	1.03	0.96	0.89
6	(PMBHBIPeNi)	1.11	1.085	1.06	1.035	1.01
7	(PMBHNIPECu)	1.31	1.285	1.26	1.235	1.21
8	(PMBHNIPeNi)	1.45	1.37	1.29	1.21	1.13

TABLE-3
HUGGIN'S CONSTANT K_H OF POLY METAL CHELATES AT DIFFERENT CONCENTRATIONS

Compound	Temperature (K)				
	283	293	303	313	323
(PMBHBHCu)	0.85	0.82	0.79	0.77	0.76
(PMBHBHNI)	0.86	0.84	0.81	0.78	0.78
(PMBHBIPeCu)	0.92	0.89	0.86	0.83	0.83
(PMBHNHCu)	0.99	0.97	0.94	0.91	0.91
(PMBHNHNi)	1.05	1.03	1.00	0.98	0.97
(PMBHBIPeNi)	1.12	1.09	1.06	1.03	1.03
(PMBHNIPECu)	1.18	1.15	1.12	1.09	1.09
(PMBHNIPeNi)	1.26	1.23	1.20	1.17	1.17

TABLE-4
ABSOLUTE VISCOSITY η /s CONCENTRATION FOR DIFFERENT COPPER CHELATES (m.N.S/m²)

Concentration (g/dL)	Temperature (283 K)			
	(PMBHBHCu)	(PMBHBIPeCu)	(PMBHNHCu)	(PMBHNIPECu)
0.02	1.37	1.44	1.52	1.70
0.04	1.40	1.47	1.55	1.73
0.06	1.43	1.50	1.58	1.76
0.08	1.45	1.52	1.60	1.78
0.10	1.47	1.54	1.62	1.70

TABLE-5
FREE ENERGY ACTIVATION OF VISCOUS FLOW (ΔG_v) OF POLY METAL
CHELATES AT DIFFERENT CONCENTRATIONS (K. J. mol⁻²)

S. No.	Compound	Temperature (K)				
		283	293	303	313	323
1	(PMBHBHCu)	13.21	13.27	13.33	13.39	13.46
2	(PMBHBHNI)	13.44	13.51	13.56	13.61	13.66
3	(PMBHBIPECu)	13.64	13.73	13.76	13.82	13.86
4	(PMBHNHCu)	14.44	14.51	14.56	14.61	14.66
5	(PMBHNHNI)	14.64	14.72	14.76	14.80	14.86
6	(PMBHBIPENi)	13.84	13.90	13.96	14.01	14.06
7	(PMBHNIPECu)	14.04	14.11	14.16	14.2	14.26
8	(PMBHNIPENi)	14.24	14.30	14.36	14.39	14.46

TABLE-6
ENTHALPY OF ACTIVATION OF VISCOUS FLOW (ΔH_v) FOR POLY
METAL CHELATES AT DIFFERENT TEMPERATURES (K. J. mol⁻²)

S. No.	Compound	Temperature (K)				
		283	293	303	313	323
1	(PMBHBHCu)	11.28	11.22	11.16	11.11	11.04
2	(PMBHBHNI)	10.32	10.26	10.20	10.14	10.08
3	(PMBHBIPECu)	9.37	9.31	9.25	9.19	9.13
4	(PMBHNHCu)	9.11	9.05	8.99	8.93	8.87
5	(PMBHNHNI)	8.75	8.69	8.63	8.57	8.51
6	(PMBHBIPENi)	8.42	8.36	8.30	8.24	8.18
7	(PMBHNIPECu)	7.46	7.40	7.34	7.28	7.22

Conclusion

This research work represents the synthesis of Cu(II) and Ni(II) metal chelates from dialdehydes 5,5'-methylenebis(2-hydroxy benzaldehyde) and 6,6'-methylenebis(2-hydroxy naphthaldehyde) with hydrazine and 4-aminophenylether by polycondensation and characterized by various spectroscopic techniques. The N-N vibration was only obtained in poly metal chelates of hydrazine between 1440-1340 cm⁻¹. The metal complexes also indicated C-O-M band frequency around 1281 cm⁻¹ as strong band, representing the phenolate oxygen atom, after complexation. The obtained polymeric metal chelates have good thermal stability with loss of 70-75 % up to 600 °C due to the presence of heavy metal ions than polymer. The viscometric measurements for these metal complexes were discussed. However, the intrinsic viscosities of these polymeric metal chelates ranged within 0.33-1.45 dL/g with concentration of solvents, at different temperatures. Finally, all thermodynamic parameters were calculated from their general equations. The free energy activation of viscous flow (ΔG_v) of poly metal chelates was varied from 13.21-14.46 g/dL at different concentrations.

REFERENCES

1. C.-C. Kwok, S.-C. Yu, I.H.T. Sham and C.-M. Che, *Chem. Commun.*, 2758 (2004).
2. M.A.A. Akl, I.M.M. Kenawy and R.R. Lasheen, *Microchem. J.*, **78**, 143 (2004).
3. Z.H. Xie, F.Z. Xie, L.Q. Guo, X.C. Lin and G.N. Chen, *J. Sep. Sci.*, **28**, 462 (2005).
4. E.A. Moawed, M.A.A. Zaid and M.F. El-Shahat, *Acta Chromatogr.*, **15**, 220 (2005).
5. M.A. Hamed, K.S. Abou- El-Sherbini and H. R. Lotfy, *J. Chin. Chem. Soc.*, **53**, 605 (2006).
6. S. Çavuş and G. Gürdag, *Polym. Adv. Technol.*, **19**, 1209 (2008).
7. C. Nouredine, A. Lekhmici, Q. Ali, M. Ruba, M. Zalloum and S. Mubarak, *J. Macromol. Sci. Part A*, **47**, 177 (2010).
8. M.Y. Khuhawar, A. Shah and M.A. Mughal, *Chin. J. Polym. Sci.*, **25**, 399 (2007).
9. M. Tunçel, A. Özbülbul and S. Serfin, *React. Funct. Polym.*, **68**, 292 (2008).
10. Z. Rezvani, K. Nejati, E. Alizadeh and R. Sammimi, *J. Mol. Cryst. Liq.*, **533**, 16 (2010).
11. G. Aysegul, T. Mehmet, D. Havva and R. Alan Wheatley, *Inorg. Chim. Acta*, **358**, 1785 (2005).
12. M.Y. Khuhawar and A.H. Channar, *J. Macromol. Sci. A*, **32**, 523 (1995).
13. M.Y. Khuhawar, M.A. Mughal and A.H. Channar, *Eur. Polym. J.*, **40**, 805 (2004).
14. A. Shah and A.A. Shah, *Asian J. Chem.*, **25**, 4215 (2013).
15. Ö. Saatçılar, N. Satiroglu, S. Bektas, Ö. Genç and A. Denizli, *React. Funct. Polym.*, **50**, 41 (2002).
16. V.N.R. Pillai and A. Mohan, in ed.: K.S.V. Srinivasan, *Macromolecules New Frontiers*, Allied Publishers Ltd., vol. II, p. 433 (1998).
17. H. Mart and R. Adalet, *Polym. Degrad. Stab.*, **83**, 255 (2004).
18. M.E. El-Sayed Mansour, A. A. Kaseem, H. Nourel-Din and A. A. El-Toukhy, *Macromol. Rep.*, **28**, 103 (1991).
19. A. Shah and A.A. Shah, *Asian J. Chem.*, **25**, 7513 (2013).