NOTE

Growth of Nano (Na)V₂O₅ from NaBH₄ and V₂O₅ at Room Temperature

MECİT AKSU^{1,2,*}

¹Department of Chemistry, King Abdulaziz University, 21589 Jeddah, Saudi Arabia

²Department of Chemistry, Duzce University, 81100 Duzce, Turkey

*Corresponding author: E-mail: mecitaksu@gmail.com

Received: 30 May 2014;

Accepted: 8 August 2014;

Published online: 15 November 2014;

AJC-16340

In this work V₂O₅ was reduced to sodium intercalated NaV₂O₅ with NaBH₄ in pyridine-water solvent. Techniques to investigate the composition, crystallinity and morphology of products as prepared include field emission scanning electron microscopy, energy dispersive X-ray spectroscopy and X-ray powder diffraction inductively coupled plasma-atomic emission spectroscopy. Unit cell parameters are $a = 11.28$, $b = 3.583$, $c = 4.76$ Å and $\alpha = \beta = \gamma = 90^\circ$. Mean crystallite size was calculated to be 4.8 nm.

Keywords: Nano (Na)V₂O₅, NaBH₄, V₂O₅.

Nanostructured vanadium oxides have attracted special interest because of their wide range of oxidation states (from +2 to +5) and coordination polyhedra in the vanadium-oxygen system^{1,2} and special interest because of their outstanding structural flexibility combined with their interesting chemical and physical properties for catalytic and electrochemical applications³⁻⁵. For example, sodium vanadium oxide bronze (NaV₂O₅) with layered orthorhombic structure has been thought to be one of the most promising cathode materials for lithium-ion batteries due to its low cost, high discharge rate and long cycle life⁵⁻¹³.

Various methods have been used to fabricate nanostructured vanadium oxide bronze including spark plasma¹⁴, electrochemical insertion⁷ and chemical vapor deposition¹⁵. In this report, NaV₂O₅ was synthesized with reduction of V₂O₅ with NaBH₄ in solution phase at room temperature.

All of the reagents were analytical grade without further purification. 0.182 g (1 mmole) V₂O₅ and 0.189 g (5 mmole) NaBH₄ were mixed in pyridine-water (1:1) solution for 24 h in open air at room temperature. Dark green precipitate was filtered, washed two times with distilled water and dried. Then, sample is calcined 500 °C for 5 h.

X-ray powder diffraction measurement were carried out with ARL Xtra X-ray diffractometer device with CuK α radiation in the 2 θ range of 10-80°. Mean crystallite size was calculated with Williamson-Hall method. The morphology of the material was studied with a field emission scanning electron microscopy (FE-SEM, JSM-6700F) performed at 5 kV. The composition

of the material was determined by energy dispersive X-ray spectroscopy (EDS, OXFORD INCAX Sight Resol.133ev) and inductively coupled plasma-atomic emission spectroscopy (PE®, ICP-AES/1000).

The phase structure of the resulting product was determined by X-ray powder diffraction (Fig. 1). It is obvious that the crystalline phases for sodium vanadium oxide nanocrystals are discriminatory. Indeed, the diffraction pattern of the obtained product consists of a series of peaks of multiple reflections characteristic of lamellar structures (presence of a peaks which has d-spacing's of the type $d_{001/l}$, where l is an integer). This series can be perfectly indexed to orthorhombic vanadium oxide crystalline phase V₂O₅ with lattice constants of $a = 11.28$, $b = 3.583$, $c = 4.76$ Å. Furthermore, the XRD patterns display a 001 set of reflections with high intensity corresponding to the stacking of the layers along a direction perpendicular to the substrate, presenting a well-ordered layered structure. The interlayer distances are indicated from the peaks with the highest intensity at low diffraction angle and characterized by 001 Miller index ($d_{001} = 4.797(6)$ Å). This observation indicates that the sodium is sandwiched between vanadium oxide layers and organized them into a single direction. The average crystallite size of the as-synthesized materials was calculated by using Williamson-Hall method. The average crystallite size values, calculated from XRD patterns of the samples have been found to be 4.8 nm.

The morphology of synthesized samples was investigated by using the field emission scanning electron microscopy (FE-

Fig. 1. XRD patterns of NaV_2O_5

SEM). Fig. 2 shows FE-SEM image of the sample synthesized at room temperature for reaction time of one day. Indeed, the SEM image reveals that the as-obtained material is made of the homogenous phase with non uniform particles which display different morphology. In fact, the as synthesized particles are up to several of nanometers to micrometers. Results of ICP-EAS and EDX analysis proved the formation of NaV_2O_5 .

Fig. 2. FE-SEM images of NaV_2O_5

Conclusion

Nano and micro sized sodium intercalated NaV_2O_5 was synthesized successfully in good yields at room temperature.

REFERENCES

1. W. Cha, S. Chin, E. Park, S.T. Yun and J. Jurng, *Powder Technol.*, **258**, 352 (2014).
2. L. Soltane and F. Sediri, *Mater. Res. Bull.*, **53**, 79 (2014).
3. D. Chen, R. Yi, S. Chen, T. Xu, M.L. Gordin, D. Lv and D. Wang, *Mater. Sci. Eng. B*, **185**, 7 (2014).
4. D. Vernardou, M. Apostolopoulou, D. Louloudakis, N. Katsarakis and E. Koudoumas, *J. Colloid Interf. Sci.*, **424**, 1 (2014).
5. I. Mjejri, N. Etteyeb and F. Sediri, *Ceram. Int.*, **40**, 5379 (2014).
6. M. Guignard, C. Didier, J. Darriet, P. Bordet, E. Elkaïm and C. Delmas, *Nat. Mater.*, **12**, 74 (2012).
7. C. Didier, M. Guignard, J. Darriet and C. Delmas, *Inorg. Chem.*, **51**, 11007 (2012).
8. J.S. Ke, M.C. Wu, S.F. Weng and C.S. Lee, *J. Nanopart. Res.*, **14**, 1167 (2012).
9. R.S. Devan, R.A. Patil, J.H. Lin and Y.R. Ma, *Adv. Funct. Mater.*, **22**, 3326 (2012).
10. S. Tepavcevic, H. Xiong, V.R. Stamenkovic, X. Zuo, M. Balasubramanian, V.B. Prakapenka, C.S. Johnson, T. Rajh, *ACS Nano*, **6**, 530 (2012).
11. S. Yagoubi, L. El Ammari, A. Assani and M. Saadi, *Acta Crystallogr.*, **67E**, i60 (2011).
12. W. Jiang, J. Ni, K. Yu and Z. Zhu, *Appl. Surf. Sci.*, **257**, 3253 (2011).
13. H. Fang, W. Ying-jin, J. Tao, M. Xing, C. Gang and W. Chun-zhong, *Chem. Res. Chin. Univ.*, **26**, 291 (2010).
14. Y.A. Bakhteeva, N.V. Podvalnaya and V.L. Volkov, *Inorg. Mater.*, **46**, 1112 (2010).
15. F. Hu, X. Ming, G. Chen, C. Wang, A. Li, J. Li and Y. Wei, *J. Alloys Comp.*, **479**, 888 (2009).