Sustainable River Basin Management under the European Water Framework Directive: an Effective Protection of Drinking-Water Resources

S. Wuijts,¹ H.F.M.W. van Rijswijk²

¹ Centre for Sustainability, Environment and Health (DMG), National Institute for Public Health and the Environment (RIVM), P.O. Box 1, 3720 BA Bilthoven, The Netherlands, susanne.wuijts@rivm.nl

² Utrecht Centre for Water, Oceans and Sustainability Law, Utrecht University, Achter Sint Pieter 200, 3512 HT Utrecht, The Netherlands, H.vanRijswijk@law.uu.nl

Abstract

In the Netherlands drinking water is produced both from surface water and groundwater. Due to the shortage of space, resources are often found in combination with other activities, such as those pertaining to industry or agriculture, in the same neighbourhood. These combinations impose strong demands on the water management of the river basin and the legal instruments that are at hand. The European Water Framework Directive (WFD, 2000) ensures sustainable availability of good-quality groundwater and surface water. Current drinking-water directives are partially addressed in the WFD, along with 'new' obligations such as the river basin approach. One of these obligations is to develop suitable measures for meeting the drinking-water standards taken up in the regulations and to reduce the time needed for treatment of drinking water. This study focused on setting up a protocol - elaborated and evaluated at three different abstraction sites (pilots) - to develop these measures. The so-called 'area dossier' offers good insight into the factors influencing water quality for all parties involved and makes it possible to develop suitable and effective measures. The general approach taken in this protocol will enable it to be used by other European Member States.

Keywords

Dossier for the area; drinking water; spatial plans; suitable measures; Water Framework Directive

This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC-BY-NC-ND 4.0) license, which permits others to copy or share the article, provided original work is properly cited and that this is not done for commercial purposes. Users may not remix, transform, or build upon the material and may not distribute the modified material (<http://creativecommons.org/licenses/by-nc/4.0/>)

I. Introduction

Access to safe drinking water is an important health issue worldwide. The sustainable provision of safe drinking water requires the development of a multifaceted water resource management plan and a close cooperation between national, regional and local authorities that is embedded in legislation. Several health-orientated conferences have taken place on this subject during recent decades. The United Nations (UN) General Assembly recently declared the period from 2005 to 2015 as “the International Decade for Action, ‘Water for Life’”. In 2002, the Regional Office for Europe of the World Health Organization developed The Protocol on Water and Health. The aim of this Protocol, the provisions of which cover most water environments, is to promote the protection of human health through improvements to water management. One of its more important provisions is that parties agree to set targets, thereby ensuring that tools are available to assess whether actual progress is being made.

The European Water Framework Directive (WFD, 2000) was implemented to establish a European framework that would ensure the sustainable availability of good quality groundwater and surface water. Current European drinking water related directives are partially addressed in the WFD, along with ‘new’ obligations, such as the river basin approach. One of these obligations encompasses the development of suitable measures in order to meet the drinking water regulations and reach the target-reduction in the drinking water treatment within the agreed-upon time parameters.

II. Drinking water production in the Netherlands

In the Netherlands drinking water is drawn from both surface water and groundwater resources. In terms of water management, the Netherlands forms part of four river basins that are not constrained by national borders (Figure 1). As a result, water quality is strongly determined by the actions of neighbouring countries as well as by those of the Netherlands. These river basins can be characterized as a being highly industrialized and densely inhabited basins as well as multifunctional.

Due to the shortage of space in the Netherlands, drinking water resources are often found in close proximity with areas affected by various anthropogenic activities, such as those pertaining to industry or agriculture. These combinations impose strong demands on the water management programme of the river basins and the legal instruments that are at hand. Good spatial planning and land use management policies can provide a balance between conflicting activities, thereby safeguarding drinking water objectives if inadequate attention has been paid to the protection of drinking water resources.

Fig. 1. The Netherlands form part of four international River Basins: the Rhine, the Meuse, the Scheldt and the Ems

Table 1. Protection policy drinking water resources, surface water and groundwater

	Surface Water	Groundwater
Current	☐ Function Drinking Water assessed in terms of waterbodies ☐ Quality standards for this function are applicable in this waterbody	☐ Preventive protection policy in zones (60 days, 25 years and catchment area) with (spatial) limitations on land use.
'New'	☐ Register of protected areas	
(WFD/GWD*)	☐ Effective measures directly related to water quality <ul style="list-style-type: none"> · Quality standards for groundwater · Safeguard zones (optional) 	

* GWD, European Union Groundwater Directive, 2003

III. Dossiers for the area

Based on the results of a previous study conducted by the RIVM (Wuijts and Van Rijswijk, 2007a) a so-called dossier for the area has been established as an instrument that offers support in developing protection measures around an abstraction site. Data on water quality, water quantity (as far as it is relevant to water quality) and protection policy are collected and analysed in conjunction as a whole dataset. Based on the analysis, measures are being proposed that are directly related to resolving the water quality issues at the abstraction site. The actual realization of the measures, however, is a political issue, and choices will have to be made by the responsible authority or by the water company itself.

The Ministry of Housing, Spatial Planning and the Environment requested the RIVM to develop a protocol for the so-called dossier for the area and to test this protocol in practice. The questions to be addressed in this test were:

- Which information (data) should be collected in the dossier?
- Which authority is to be in charge of creating and updating the dossier and selecting and carrying out measures?
- What status should be given to the dossier?
- Where should the dossier be legally anchored (national, provincial, municipal authorities, or all of these)?
- How should the dossier for the area relate to the implementation process of the Water Framework Directive?

In this study, a protocol has been formulated to develop suitable measures (Wuijts *et al.*, 2007b). This protocol is elaborated and evaluated at three different abstraction sites (groundwater, surface water and river bank filtration). Figure 2 presents a summary of one of the dossiers as an example. At the abstraction site described in this figure, drinking water is produced by river-bank filtration and, therefore, both groundwater and surface water aspects are included in the dossier.

The ‘dossiers for the area’ contains information on:

- Characteristics of the abstraction and treatment process and its capability of removing certain types of substances;
- Hydro(geo)logical characteristics of the resource and its characteristics for distributing polluting substances;
- Activities taking place in the area of influence, including potential pollution, with both point sources as diffuse sources;
- Analysis of the water quality: current and expected quality issues based on monitoring results;
- Legal framework, policy in practice and gaps, such as authorizations for pesticides, permits in the broad field of environmental and water law, general rules replacing permits, protection areas, agriculture regulation, among others;
- Measures, including time scales and responsibilities.

Anchoring of the measures takes place within the constraints of existing legal documents, such as environmental and spatial plans/programmes, and the instruments are included in the WFD programmes of measures.

The relationship between the ‘dossier for the area’ and other relevant plans is presented in Figure 3.

Dossier for the Bergambacht abstraction site

General aspects of the dossier

Objectives:

- Common understanding of the abstraction site in relation to the water system
- Development of effective and sustainable protection measures

Applications:

- Development of effective measures to comply with WFD-objectives on resources for drinking water
- Compliance testing for the drinking water function in terms of spatial planning and licensing
- Development of water safety plans by drinking water companies with a focus on resources

Contents:

- Information on the abstraction itself and the water system (quality and quantity)
- Information on activities that influence water quality
- Identification of problematic substances. What are possible pollution sources?
- Current protection policies and practices. Where are the bottlenecks?
- What are the most effective measures for dealing with problematic substances?

Water system

Lower Rhine/Lek:

- Discharge Lower Rhine/Lek varies from 0 to 1,000 m³/s
- The discharge < 10 m³/s for 10-20% of the year
- During periods of low discharge, the side branches and drainage have equal loads (capacity).
- The influence of side branches and drainages on the water quality of the Lek is large during periods of low discharge

Soil passage:

- Variations in water quality are measurable as faint and delayed changes in the abstraction wells
- Residence time between 3.3 and 275 years, with an average of 25 years
- 80% of the abstracted water originates from the river Nederrijn/Lek system; 20% is from the surrounding polder (Bergambacht).

Water quality (current and potential problem substances)

Current		Possible future	
Substance	Application	Substance	Application
<i>MTBE</i>	Petrol additive	<i>AMPA</i>	Metabolite glyphosate and detergent
<i>Diglyme</i>	Solvent	<i>iopovidol</i>	Raentgen contrast agent
<i>Volatile Chlorinated Hydrocarbons</i>	Industrial application	<i>Triphenylphosphineoxid</i>	Hydrazine chemical synthesis
		<i>Phenazone</i>	Analgesic
		<i>2-Chloronitrofin</i>	Chemical industry
		<i>Dikagualic</i>	Pesticide
		<i>Bentazone</i>	Pesticide
		<i>Carbamazepine</i>	Anti epilepticum
		<i>isoproturon</i>	Herbicide
		<i>Bathum</i>	Industrial application
		<i>Palates</i>	Softening agent

Protection policy: plans and practice

The quality of the abstracted water is primarily determined by the quality of the infiltrated river water. Measures for protecting both groundwater and surface water are therefore included in the current protection policy. Important bottlenecks and loopholes in the current policy are:

- The assignment of a drinking water function to the river Lek is absent from the Provincial Plan on Water and the Environment. This complicates the transfer of policy decisions to other (lower governmental) plans.
- In the current version of the Register of Protected Areas (2004) only the abstraction point at the River Lek is assigned, and not the water body itself (lower Rhine/Lek).
- The groundwater protection zone around the abstraction is not registered in the local zoning plan.
- The provincial amendment that lists activities banned within protection zones is not water-tight and provides ample loopholes for different interpretations.
- The large increase in the number of subsurface energy-storage systems is apparent within the provincial borders. The installation and maintenance of these systems can introduce risks of

Characteristics of the purification process

Steps treatment process	Objective
Soil passage:	Degradation and flattening of pollutants in abstracted water: • Suspended solids: 99.9% • Heavy metals: 80% • Organic micro-pollutants: 90% • Radioactive substances: 99%
Treatment:	
• Aeration and sand filtration	• Removal of iron gasses and oxidation products
• Pellet reactor	• Softening
• Activated carbon filtration	• Removal of organic micro-pollutants such as pesticides
• UV disinfection	• Disinfection

groundwater quality degradation. Legislation, however, is still at the planning stage.

- The Water Management. Plan of the responsible Water Board does encompass the protection zone of the abstraction site. The map of this area shows a large number of sewage spills. The effect of these spills on groundwater quality is unknown.
- The basic principles of the policy on Drinking- and Industrial Water Facilities are still relevant but have become less of an public issue over the years.

Measures

Substance	Resource	Measure Regional/National/ International	Effect little/moderate/ large
General		Recording of the Lek in the Register of Protected Areas Drinking water function in provincial and local plans	Indirectly large effect
MTBE			
Diffuse	Emissions from traffic Run off from roads	Agreement over inclusion in admission policy (REACH)	p.m.
Diglycine	International sources	Subject for river basin consultation Agreement over inclusion in admission policy (REACH).	Large effect; discussion due to low toxicity.
Pesticides			
• Point source	Run-off from roads industry	Reduction through effective usage. Adjust national level licensing procedure to river basin approach. Applicate procedure	Moderate Moderate Moderate
	International sources	Subject for river basin consultation	Large in term
• Diffuse	Agriculture Sewage spills	Operationalize decision tree (NI) List existing spills and make a plan for cleaning up in the protection zone	Moderate/large p.m.
Pharmaceuticals	Sewage spills and industry International sources	Same as with point source measures with pesticides.	
Various substances	Point sources in soil	1. Focused monitoring (existing) 2. Clean up based on monitoring	1. Large 2. Large (in term)

Fig. 2. Summary dossier for Bergambacht abstraction site

Fig. 3. Relationship between ‘dossiers for the area’, River Basin Management Plans and other existing and new relevant plans in the Netherlands

The results of the pilot trials have been discussed in a workshop attended by representatives of all relevant stakeholders, including drinking water companies, ministries, provinces, water authorities and research institutes. The results show that the so-called ‘dossier for the area’ is a reliable instrument for collecting all data that is pertinent to the protection of the resource. This information provides the foundation for developing protection measures that will be based on prevention and risk management. The dossier for the area has, in this respect, added value and can be further improved by clarifying the contribution of individual pollutants and spills on water quality.

IV. Conclusions

- The so-called ‘dossier for the area’ provides all relevant stakeholders with a good insight into the factors influencing water quality and facilitates the development of suitable and effective measures. The general approach adopted in this protocol ensures that the dossier is utilizable by other European Member States.
- A legal anchoring of the dossiers is advisable, since this provides a higher level of assurance that all necessary information and the contents of the dossier are accessible. Both the Dutch

Environmental Act and the renewed Dutch Drinking Water Act provide possibilities for anchoring. The most logical place for this anchoring is within the Drinking Water Act, since this Act obliges drinking water companies to formulate plans for water supply that encompass the delivery of that water from resource to tap.

- Management of the formulation and maintenance processes pertaining to the ‘dossier for the area’ are necessary since measures cover multiple policy areas such as water, spatial planning and the environment and involve authorities ranging from provinces to water boards and municipalities. The provinces would appear to be the best level of government to be in charge of the dossiers in terms of the management process due to the fact that in the Netherlands the provinces have been given the legal authority to manage the integration of policy in the broad field of environmental law, including nature conservation, water management and spatial planning. Most other governmental bodies either only handle one or a few aspects of the protection of drink water resources, or they do not have adequate regulatory powers to influence decision-making at the regional level. This situation may be different in other countries.
- The date when the River Basin Management Plan is to be implemented within the time framework of the WFD is approaching rapidly. As time is of an essence, attention must be given – at the administrative level – to how the ‘dossiers for the area’ will fit into this Plan. Measures are currently being outlined for the sub-basins, although the status of this outline varies from sub-basin to sub-basin. It may be possible to fit the ‘dossiers for the area’ into the up-coming further elaboration of the measures and the harmonization of measures between sub-basins. This step, however, places pressure on the administrative decision-making process and the formulation of the dossiers themselves. Another, more realistic, option is to fit the dossiers into the development of the next series of River Basin Management Plans (2015). This would enable practical testing of the ‘dossiers of the area’ during the time period of the first River Basin Management Plan and, consequently, further development and fine-tuning of this instrument.

V. Future steps

Four steps can be identified as a continuation of this project. Depending on the administrative decision-making process, these can be carried out sequentially:

- The preparation of a basic decision on the introduction of the ‘dossier for the area’ by all of the stakeholders; initiated by the Ministry of Housing, Spatial Planning and the Environment;
- The actual decision-making by all responsible authorities on the introduction of the ‘dossier for the area’;
- Adjustment and refinement of the protocol;
- Implementation of the ‘dossier for the area’ for all abstraction sites.

References

- Wuijts, S., Rijswijk, H.F.M.W. van (2007a) (in Dutch, English summary). *Drinking-water aspects and the Water Framework Directive: protection of drinking-water from surface water*. RIVM report 734301028, Bilthoven, The Netherlands.
- Wuijts, S., Rijswijk, H.F.M.W. van, Dik, H.H.J. (2007b) (in Dutch, English summary). *‘Dossiers for the area’ for drinking water resources*. RIVM report 734301032, Bilthoven, The Netherlands.