Journal section: Operative Dentistry and Endodontics
Publication Types: Research

doi:10.4317/jced.53048
<http://dx.doi.org/10.4317/jced.53048>

Effect of water storage on ultimate tensile strength and mass changes of universal adhesives

Nazanin Bahrololumi ¹, Amirreza Beglou ¹, Ahmad Najafi-Abrandabadi ², Alireza Sadr ³, Seyedeh-Mahsa Sheikh-Al-Eslamian ⁴, Amir Ghasemi ⁵

¹ Graduate Student, Research Institute of Dental Sciences, Dental school, Shahid Beheshti University of Medical Sciences, Tehran, Iran

² Faculty Member, Department of Restorative Dentistry, Dental School, Shahid Beheshti university of Medical Sciences, Tehran, Iran

³ Acting Associate Professor, University of Washington School of Dentistry, 1959 NE Pacific St, Seattle, WA 98195, United States; Adjunct Associate Professor, International Exchange Center, Tokyo Medical and Dental University, 1-5-45, Yushima, Bunkyo-ku, Tokyo 113-8549, Japan

⁴ Assistant Professor, Department of Restorative Dentistry, Dental School, Shahid Beheshti university of Medical Sciences, Tehran, Iran

⁵ Full Professor, Preventive Dentistry Research Center, Research Institute of Dental Sciences, Department of Restorative Dentistry, Dental School, Shahid Beheshti university of Medical Sciences, Tehran, Iran

Correspondence:

Shahid Beheshti University of Medical Sciences
Velenjak St., ShahidChamran Highway, Tehran, Iran
amir.beglou@gmail.com

Received: 16/02/2016
Accepted: 18/07/2016

Bahrololumi N, Beglou A, Najafi-Abrandabadi A, Sadr A, Sheikh-Al-Eslamian SM, Ghasemi A. Effect of water storage on ultimate tensile strength and mass changes of universal adhesives. J Clin Exp Dent. 2017;9(1):e78-83.

<http://www.medicinaoral.com/odo/volumenes/v9i1/jcedv9i1p78.pdf>

Article Number: 53048 <http://www.medicinaoral.com/odo/indice.htm>
© Medicina Oral S. L. C.I.F. B 96689336 - eISSN: 1989-5488
eMail: jced@jced.es
Indexed in:
Pubmed
Pubmed Central® (PMC)
Scopus
DOI® System

Abstract

Background: The aim of the present study was to evaluate the influence of water storage on micro tensile strength (μ TS) and mass changes (MC) of two universal adhesives.

Material and Methods: 10 disk-shaped specimens were prepared for each adhesive; Scotchbond Universal (SCU) All-Bond Universal (ABU) and Adper Single Bond 2 (SB2). At the baseline and after 1 day and 28 days of water storage, their mass were measured and compared to estimate water sorption and solubility. For μ TS test, 20 dumbbell shaped specimens were also prepared for each adhesive in two subgroups of 1 day and 28 days water storage.

Results: MC was significantly lower for SCU and ABU than SB2 ($P < 0.05$) at both time intervals. In all three adhesives, the MC was significantly lower at 28 days compared to that at 1 day ($P < 0.05$). Similarly, μ TS was significantly higher for SCU and ABU than SB2 at both storage intervals ($P < 0.05$). After 28 days, μ TS increased significantly for universal adhesives ($P < 0.05$).

Conclusions: MC and μ TS of adhesives were both material and time dependent when stored in water; both universal adhesives showed less water sorption and higher values of μ TS than the control group.

Key words: Absorption, dental adhesives, dentin-bonding agents, solubility, tensile strength.

Introduction

Simplification of the procedures has always been favorable among dentists. Multimode one-bottle universal adhesives have been recently introduced to the dental market in this regard (1). They can be used in either Self-Etch or Total-Etch, or selective enamel etch mode (2). Their potential ability to bond to different restorative materials including zirconia (3), metal (4) and silica-based ceramics (5) is another advantage of these adhesives.

In order to produce universal adhesives, some alterations have been made in their formulation. In this regard, universal adhesives have approximately every element used in previous generations of adhesives in more complicated formulas (2) and are essentially similar to the one-step self-etch adhesives. The task of simplification in one-step self-etch adhesives have been made possible through increasing the amounts of solvents and hydrophilic functional monomers (6). In fact, presence of organic solvents and acidic monomers in the formulation of these new universal adhesives raises concerns about their water sorption (7). Water sorption is one of the most important factors responsible for adhesive degradation (8). Therefore, doubts still remain about their bonding durability (7), structural stability (9), formulation stability (10) and mechanical properties over time (11).

As demonstrated in many previous studies, physical properties of the adhesive may greatly affect the dentin-resin bond strength (12). A variety of tests are available to assess the physical properties of the adhesives, among which tensile strength has been widely used in literature (11,12).

Considering the recent introduction of these universal adhesives, there is relatively limited information regarding their performance and efficacy (1,13). Since specifically there was inadequate information covering their water sorption, solubility and tensile strength, the purpose of the present study was to evaluate the effect of water storage on micro tensile strength and mass change of two universal adhesives in a period of 28 days. A simplified etch-and-rinse adhesive was also tested as control group.

Material and Methods

The study has been approved by the ethics committee of shahid beheshti university of medical sciences.

-Materials used

Three commercially available dental adhesive resins were used in this study. As the control material, Adper Single Bond 2) SB2; 3M ESPE, St. Paul, MN, USA) was used. The following two universal adhesive systems were tested: Scotchbond Universal Adhesive (SCU; 3M ESPE, St. Paul, MN, USA); and All Bond Universal (ABU; Bisco Inc., Schaumburg, IL, USA). The compositions of these three dental adhesive resins are shown in table 1. The protocol for this study was mainly adopted according to ISO 4049, except for the dimensions of the specimens and water storage time.

-Mass changes

•Specimen preparation

Disk-shaped silicone molds (5.8mm diameter, 0.8mm thickness) were made by taking an impression from a plastic model. Thirty disks (10 of each adhesive) were

Table 1. Adhesive system, batch number, composition and pH values of the adhesive systems according to the manufacturers' material safety data issue or technical profile.

Adhesive	Batch Number	Composition	pH value
Adper Single Bond 2	N353081	bis-GMA, HEMA, dimethacrylates, ethanol, water, photoinitiator, methacrylate functional copolymer of polyacrylic and poly(itaconic) acids, 10% by weight of 5 nm-diameter spherical silica particles	4.3
Scotchbond Universal	517568	MDP Phosphate monomer, dimethacrylate resins, HEMA, methacrylate-modified polyalkenoic acid copolymer, filler, ethanol, water, initiators, silane	2.7
All-Bond Universal	1300007895	MDP, Bis-GMA, HEMA, ethanol, water, initiators	3.2

Abbreviations – MDP: methacryloyloxydecyl dihydrogen phosphate; Bis-GMA: bisphenol A glycidyl methacrylate; HEMA: 2-hydroxyethyl methacrylate.

prepared using these molds under standard laboratory conditions.

In order to produce the specimens of each adhesive, three drops of the adhesive were poured to fully fill up the mold in a dark and closed environment to avoid premature curing. Each drop was air dried for 40 seconds with oil/water free compressed air from a 10-cm distance, with 45° angle of the tip at 4 kg/cm² output pressure to resemble the clinical situation (11). Care was taken to remove all visible bubbles. A plastic yarn (1 cm in length) was then placed into the resin to handle it in the upcoming stages. Then, to obtain a smooth surface, a glass slide was placed over the mold. The assembly was then sandwiched and clamped between two glass plates to exclude the atmospheric oxygen effect on polymerization.

The resin was first light-cured using a halogen light-curing unit (Optilux 501; Kerr, Danbury, CT, USA) at a power density of 650 mW/cm² for 60 seconds, and then after removing the specimen from the mold, turned over and cured for further 60 seconds. The curing time was selected to ensure adequate light curing taking the bulk volume of resin into consideration.

After polymerization, the excess material around the disks was removed using a scalpel. Then, the specimens were observed under a stereo microscope (SMZ10; Nikon, Tokyo, Japan) at 16× magnification. Any specimen with visible voids or cracks was discarded. The resin disks were then stored in a desiccator at 37 °C for 24 hour. Each disk was repeatedly weighed in a digital scale (AL-104; Acculab, Mountville, PA, USA) with a reproducibility of 0.0001 gr until a stable mass (M0) was obtained. This was done as an assurance of complete vaporization of the solvent.

•Measurement of mass changes (MC)

The specimens were soaked separately in sealed glass vials containing 10 ml of deionized water in an incubator (ON-300; AS-ONE, Tokyo, Japan) at 37°C. After intervals of 24 hours and 28 days, the specimens were taken out using their plastic yarn, wiped with a soft absorbent paper, and then weighed immediately to record mass values after 1 day and 28 days of water storage (M1 and M28 respectively).

MC of the samples at each time point was calculated using the formulae below, (Fig. 1):

$$\frac{M1-M0}{M0} = MC1 \qquad \frac{M28-M0}{M0} = MC28$$

Fig. 1. Formulae.

-Microtensile strength (μTS)

•Specimen preparation

Silicone dumbbell-shaped molds (9 mm long, 3 mm wide and 0.65 mm thickness with isthmus wide of 0.8 mm) were made by taking an impression from a plastic model. Sixty specimens (20 of each adhesive) were prepared using these molds in ordinary laboratory environment.

Three drops of the adhesive were poured to completely fill the mold in a dark and closed environment in order to avoid premature curing. Care was taken to remove all visible bubbles. Active air-drying was conducted for all specimens to evaporate the solvent. Each drop was air dried for 40 seconds as represented for specimens in the previous section.

A glass slide was placed over the mold as described for specimens in the previous section, followed by a total of 120 seconds light curing, at 3 stages each covering 3×3 mm² surface area of the specimen 40 seconds to ensure adequate light curing. After removing the excess material and discarding the specimens with visible voids or cracks, the specimen was stored in glass vials containing 10 ml of deionized water in two subgroups of 24 hours and 28 days (n=10).

•Microtensile strength test

At the time of the test, the specimens were fixed with cyanoacrylate glue (Zapit; Dental Ventures of America, Corona, CA, USA) to a jig, and pulled apart in a micro tensile testing machine (Bisco micro tester; Bisco, USA) at a cross-head speed of 0.5 mm/min until fracture occurred.

The μTS was calculated in MPa, by dividing the load of failure (N) at the time of fracture by the cross-sectional area of the specimen at the fracture site (mm²).

•Statistical analysis

The means and standard deviations of MC, and μTS were calculated for each dental adhesive. Kolmogorov-Smirnoff test was used to verify normality of the data. Repeated measures ANOVA was used to examine the effect of adhesive type and time of water storage on MC, and two-way ANOVA for the interaction of adhesives, time and μTS. Comparisons of each two groups were carried out using the Tukey's test. Statistical significance for all tests was set at alpha = 0.05. Data analysis was carried out using SPSS software (version 16; SPSS, Chicago, IL, USA).

Results

-Mass changes

Results are summarized in table 2 for the MC. All three adhesives showed the highest amounts of MC in the first day of water storage. For both 24 hours and 28 days of water storage, ABU showed the lowest MC values followed by SCU, and SB2 showed the highest levels of MC. On both time intervals, the differences in MC between SB2 and two other experimented adhesives were statically significant ($P < 0.05$), while there was no significant difference between the MC amounts of ABU and SCU ($P = 0.610$ and 0.116 for the 1st and 28th days of storage). On 28th day of storage all three adhesives showed a decrease in mass in comparison to the 1st day of storage, which was statically significant for all three adhesives ($P < 0.05$).

Table 2. Mass change values (%) and standard deviations of experimented adhesives.

Adhesive Type	Mass Change (%)	
	1 Day Mean† (%)	28 Days Mean (%)
Single Bond 2	12.32 (1.9) ^a	9.94 (2.3) ^b
Scotchbond Universal	7.41 (1.1) ^b	4.13 (1.8) ^{c,d}
All-Bond Bisco	6.57 (2.5) ^{b,c}	2.29 (1.6) ^d

† Values are expressed in percent, and those in parentheses represent standard deviations (SD). Mean values with the same superscript letters are not significantly different ($p > 0.05$).

-Microtensile Strength

Results are summarized in table 3 for the μ TS. SCU showed the highest amounts of μ TS in both time intervals of water storage, followed by ABU and SB2 respectively. But, among these μ TS values only the differences between that of SCU and ABU were not statistically significant ($P = 0.130$) and the differences between SB2 and ABU as well as SCU and SB2 ($P < 0.05$) were statistically significant. Also after 28 days of water storage the μ TS values of SCU and ABU increased which were statically significant ($P < 0.05$).

Table 3. Micro Tensile Strength values and standard deviations of experimented adhesives.

Adhesive Type	Tensile strength	
	1 Day Mean† (MPa)	28 Days Mean (MPa)
Single Bond 2	14.68 (3.2) ^a	14.66 (2.8) ^a
Scotchbond Universal	20.60 (3.0) ^{b,d}	26.61 (4.0) ^c
All-Bond Bisco	18.40 (1.5) ^b	24.70 (4.3) ^{c,d}

† Values are expressed in MPa, and those in parentheses represent standard deviations (SD). Mean values with the same superscript letters are not significantly different ($p > 0.05$).

Discussion

The success of contemporary restorations is highly dependent on the properties of adhesive systems (14). For every new dental adhesive, the validity of its ideal claimed features should be verified. Therefore, the aim of this study was to evaluate the physical and mechanical properties of the relatively new universal adhesives. SCU and ABU were selected as widely available univer-

sal adhesives. Moreover, SB2 was selected among conventional two-step etch-and-rinse adhesives, because it has been considered as control group in other studies (13,15). There are some concerns about water sorption/solubility and mechanical properties of simplified adhesives such as universal adhesives that have all the components in a single bottle. Therefore, MC measurement and μ TS test were selected to evaluate the physical and mechanical properties of these adhesives (11).

First and foremost, the present study showed that the three adhesives examined differed significantly in their MC and μ TS when stored in water. Moreover, both MC and μ TS values changed over time in all the three adhesives when stored in water.

All dental adhesives evaluated in this study absorbed a significant amount of water. The greatest increase in mass happened during the first day of storage, which is in agreement with previous studies (9,16,17). In both time intervals of 24 hours and 28 days, the highest values of MC were observed for SB2 followed by SCU and ABU respectively. Water sorption of dental adhesives is strongly influenced by resin composition and hydrophilicity (9,16,18,19). In fact, the chemistry of the monomers is the factor that determines the hydrophilic nature of a polymer (20). According to the product data sheets, there is an increased concentration of Bis-GMA in SCU compared to SB2 which explains lower water sorption of SCU and confirms the results obtained in this study. Bis-GMA is one of the most frequently used di-methacrylate monomers in adhesive systems which provides favorable features by forming densely cross-linked polymer. This monomer has both hydrophilic and hydrophobic components. Although some water sorption is inevitable because of its hydrophilic hydroxyl groups, Bis-GMA is mainly considered as a hydrophobic monomer which prevents substantial water uptake after water immersion (7). In addition to Bis-GMA, 10-MDP is another monomer widely employed in universal adhesives. This functional monomer is the most responsible monomer for chemical bonding to hydroxyapatite, and self-etching capability of the adhesive (13). Structurally, its long carbonyl chain makes this monomer relatively hydrophobic. As a consequence, water will be kept at a distance (21). On the hand, as shown in the product data sheets, SB2 has higher ethanol content. According to Malacarne *et al.* (17), addition of ethanol increased the ability of resin to absorb water. Although all three tested adhesives contain approximately the same concentration of HEMA (2-hydroxyethyl-methacrylate) which behaves as a hydrophilic monomer, the relevance of water sorption effect of this monomer in adhesive resin is controversial (7). We speculate that the universal adhesives SCU and ABU probably formed more hydrophobic networks, as they exhibited the lowest MC, which is in accordance with previous researches (9,17), claiming that

the extent of water sorption decreases with the hydrophobicity of the resin blends.

On the other hand, absence of polyalkenoic acid copolymer in ABU and its lower content in SCU than SB2 is another reason suggesting the trend observed in our results for MC values. Polyalkenoic acid copolymer is a 3M ESPE adhesive component responsible for better moisture stability (22). However, it has previously been reported that this monomer does not have good solubility in adhesive solution and thus results in separate globules within the polymer preventing monomer approximation during polymerization and hence, causes water sorption of the adhesive due to decreased degree of conversion (11,13).

Moreover, in order to diminish the detrimental effect of acidic pH of self-etch adhesives on shelf life stability of the blend and enable room temperature storage of adhesives, most of the universal adhesives have a higher pH than traditional self-etch resins (10). SCU and ABU are considered as “mild self-etch” adhesives because of their relatively high pH (1). It is assumed therefore that universal adhesives are likely to have low polarity, which may lead to their relative low MC showed in this study.

While no statistically significant difference was observed between SCU and ABU in their MC values in the current investigation, the differences in their compositions seems to be the key reason for their slight difference in terms of MC. Munoz *et al.* (13,15) have demonstrated a lower degree of conversion for SCU, which tends to play an important role in elution of uncured monomer from the adhesive. Additionally, no amount of polyalkenoic acid copolymer and silane does exist in ABU composition. All these factors together with the higher pH of ABU are likely to result in lower MC of ABU in current study.

In contrast to some studies (7), after the period of 28 days, a decrease in MC values was observed for all the tested adhesives, with the same order of SB2 showing the highest value followed by SCU and ABU respectively. This finding is in accordance with the results of some other previous studies (9,17). Since the MC is the outcome of both the increase in mass caused by water sorption, and the decrease in mass caused by solubility, it is possible to conclude that the dissolution values

over 28 days are greater than water uptake values. When stored in water, adhesive polymer absorbs water and results in network swelling (19,23). This event facilitates the leaching out of unreacted trapped monomers into the water (24). Furthermore, subsequent water sorption brings about polymer matrix degradation through the formation of nanopores (25). Elution of degradation products into surrounding water could be considered as solubility as well. For these reasons, It is suggestive that the release of monomers over time resulted in this decrease in mass (26,27). High amounts of HEMA in the formulation of adhesives, due to its low molecular weight and high solubility, may also associate in this phenomenon. The leakage of monomers into oral environment elicits concerns about the biocompatibility of these materials (28), and further research is needed in this regard.

It has been suggested that the degree of solvent evaporation may also affect the MC of adhesives; therefore additional sample were prepared in this study to examine the effect of prolonged solvent evaporation time on MC. Three additional disk-shaped resin specimens of each adhesive were prepared and left for 3 hours passively drying in a dark and closed place before light curing. These three samples of each adhesive exhibited lower water sorption after 24 hours compared to the active air dried ones. This decreased water sorption confirmed the effect of complete solvent evaporation on water stability of adhesives as proposed by some authors (11,16,23). It was suggested that the amount of remaining solvent affects greatly the chain topology and free volume spaces in the polymer and in turn, the water sorption of the polymer (7,9,23). The entrapment of remaining solvent has been thought to be responsible for producing localized areas of reduced degree of conversion, which is more prone to water absorption (16,23). It is noteworthy that in more hydrophilic resins the negative effects of residual ethanol on water sorption seemed to be greater, as shown by Malacarne *et al.* (17).

One important observation worth mentioning is the stereomicroscope analysis of samples, which showed that more voids and cracks in SB2 disks were present after desiccation in comparison to the 2 universal adhesives (Fig. 2). As remained solvents evaporate during the desiccation cycle (27), the presence of solvent might re-

Fig. 2. Stereomicroscope graphs of prepared specimens from three experimented adhesives.

sult in voids in resin polymer seen by stereomicroscope (11). Possibly, this phenomenon may express the higher amounts of entrapped solvents after polymerization in the structure of SB2 disks.

Concerning with μ TS of examined bonding adhesives, SCU showed the highest values of μ TS as followed by ABU, and SB2 showed the lowest values in both time intervals of 24 hours and 28 days. In adhesives the resin matrix functions as a backbone providing mechanical properties. Apparently, the assumptions given above regarding the higher void formation, lower quality of polymer matrix and lower degree of conversion in SB2 should explain these results. Ye *et al.* (29) reported that with the increase of ethanol concentration in the adhesive formulation, the polymer crosslinking structure may change and tensile strength decrease which is again in line with our findings. According to the interaction theory of water sorption when a polymer is soaked in water, the bounded water to the resin structure is expected to cause a plasticizing effect which leads to the reduction of mechanical properties of the polymer (9,30). Probably due to these facts, in this study the material with the highest water uptake was also the one with the lowest μ TS, which is in agreement with other studies (11,16). Interestingly, the μ TS of the universal adhesives increased after 28 days of water storage which is in line with previous reports (11,23,29). It is suggested that the remaining free radicals continued to propagate and react the methacrylate double bonds after photo polymerization, which causes an increase in degree of conversion of the adhesive (11,29).

References

- Perdigao J, Kose C, Mena-Serrano AP, De Paula EA, Tay LY, Reis A, et al. A new universal simplified adhesive: 18-month clinical evaluation. *Oper Dent.* 2014;39:113-27.
- Chen C, Niu LN, Xie H, Zhang ZY, Zhou LQ, Jiao K, et al. Bonding of universal adhesives to dentine--Old wine in new bottles? *J Dent.* 2015;43:525-36.
- Amaral M, Belli R, Cesar PF, Valandro LF, Petschelt A, Lohbauer U. The potential of novel primers and universal adhesives to bond to zirconia. *J Dent.* 2014;42:90-8.
- Perdigao J, Sezinando A, Monteiro PC. Laboratory bonding ability of a multi-purpose dentin adhesive. *Am J Dent.* 2012;25:153-8.
- Alex G. Universal adhesives: the next evolution in adhesive dentistry? *Compend Contin Educ Dent.* 2015;36:15-26; quiz 28, 40.
- Munoz MA, Sezinando A, Luque-Martinez I, Szesz AL, Reis A, Loguercio AD, et al. Influence of a hydrophobic resin coating on the bonding efficacy of three universal adhesives. *J Dent.* 2014;42:595-602.
- Dhanpal P, Yiu CK, King NM, Pashley DH, Tay FR, Hiraishi N. Effect of temperature on water sorption and solubility of dental adhesive resins. *J Dent.* 2009;37:122-32.
- Reis AF, Carrilho MR, Ghaname E, Pereira PN, Giannini M, Nikaido T, et al. Effects of water-storage on the physical and ultramorphological features of adhesives and primer/adhesive mixtures. *Dent Mater J.* 2010;29:697-705.
- Malacarne J, Carvalho RM, de Goes MF, Svizero N, Pashley DH, Tay FR, et al. Water sorption/solubility of dental adhesive resins. *Dent Mater.* 2006;22:973-80.
- Sadr A, Ghasemi A, Shimada Y, Tagami J. Effects of storage time and temperature on the properties of two self-etching systems. *J Dent.* 2007;35:218-25.
- Emamieh S, Sadr A, Ghasemi A, Torabzadeh H, Akhavanzanjani V, Tagami J. Effects of solvent drying time and water storage on ultimate tensile strength of adhesives. *J Investig Clin Dent.* 2014;5:51-7.
- Hass V, Folkuenig MS, Reis A, Loguercio AD. Influence of adhesive properties on resin-dentin bond strength of one-step self-etching adhesives. *J Adhes Dent.* 2011;13:417-24.
- Munoz MA, Luque I, Hass V, Reis A, Loguercio AD, Bombarda NH. Immediate bonding properties of universal adhesives to dentine. *J Dent.* 2013;41:404-11.
- Seabra B, Arantes-Oliveira S, Portugal J. Influence of multimode universal adhesives and zirconia primer application techniques on zirconia repair. *J Prosthet Dent.* 2014;112:182-7.
- Munoz MA, Luque-Martinez I, Malaquias P, Hass V, Reis A, Campanha NH, et al. In vitro longevity of bonding properties of universal adhesives to dentin. *Oper Dent.* 2015;40:282-92.
- Reis A, Wambier L, Malaquias T, Wambier DS, Loguercio AD. Effects of warm air drying on water sorption, solubility, and adhesive strength of simplified etch-and-rinse adhesives. *J Adhes Dent.* 2013;15:41-6.
- Malacarne-Zanon J, Pashley DH, Agee KA, Foulger S, Alves MC, Breschi L, et al. Effects of ethanol addition on the water sorption/solubility and percent conversion of comonomers in model dental adhesives. *Dent Mater.* 2009;25:1275-84.
- Vitoria LA, Aguiar TR, Santos PR, Cavalcanti AN, Mathias P. Changes in water sorption and solubility of dental adhesive systems after cigarette smoke. *ISRN Dent.* 2013;2013:605847.
- Ito S, Hashimoto M, Wadgaonkar B, Svizero N, Carvalho RM, Yiu C, et al. Effects of resin hydrophilicity on water sorption and changes in modulus of elasticity. *Biomaterials.* 2005;26:6449-59.
- Ferracane JL. Hygroscopic and hydrolytic effects in dental polymer networks. *Dent Mater.* 2006;22:211-22.
- Van Landuyt KL, Snauwaert J, De Munck J, Peumans M, Yoshida Y, Poitevin A, et al. Systematic review of the chemical composition of contemporary dental adhesives. *Biomaterials.* 2007;28:3757-85.
- Fabre HS, Fabre S, Cefaly DF, de Oliveira Carrilho MR, Garcia FC, Wang L. Water sorption and solubility of dentin bonding agents light-cured with different light sources. *J Dent.* 2007;35:253-8.
- Yiu CK, King NM, Pashley DH, Suh BI, Carvalho RM, Carrilho MR, et al. Effect of resin hydrophilicity and water storage on resin strength. *Biomaterials.* 2004;25:5789-96.
- Bagis YH, Rueggeberg FA. The effect of post-cure heating on residual, unreacted monomer in a commercial resin composite. *Dent Mater.* 2000;16:244-7.
- Ortengren U. On composite resin materials. Degradation, erosion and possible adverse effects in dentists. *Swed Dent J Suppl.* 2000;141:1-61.
- Burrow MF, Inokoshi S, Tagami J. Water sorption of several bonding resins. *Am J Dent.* 1999;12:295-8.
- Emamieh S, Sadr A, Ghasemi A, Torabzadeh H, Akhavanzanjani V, Tagami J. Effects of solvent drying time on mass change of three adhesives. *J Conserv Dent.* 2013;16:418-22.
- Costa CA, Giro EM, do Nascimento AB, Teixeira HM, Hebling J. Short-term evaluation of the pulpo-dentin complex response to a resin-modified glass-ionomer cement and a bonding agent applied in deep cavities. *Dent Mater.* 2003;19:739-46.
- Ye Q, Spencer P, Wang Y, Misra A. Relationship of solvent to the photopolymerization process, properties, and structure in model dentin adhesives. *J Biomed Mater Res A.* 2007;80:342-50.
- Park JG, Ye Q, Topp EM, Misra A, Spencer P. Water sorption and dynamic mechanical properties of dentin adhesives with a urethane-based multifunctional methacrylate monomer. *Dent Mater.* 2009;25:1569-75.

Conflict of Interest and Sources of Funding Statement

This study was based on an under-graduate thesis in ShahidBeheshti University of Medical Sciences School of Dentistry, Tehran, Iran, and partially supported by grant 5217 from office of research affairs of the mentioned faculty. 3M ESPE and Bisco representatives in Iran are greatly appreciated for providing the materials needed.