Library
MAR 6 1962

Library

CRPL-F 210 PART A

FOR OFFICIAL USE

PART A
IONOSPHERIC DATA

ISSUED
FEBRUARY 1962

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
CENTRAL RADIO PROPAGATION LABORATORY
BOULDER, COLORADO

IONOSPHERIC DATA

CONTENTS

	<u>Page</u>
Symbols, Terminology, Conventions	ii
World-Wide Sources of Ionospheric Data.	v
Tabulations of Electron Density Data.	viii
Tables of Ionospheric Data	1
Graphs of Ionospheric Data	13
Index of Tables and Graphs of Ionospheric Data in CRPL-F210 (Part A)	49

SYMBOLS, TERMINOLOGY, CONVENTIONS

Beginning with data reported for January 1952, and continuing through December 1956, the symbols, terminology, and conventions for the determination of median values used in this report (CRPL-F series) conform as far as practicable to those adopted at the Sixth Meeting of the International Radio Consultative Committee (C.C.I.R.) in Geneva, 1951. Excerpts concerning symbols and terminology from Document No. 626-E of this Meeting are given on pages 2-7 of the report CRPL-F89, "Ionospheric Data," issued January 1952. Reprints of these pages are available upon request.

Beginning with data for January 1957, the symbols used are given in NBS Report 5033, "Summary of Changes in Ionospheric Vertical Soundings, Observing and Scaling Procedures - Effective 1 January 1957," which draws upon the First Report of the Special Committee on World-Wide Ionospheric Soundings (URSI/AGI), Brussels, Sept. 2, 1956. A list of these symbols is available upon request.

In the Second Report of the Special Committee on World-Wide Ionospheric Soundings of the URSI/AGI Committee, May 1957, a new descriptive letter was introduced:

- M Measurement questionable because the ordinary and extraordinary components are not distinguishable.

There was an expansion in meaning of the following:

- Z (1) (qualifying letter) Measurement deduced from the third magnetoionic component.
(2) (descriptive letter) Third magnetoionic component present.

Beginning with data for January 1945, median values are published wherever possible. Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given above.

- a. For all ionospheric characteristics:

Values missing because of A, C, F, H, L, N or R are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of foF2 (and foE near sunrise and sunset) missing because of E are counted as equal to or less than the lower limit of the recorder. Values of h'F (and h'E near sunrise and sunset) missing for this reason are counted usually as equal to or greater than the median. Other characteristics missing because of E are omitted from the median count.

Values missing because of G are counted:

1. For foF2, as equal to or less than foF1.
2. For h'F2, as equal to or greater than the median.

The symbol W is included in the median count only when it replaces a height characteristic; the descriptive symbol D, only when it replaces a frequency characteristic.

Values missing for any other reason are omitted from the median count.

c. For MUF factor (M-factors):

Values missing because of G or W are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because of E or G are counted as equal to or less than the median foE, or equal to or less than the lower frequency limit of the recorder.

B for fEs is counted on the low side when there is a numerical value of a higher layer characteristic; otherwise it is omitted from the median count.

S for fEs is counted on the low side at night; during the day it is omitted from the median count (beginning with data for November 1957).

Values of fEs missing for any other reason, and values of h'Es missing for any reason at all are omitted from the median count.

Beginning with CRPL-F188, Part A, issued April 1960, the count is given for foF2 in the tables of medians. It is regretted that space limitations prevent including detailed counts for other characteristics.

To indicate further in a general manner the relative reliability of the data, for the F2 layer, h'F or foEs, if the count is from five to nine, or, for all layers, if more than half of the data used to compute the medians are doubtful (either doubtful or interpolated), the median is enclosed in parentheses. Medians are computed for less than five values for foF2 only.

Ordinarily, a blank space in the fEs or foEs column of a table is the result of the fact that a majority of the readings for the month are below the lower limit of the recorder or less than the corresponding values of foE. Blank spaces at the beginning and end of columns of h'F2 or h'F1, foF1, h'E, and foE are usually the result of diurnal variation in these characteristics. Complete absence of medians of h'F1 and foF1 is usually the result of seasonal effects.

There is no indication on the graphs of the relative reliability of the observed data; it is necessary to consult the tables for such information. Beginning with this issue, medians of data will be published as received from the originating organization. The accuracy of the data is the responsibility of the laboratory making the observations.

The tables may contain median values of either foEs or fEs. The graph of median Es corresponds to the table. Percentage curves of fEs are estimated from values of foEs when necessary.

The latest available information follows concerning the smoothed observed Zurich numbers beginning with the minimum of April 1954. Final numbers are listed through June 1960.

Smoothed Observed Sunspot Number

[illegible]

WORLD - WIDE SOURCES OF IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 72 and figures 1 to 142 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL prediction of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data in this issue:

Commonwealth of Australia, Ionospheric Prediction Service of the
Commonwealth Observatory:

Brisbane, Australia
Canberra, Australia
Hobart, Tasmania

Australian Department of National Development Bureau of Mineral
Resources, Geology and Geophysics:
Mundaring, Western Australia

University of Graz:
Graz, Austria

Belgian Royal Meteorological Institute:
Dourbes, Belgium

Universidad Mayor de San Andres:
La Paz, Bolivia

British Department of Scientific and Industrial Research, Radio
Research Board:
Falkland Is.
Inverness, Scotland
Singapore, British Malaya

Defence Research Board, Canada:
Churchill, Canada
Ottawa, Canada
Resolute Bay, Canada
St. John's, Newfoundland
Winnipeg, Canada

Universidad de Concepcion:
Concepcion, Chile

Radio Wave Research Laboratories, National Taiwan University, Taipeh,
Formosa, China:
Formosa, China

Czechoslovak Academy of Sciences:
Pruhonice, Czechoslovakia

Danish National Committee of URSI:
Godhavn, Greenland
Narssarssuaq, Greenland

General Direction of Posts and Telegraphs, Helsinki, Finland:
Nurmijarvi, Finland

The Finnish Academy of Sciences and Letters:
Sodankyla, Finland

Ionospheric Institute, Breisach, Germany:
Freiburg, Germany

The Royal Netherlands Meteorological Institute:
De Bilt, Holland

Icelandic Post and Telegraph Administration:
Reykjavik, Iceland

Indian Council of Scientific and Industrial Research, Radio Research
Committee, New Delhi, India:
Ahmedabad (Physical Research Laboratory)
Bombay (All India Radio)
Delhi (All India Radio)
Kodaikanal (India Meteorological Department)
Tiruchy (All India Radio)
Trivandrum (All India Radio)

Ministry of Postal Services, Radio Research Laboratories, Tokyo, Japan:
Akita, Japan
Tokyo (Kokubunji), Japan
Wakkanai, Japan
Yamagawa, Japan

Christchurch Geophysical Observatory, New Zealand Department of
Scientific and Industrial Research:
Christchurch, New Zealand

Manila Observatory:
Baguio, P. I.

Research Institute of National Defence, Stockholm, Sweden:
Kiruna, Sweden
Lycksele, Sweden
Upsala, Sweden

Royal Board of Swedish Telegraphs, Radio Department, Stockholm, Sweden:
Lulea, Sweden

United States Army Signal Corps:

Adak, Alaska

Grand Bahama I.

Thule, Greenland

White Sands, New Mexico

National Bureau of Standards (Central Radio Propagation Laboratory):

Anchorage, Alaska

Boulder, Colorado

Byrd Station, Antarctica

Fairbanks (College), Alaska (Geophysical Institute of the
University of Alaska)

Maui, Hawaii

Point Barrow, Alaska

TABULATIONS OF ELECTRON DENSITY DATA

Reduction of hourly ionospheric vertical soundings to electron density profiles has become a part of the systematic ionospheric data program of the Central Radio Propagation Laboratory, National Bureau of Standards. Scalings of ionograms for this purpose are being provided by ionosphere stations operated by several stations associated with CRPL. For the present, the hourly profile data from one CRPL station, Puerto Rico, are appearing in the monthly CRPL-F Reports, Part A. The very considerable task of scaling the ionograms for this purpose is being undertaken by T. R. Gilliland, Engineer in Charge, Puerto Rico Ionosphere Sounding Station; the computations are performed at the NBS Boulder Laboratories by a group headed by J. W. Wright. Basic conversion of virtual to true heights uses the well-known matrix method developed by K. G. Budden of the Cavendish Laboratory, Cambridge University, programmed by Dr. R. H. Howe for a CDC-1604 computer.

The tabulations provide the following basic electron density profile data for each hour of each day of the month:

<u>Quantity</u>	<u>Units</u>	<u>Remarks</u>
Electron Density (N)	$\times 10^3 = \text{electrons/cm}^3$	Body of table; given at each 10 km of height.
NMAX	$\times 10^3 = \text{electrons/cm}^3$	Always the highest value of N at each hour. To maintain this rule, the electron density at the next 10 km increment above HMAX is always given as exactly equal to NMAX (unless HMAX coincides with a 10 km level).
QUALification	(Alphabetic)	A standard scaling letter qualifying the observation when necessary.
KP		The standard Kp magnetic index, to one digit.
HMIN	Kilometers	The height of zero or very low electron density, obtained by linear extrapolation of the electron density vs. height curve.
SCAT	Kilometers	One half of the half-thickness of the parabola best fitting the upper portion of the F region profile. Approximates the scale height near the level HMAX.
HMAX	Kilometers	The height of maximum electron density, determined by fitting a parabola to the upper portion of the profile.
SHMAX	$\times 10^{10} = \text{electrons/cm}^2$ column.	Obtained by integration of the profile between the limits HMIN and HMAX.

Tabulations of the average electron densities each hour, at each 10 km level, for the quiet ionosphere, are also given. These averages include the profiles obtained when the magnetic character figure Kp is 4+ or less. The number of profiles entering the average for each hour is given by CNT. The other parameters of the layer, HMIN, SCAT, HMAX, SHMAX, and the mean value of Kp are given for each hour.

Before the averaging process, the individual profiles are extrapolated above HMAX by a Chapman distribution of 100 km scale height. This assumed model seems to agree well with the few published measurements dealing with the topside profile of the F-region.* Extrapolation is necessary in order to calculate homogeneous averages near HMAX and the average profiles are, in fact, given up to 950 km. Also given are the average estimated integrated electron densities to infinity, SHINF (same units as SHMAX); this is an approximation to the total electron content in a column of the ionosphere.

*See Wright, J. W. "A Model of the F-Region Above HMAX F2" J. Geophys. Res. V. 65, pp. 185-191

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	1 OCT 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
O ₃ KP	F8	F8	A7	A7	F7	88	88	88	5	G5	A5	A2		
HMIN			190	394			100	111	108	108				
SCAT			28.0	36.6			49.9	23.1	67.7	42.4				
HMAXF			238	468			285	233	300	187				
SHMAX			84	42			101	162	331	112				
KM														
470				82.7										
460				81.8										
450				77.0										
440				70.9										
430				62.5										
420				51.3										
410				36.4										
400				20.6										
310									271					
300									271					
290							103		270					
280							103		265					
270							101		258					
260							96.6		245					
250							90.2		232					
240			236				82.5	426	221					
230			231				74.1	424	211					
220			210				65.6	392	201					
210			176				57.5	289	191					
200			128				50.5	127	180					
190		12.4					44.5	86.1	166	184				
180							39.1	69.6	147	183				
170							34.7	59.0	122	177				
160							31.2	55.5	97.9	165				
150							28.5	53.4	87.2	150				
140							26.6	51.4	81.1	134				
130							25.5	47.7	77.6	118				
120							24.8	39.4	75.5	109				
110							22.5		56.2	68.9				
100							12.4							

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	1 OCT 1961
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
O ₃ KP	A2	G2	A2	2	2	A2	A2	A2	1	1	1	1		
HMIN		110	108	108	108				251	228	287	268		
SCAT		30.1	104	63.0	59.5				53.6	46.1	46.7	41.2		
HMAXF		174	293	260	270				355	338	385	359		
SHMAX		109	410	314	311				126	115	96	94		
KM														
390												149		
380												149		
370												145		
360										183		138		163
350										183		128		161
340										180	167	115		154
330										174	165	99.0		142
320										164	160	80.3		126
310										151	151	59.4		104
300			283							133	138	38.4		80.6
290			283							110	124	16.2		57.1
280			282							83.6	107			34.6
270			279	284	288					54.4	89.0			12.4
260			276	284	286					28.6	70.0			
250			271	282	280						49.7			
240			264	277	271						31.4			
230			254	268	256						12.4			
220			245	253	239									
210			237	238	222									
200			233	226	209									
190			229	219	198									
180		229	224	211	186									
170		228	217	202	172									
160		217	205	189	152									
150		194	181	170	130									
140		171	157	147	115									
130		153	142	132	106									
120		142	137	126	101									
110		12.4	42.4	53.8	59.0									

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	2 OCT 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
O ₃ KP	A1	1	A1	A1	1	1	S1	1	A2	A2	A2	A3		
HMIN	275	252	240	218	219	275		110	107					
SCAT	35.0	40.5	40.4	47.1	50.4	62.1		30.1	35.1					
HMAXF	355	338	318	313	318	385		238	235					
SHMAX	75	90	82	83	71	72		149	248					
KM														
390													94.1	
380													93.9	
370													92.8	
360	151												90.4	
350	151												86.8	
340	145	163											81.9	
330	132	162											75.6	
320	115	155	155	129	103	66.8								
310	90.7	143	153	128	102	55.1								
300	63.8	127	147	126	99.7	42.0								
290	39.1	104	137	121	94.9	29.2								
280	20.1	79.3	120	112	88.0	16.4								
270		50.8	98.8	101	79.7									
260		26.2	69.9	88.5	70.2									
250			38.4	72.8	58.6									
240			3.9	53.7	44.7			264	363					
230				33.4	28.8			259	361					
220				12.4	7.4			240	347					
210								206	317					
200								160	280					
190								114	240					
180								76.8	203					
170								64.5	170					
160								59.8	141					
150								57.0	117					
140								55.4	101					
130								53.6	92.9					
120								46.3	85.5					
110								13.0	54.3					

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO							60 W			2 OCT 1961		
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
O ₃ KP	A3	3	2	2	2	A0	A0	A0	A1	A1	A1	A0
HMIN		108	108	107	108	108			211	199		290 263
SCAT		44.0	40.5	29.4	38.8	34.7			37.1	53.8		46.4 42.1
HMAXF		259	276	256	252	252			283	336		393 357
SHMAX		565	692	646	502	405			180	194		148 135
KM												
400												235
390												235
380												230
370												220
360												204 234
350												182 232
340												154 224
330												231 209
320												227 84.2 188
310												218 52.8 159
300												205 29.2 124
290												389 190
280												388 172
270												376 153
260												351 132
250												307 112
240												238 93.4
230												140 75.6
220												56.1 58.0
210												40.4
200												12.4
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

3 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	A0	0	1	1	1	1	S1	A1	A2	2	2	2
HMIN	217	239	224	226	238	299	218	107		104	108	108
SCAT	40.6	27.4	33.5	41.6	55.8	40.6	38.0	38.3		38.4	40.8	46.5
HMAXF	323	303	293	301	341	373	295	238		255	264	289
SHMAX	132	86	93	78	88	61	71	226		476	631	942
KM												
380						118						
370						118						
360						116						
350					123	109						
340					123	99.4						
330	224				122	83.5						
320	223				119	63.8						
310	217	217		146	114	40.8						
300	206	217	209	146	107	12.4	142					
290	185	204	208	144	97.1		142				1121	
280	156	178	201	137	84.4		137				1111	
270	123	143	184	126	68.8		127			819	1075	
260	92.3	98.8	157	111	50.0		112		645	817	1012	
250	65.0	47.2	119	88.7	31.4		87.0		642	796	926	
240	44.2	12.4	70.5	62.6	12.4		58.2	383	621	749	812	
230	28.2		29.5	27.8			33.5	379	579	678	686	
220	12.4						12.4	362	511	582	564	
210								332	434	475	453	
200								283	357	389	376	
190								216	301	333	329	
180								148	261	297	301	
170								102	230	271	283	
160								76.8	204	246	263	
150								61.8	179	220	236	
140								55.9	148	188	204	
130								53.4	114	168	173	
120								52.1	107	146	158	
110								30.3	103	49.3	39.5	

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

3 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,KP	A2	2	S2	A2	1	S1	1	1	1	1	1	1
HMIN	109	106	109	105	109	100	199	206	235	253	249	
SCAT	48.3	45.0	44.3	46.4	46.7	29.9	43.1	49.2	43.4	37.4	42.2	
HMAXF	292	302	287	278	292	261	298	319	333	351	348	
SHMAX	919	1233	1137	892	765	412	286	250	179	149	163	
KM												
360											261	
350											261	269
340											297	256
330											297	240
320											297	219
310											297	219
300	1080										297	219
290	1079	1547									297	219
280	1062	1521	1561								297	219
270	1022	1457	1553	1184	992						297	219
260	960	1360	1507	1175	954	838					297	219
250	870	1212	1419	1139	894	838					297	219
240	760	1030	1296	1075	805	812					297	219
230	641	838	1121	983	651	735					297	219
220	515	656	910	862	568	627					297	219
210	413	503	686	714	458	482					297	219
200	351	402	503	553	368	324					297	219
190	314	346	382	415	298	187					297	219
180	291	314	313	318	244	110					297	219
170	268	294	277	259	203	74.0					297	219
160	240	275	253	223	169	97.5					297	219
150	201	254	231	199	141	47.7					297	219
140	176	227	206	175	117	41.0					297	219
130	168	195	175	149	98.9	39.0					297	219
120	134	173	151	127	86.3	37.5					297	219
110	23.8	156	130	116	77.8	35.5					297	219
100		123	24.2	55.4	24.2	32.1					297	219
						19.7					297	219

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

4 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	1	1	0	0	0	1	S1	1	3	3	A3	A2
HMIN	248	237	220	215	201	263		109	109	105		
SCAT	34.3	34.5	34.3	28.4	63.6	38.8		27.6	40.0	37.2		
HMAXF	327	317	292	273	308	348		238	246	256		
SHMAX	120	112	103	76	92	47		248	384	493		
KM												
350						83.1						
340						82.3						
330						78.8						
320	244	232				72.4						
310	231	230				111	63.9					
300	208	218	226			110	54.2					
290	176	196	226			108	43.5					
280	136	164	219	206		105	31.0					
270	89.2	125	203	205	99.3	18.8						
260	46.1	84.0	178	195	94.5					651		
250	17.2	43.7	140	173	89.3				591	647		
240		16.2	90.6	131	83.4			494	588	622		
230			41.2	71.6	76.2			484	568	571		
220			3.1	29.4	65.3			443	530	505		
210					45.3			363	471	433		
200								264	385	371		
190								187	286	325		
180								139	220	288		
170								108	179	255		
160								87.4	142	221		
150								74.3	113	181		
140								67.7	98.5	135		
130								64.7	93.4	123		
120								53.8	90.7	118		
110								19.7	38.1	103		

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

4 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,KP	2	A2	2	2	2	3	S3	3	2	A2	2	A1
HMIN	108	107	107	106	107	108	100	210	247	278	284	269
SCAT	40.0	45.5	54.6	39.0	41.8	49.0	36.9	47.7	48.4	42.5	40.6	32.7
HMAXF	280	293	298	283	273	271	252	315	336	389	390	350
SHMAX	939	1004	1053	850	736	661	369	209	199	182	178	158
KM												
400												296
390											284	296
380											281	291
370											270	278
360									292	251	256	
350									291	226	224	334
340									284	198	187	327
330									270	164	148	301
320												
310								311	252	124	107	266
300								310	229	87.6	69.9	218
290		1131	1131					303	199	59.7	42.7	160
280	1201	1130	1125	1131				289	164	34.6	21.7	99.8
270	1201	1107	1100	1129	1013	928		269	127	12.4		46.5
260	1182	1057	1057	1099	1011	928		240	90.0			12.4
250	1119	976	994	1028	988	917	666	206	52.5			
240	1031	883	910	927	934	887	666	169	21.5			
230	908	780	807	794	855	838	650	132				
220	766	679	685	647	742	766	607	92.4				
210	625	582	570	510	596	656	544	54.7				
200	501	498	471	408	466	497	456		4			
190	413	428	371	345	369	363	327					
180	358	371	341	304	301	260	199					
170	324	326	309	277	255	198	120					
160	301	296	285	254	223	163	79.6					
150	282	269	266	231	199	136	58.9					
140	262	244	243	207	175	113	48.4					
130	238	218	213	182	147	95.0	41.7					
120	210	191	186	159	127	83.7	38.7					
110	181	172	167	146	116	78.8	36.7					
100	82.3	43.4	82.9	68.2	68.7	49.3	33.5					
							19.7					

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60

5 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	1		1	1	1	A1	S1	A1	0	0	0	0
HM1N	243	229	219	216	222	233	224		105	104	109	108
SCAT	34.4	32.2	36.8	37.9	46.8	53.8	34.3		37.7	49.8	56.6	44.9
HMAXF	323	303	294	299	316	336	294		262	277	285	290
SHMAX	164	138	121	103	107	100	82		459	723	809	972
KM						142						
330		342				142						
320		341				176	139					
310		330	310			175	134					
300		304	309	247	197	171	127	179				
290		265	298	247	194	163	116	179			898	1184
280		215	272	238	184	150	103	172		854	897	1171
270		150	230	220	167	133	86.0	157	645	850	883	1128
260	81.0	174	193	144	109	67.3	134		644	830	855	1056
250	34.0	106	155	115	80.0	46.5	102		629	792	814	953
240		45.5	106	79.6	51.1	24.6	64.5		591	738	759	815
230		12.4	53.4	44.8	25.7		30.0		529	671	681	673
220			12.4	18.4					446	597	586	546
210									363	498	477	446
200									300	408	391	379
190									252	337	330	336
180									216	283	289	307
170									183	237	258	283
160									154	197	227	259
150									127	162	188	232
140									108	139	154	197
130									99.4	128	142	169
120									95.6	121	137	158
110									70.0	98.5	49.2	85.5

ELECTRON DENSITY

KAMEY AFB, PUERTO RICO

60 h

5 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q _z KP	0	0	1	1	1	40	50	0	1	1	0	0
HMLN	109	108	109	108	109	109		199	231	254	260	271
SCAT	46.0	52.5	47.6	42.4	42.1	44.2		45.0	40.7	42.9	45.2	44.3
HMAXF	290	302	306	295	284	273		300	332	357	366	366
SHMAX	1004	1108	1164	1122	1027	790		302	182	193	185	162
KM												
370											293	270
360										311	292	269
350										309	285	262
340									292	299	269	247
330									292	279	248	227
320									285	253	218	199
310		1147	1379					482	269	219	182	162
300		1146	1373	1484				482	246	182	142	121
290	1217	1133	1338	1478	1484			476	219	140	101	79.6
280	1204	1099	1266	1436	1480	1234		458	191	96.9	60.0	39.5
270	1161	1039	1179	1346	1441	1233		427	157	57.4	32.8	
260	1090	969	1060	1227	1360	1207		386	120	28.0		
250	990	888	910	1066	1236	1150		334	79.6			
240	858	801	746	875	1059	1064		272	39.5			
230	717	709	599	686	837	935		202				
220	584	607	484	532	635	738		131				
210	479	515	400	416	463	510		67.2				
200	399	434	349	344	346	312		12.4				
190	347	371	317	302	281	216						
180	312	325	294	273	242	170						
170	285	294	277	248	211	142						
160	257	269	257	223	182	117						
150	222	251	230	198	161	91.5						
140	191	218	201	168	145	81.0						
130	166	180	169	147	127	77.4						
120	157	166	158	139	116	75.3						
110	41.7	91.3	59.7	91.7	41.7	24.7						

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

6 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	0	0	1		1	2	2	2		A1	A1	A2
HMIN	259	237	220	210	200	259	218	114	110	111	111	
SCAT	314.4	384.8	352.2	25.2	40.7	47.5	53.2	38.6	35.4	39.7	50.1	
HMAXF	340	316	285	262	254	346	313	240	249	258	290	
SHPMX	116	142	117	72	44	49	79	235	398	508	801	
KM												
350	247					80.1						
340	247					79.8						
330	241					77.8						
320	221	279				73.9	120					
310	190	277				68.7	120					
300	151	266				60.5	118				936	
290	111	247	268			50.8	114				936	
280	68.3	216	266			39.7	110				927	
270	36.1	171	256			25.6	99.6				899	
260	4.7	114	234	226	101	3.1	86.1			681	855	
250		65.3	196	214	101		68.9	396	616	675	786	
240		22.5	137	181	98.1		51.1	396	605	647	693	
230			63.2	122	92.4		32.8	389	570	595	587	
220			12.4	82.6	82.6		12.4	370	510	529	471	
210				3.1	62.1			332	426	450	385	
200					12.4			273	341	373	329	
190								207	271	315	294	
180								151	221	275	268	
170								108	186	243	249	
160								84.9	158	215	213	
150								73.7	134	190	174	
140								56.5	107	152	151	
130								52.6	89.5	124	143	
120								43.2	83.8	87.0	116	
110									13.0			

ELECTRON DENSITY

KAMEY AFB, PUERTO RICO

60 4

6 OCT 1961

[illegible]

ELECTRON DENSITY

RAMEN AFB, PUERTO RICO 60 W 7 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q ₁ KP	0	0	0	0		A0	A1	A1	A1	A0	A0	A2
HF1N	109	106	108	108						269	268	249
SCAT	72.4	55.4	43.8	41.2						51.5	46.7	32.3
HMAXF	304	314	302	292						380	370	331
SHMAX	1136	1171	1233	1190						189	179	129
KM												
390										271		
380										271		
370										269	283	
360										261	280	
350										248	270	
340										229	254	264
330										204	232	264
320		1152								174	203	256
310	1065	1150	1547							139	168	236
300	1065	1133	1546	1680						103	126	206
290	1056	1098	1517	1679						69.5	78.3	171
280	1037	1043	1449	1645						39.2	39.1	127
270	1009	970	1343	1556						12.4	12.4	84.3
260	970	884	1188	1427								44.4
250	920	786	1000	1233								12.4
240	860	686	815	985								
230	765	590	646	753								
220	698	507	509	560								
210	592	441	413	427								
200	479	391	358	351								
190	378	353	325	306								
180	321	324	303	275								
170	286	300	283	251								
160	254	274	260	226								
150	221	242	231	194								
140	193	205	196	170								
130	175	181	172	149								
120	166	168	159	139								
110	41.7	124	10.6	84.1								

ELECTRON DENSITY

RAMLEY AFB, PUERTO RICO 60 W 8 OCT 1961

FILE	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
GAPP	2	2										
HM1N	108	108										
SCAT	48.9	46.7										
HMAXF	297	302										
SHMAX	1292	1345										
KM												
400											390	
390											390	
380											383	
370											368	
360											335	345
350											317	310
340										422	283	266
330										422	243	215
320										414	197	161
310									451	398	147	114
300	1605	1561							484	374	94.9	78.0
290	1598	1537		1792	1360	932			461	339	49.7	50.8
280	1599	1481		1787	1357	932			420	293	1.7	30.3
270	1484	1388		1724	1329	922			369	237		6.8
260	1381	1271		1591	1269	911			310	176		226
250	1232	1125		1392	1174	840			239	104		68.0
240	1047	964		1134	1058	768			163	45.4		22.7
230	839	799		849	901	664			94.2			
220	651	643		616	716	553			43.4			
210	504	523		457	544	439						
200	403	437		359	409	333						
190	343	381		305	314	252						
180	307	340		270	256	192						
170	281	306		241	217	147						
160	256	274		213	186	120						
150	228	243		187	158	102						
140	189	209		159	135	90.0						
130	166	174		143	122	82.5						
120	157	164		137	115	79.0						
110	54.2	116		41.7	62.1	31.7						

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

9 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	A2	2	1	1	1	1	S1	A1	0	0	A0	0
HM1N	229	229	236	214	219	248	237	111	107	106	110	107
SCAT	38.6	34.0	34.6	31.9	66.1	41.4	45.0	28.9	44.8	47.6	53.6	39.8
HMAXF	304	306	306	273	336	329	315	232	249	267	299	287
SHMAX	184	141	136	115	130	73	82	211	424	638	992	1104
KM												
340					156							
330					156	130						
320					154	128	148					
310	374	296	306		150	123	148					
300	373	293	303		145	114	144			1095		
290	361	279	289		138	102	137			1087	1561	
280	337	251	262	292	128	85.5	125			1060	1548	
270	299	213	217	291	117	66.2	108			815	1008	1488
260	242	164	156	279	102	44.3	83.3			811	948	1379
250	162	110	74.4	254	85.6	20.3	53.0			594	790	870
240	72.7	50.8	28.7	203	65.7		23.4			450	588	750
230	12.4	12.4		132	41.2					449	567	693
220				45.0	12.4					430	533	613
210										384	481	512
200										298	406	406
190										188	326	324
180										112	256	268
170										78.5	201	228
160										64.6	162	194
150										59.4	132	164
140										56.7	112	141
130										55.3	101	126
120										51.2	95.7	117
110										69.9	99.4	130

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

9 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,KP	0	0	A0	0	A0	A0	A0	0	0	0	A0	0
HM1N	110	109	108	108	109	110	100	211	239	269	277	290
SCAT	36.6	45.9	45.4	36.2	40.0	43.2	38.0	46.4	41.7	37.3	43.4	40.6
HMAXF	279	296	292	289	274	271	254	305	330	353	371	372
SHMAX	1139	1209	1215	1171	853	628	382	224	174	158	184	177
KM												
380											310	326
370											310	326
360										297	305	319
350										297	292	303
340										297	288	271
330										297	268	240
320										293	239	201
310										280	200	158
300		1477	1526							374	258	157
290		1471	1525	1792						365	229	110
280	1712	1434	1499	1763	1229	898				348	194	61.2
270	1686	1359	1437	1665	1226	898				322	156	12.4
260	1596	1252	1334	1499	1191	883	636			283	109	
250	1444	1116	1209	1266	1115	845	634			228	58.0	
240	1229	953	1042	989	1008	783	615			167	12.4	
230	999	783	858	731	874	695	573			106		
220	774	625	685	536	715	588	512			53.2		
210	564	501	537	409	557	465	426					
200	429	419	432	338	413	339	324					
190	357	368	366	297	309	255	225					
180	317	335	322	269	252	201	151					
170	286	307	290	247	220	160	105					
160	258	273	265	223	193	132	78.3					
150	222	235	234	195	169	110	61.7					
140	189	195	198	169	148	94.9	51.7					
130	172	171	172	151	132	84.3	46.3					
120	164	155	158	140	118	79.0	43.7					
110	12.4	33.1	81.7	54.2	25.3	13.0	40.7					
100							19.7					

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

10 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	0	0	A0	0	A0	0	A0	A0	0	0	0	0
HM1N	267	249	236	213	226	223	220	111	108	104	105	108
SCAT	38.1	36.3	31.5	19.5	48.0	45.4	39.0	37.4	32.7	47.1	49.1	42.6
HMAXF	351	324	301	252	306	309	307	246	241	265	277	286
SHMAX	165	162	151	88	92	73	75	269	378	570	794	1057
KM												
360	311											
350	311											
340	305											
330	287	342										
320	259	341										
310	220	329	366		162	124	133					
300	175	306	366		161	123	132					
290	123	266	355		158	119	127				1391	
280	65.8	209	326		150	111	117				936	1385
270	21.6	135	276		140	101	104				714	932
260		65.2	204	363	122	86.9	87.9				712	909
250		12.4	107	361	94.2	68.7	68.9	450	621	696	866	1141
240			29.4	325	59.8	46.1	47.9	447	621	664	804	972
230				227	25.6	23.7	28.2	429	604	617	718	774
220				57.7				396	557	551	612	605
210								344	482	474	500	485
200								272	384	393	408	403
190								196	298	328	347	353
180								135	236	273	306	320
170								99.2	195	228	277	296
160								81.0	165	190	256	271
150								70.5	136	149	236	244
140								63.0	113	127	202	217
130								57.3	99.8	117	162	180
120								41.1	95.1	111	145	156
110									72.5	96.2	94.4	46.0

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

10 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,KP	0	0	A1	1	1	A1	S1	81	1	1	1	2
HM1N	106	106	107	105	108	107	100		217	257	249	252
SCAT	39.7	48.4	53.6	35.1	39.4	52.9	37.3		36.9	39.6	36.0	30.2
HMAXF	283	309	319	280	274	287	278		313	353	349	329
SHMAX	996	1251	1570	1144	913	784	491		197	186	180	141
KM												
360										326		
350										326	325	
340										317	319	
330										298	301	314
320			1843							346	269	270
310		1398	1830							346	230	232
300		1385	1786							336	188	245
290	1391	1342	1705			980				311	139	142
280	1389	1267	1603	1843	1360	977	812			282	91.5	99.3
270	1353	1167	1452	1809	1356	956	802			247	51.9	61.2
260	1271	1043	1249	1696	1315	918	764			204	19.9	33.4
250	1149	902	1024	1517	1231	863	695			155		4.7
240	982	762	798	1269	1100	790	606			102		
230	773	626	615	962	932	699	504			53.9		
220	582	514	472	687	736	591	374			19.3		
210	445	434	389	490	550	468	258					
200	373	380	339	370	408	350	173					
190	332	342	306	310	309	253	114					
180	303	315	282	274	255	186	77.8					
170	274	291	261	248	221	146	57.2					
160	241	269	226	226	194	120	46.5					
150	216	239	175	203	170	98.0	40.5					
140	162	202	146	172	147	83.0	37.4					
130	150	179	134	149	129	76.1	36.1					
120	145	160	127	135	120	72.8	33.6					
110	95.1	96.1	90.5	101	64.7	37.6	29.0					
100							12.4					

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO											
60 W 11 OCT 1961											
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000 1100
Q _{RP}	2	2	3	3	3	3	3	3	3	3	2
HMIN	257	239	230	207	216	259	220	109	105	106	109
SCAT	35.1	32.6	27.9	22.8	59.1	48.5	65.1	41.9	32.2	41.1	51.5
HMAXF	332	314	280	253	327	340	334	263	258	269	289
SHMAX	131	128	112	72	83	55	97	302	443	672	899 1031
KM											
340	270				91.5	115					
330	270				106	90.6	115				
320	262	285			105	87.7	113				
310	243	284			103	82.8	111				
300	213	271			99.9	75.8	107				
290	176	247	326		94.8	65.7	102			1031	1184
280	131	207	326		88.6	54.1	94.7			1021	1176
270	74.1	153	316		81.2	37.8	86.3	416		989	1145
260	25.5	93.5	285	247	72.1	12.4	77.1	416	688	859	931 1092
250		43.5	221	246	61.5		67.5	407	678	823	859 1019
240		12.4	125	227	49.6		57.3	383	631	760	771 918
230			12.4	179	35.2		41.8	353	562	677	662 802
220				94.5	18.4		1.7	313	469	581	546 665
210				22.8				265	378	481	455 538
200								214	301	403	384 439
190								169	247	340	332 373
180								134	206	291	296 329
170								106	171	250	267 296
160								87.2	143	216	239 264
150								75.0	121	188	213 231
140								67.3	99.6	164	190 201
130								61.2	90.9	139	161 171
120								49.6	87.6	123	144 153
110								22.0	71.8	86.7	54.1 59.7

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO											
60 W 11 OCT 1961											
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200 2300
Q _{RP}	2	2	3	A3	A3	A3	S3	3	5	5	5 4
HMIN	104	105	104				100	209	198	249	282 258
SCAT	41.6	47.8	44.0				40.5	36.5	39.2	41.2	42.8 37.0
HMAXF	285	298	305				285	295	313	355	382 359
SHMAX	968	1123	1261				598	324	272	227	245 209
KM											
390											411
380											410
370											402
360										368	383 371
350										366	352 366
340										356	311 347
330										332	256 315
320										302	195 275
310			1561							448	264 137 227
300		1298	1556					651	436	221	80.6 176
290	1217	1289	1517				954	648	608	175	36.4 127
280	1213	1251	1437				950	624	370	126	76.3
270	1179	1183	1316				919	574	323	79.9	39.1
260	1105	1090	1160				853	503	267	41.8	12.4
250	1005	967	983				780	399	206	12.4	
240	875	819	806				673	279	150		
230	730	674	642				527	143	102		
220	599	548	512				374	62.3	64.2		
210	491	451	420				245	12.4	36.8		
200	409	388	360				156		12.4		
190	356	346	319				108				
180	321	318	291				77.3				
170	293	296	265				57.6				
160	265	273	234				46.6				
150	232	248	209				40.4				
140	197	214	184				36.7				
130	175	183	165				34.2				
120	166	168	154				32.9				
110	114	108	117				30.4				
100							12.4				

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO											
60 W 12 OCT 1961											
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000 1100
Q _{RP}	4	4	4	4	4	3	3	53	3	3	3
HMIN	291	271	228	207	206	258	218	109	107	105	106 103
SCAT	37.5	40.2	26.4	27.0	77.6	56.6	47.0	47.1	48.4	34.3	38.9 54.6
HMAXF	347	374	287	260	342	366	319	270	267	277	280 284
SHMAX	212	250	178	111	130	91	89	340	501	742	1035 1062
KM											
400	358										
390	355										
380	342	392									
370	316	392									
360	282	384									
350	242	369			127	125					
340	196	345			127	121					
330	149	311			127	114					
320	96.4	263			125	106	135				
310	55.3	208			122	93.4	134				
300	28.8	151			118	77.3	129				
290		90.7	494		113	59.6	122			1547	1217
280		38.5	486		107	42.0	112	489		1041	1547 1215
270			443	326	101	26.5	99.1	489	621	1031	1519 1196
260			369	326	93.8	7.9	83.1	483	618	871	1440 1157
250			253	315	86.5		65.8	467	602	885	1310 1098
240			115	283	78.5		49.5	441	572	759	1104 1014
230			31.7	219	67.8		33.2	397	529	614	854 903
220				110	50.4		12.4	326	475	493	621 774
210				25.1	22.8			245	413	406	461 630
200								175	347	347	369 507
190								129	282	305	318 407
180								100	226	274	286 335
170								81.8	181	247	260 298
160								71.5	148	220	234 261
150								65.8	124	188	205 230
140								58.8	109	158	174 203
130								54.5	102	139	153 173
120								43.6	94.9	130	143 160
110								17.0	42.6	99.6	57.2 133

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO							60 W			12 OCT 1961		
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q _{RP}	3	3	2	2	A2	2	A2	A2	A2	S2	A2	4
HMIN	106	108	108	109	108	109		220		279		240
SCAT	53.7	60.6	45.0	36.3	50.6	45.2		46.0		41.4		40.2
HMAXF	293	332	322	291	283	279		331		371		335
SHMAX	1023	1242	1380	1244	1167	680		322		221		229
KM												
380											378	
370											378	
360											371	
350											350	
340		1126						491		324		411
330		1125	1590					491		287		409
320		1115	1590					484		238		396
310		1090	1564					465		188		369
300	1080	1049	1499	1956				435		135		331
290	1079	990	1391	1956	1620			393		72.1		281
280	1064	923	1260	1910	1618	994		343		12.4		217
270	1030	850	1101	1787	1591	984		285				148
260	975	776	932	1594	1533	949		222				80.3
250	905	700	769	1338	1444	891		150				39.7
240	822	623	633	1047	1312	805		84.5				3.9
230	730	555	523	733	1119	691		40.5				
220	630	497	443	528	866	542		3.1				
210	533	447	386	354	611	380						
200	449	405	345	323	412	262						
190	387	367	313	279	293	191						
180	342	336	289	247	234	150						
170	306	305	268	219	200	123						
160	274	274	244	195	172	101						
150	243	240	222	173	145	86.1						
140	215	202	198	152	124	76.0						
130	183	176	169	138	110	69.2						
120	167	166	154	129	104	65.7						
110	102	105	58.1	41.7	53.3	22.5						

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

13 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	4	4	4	4	4	3	3	3	1	1	1	3
HMIN	236	226	211	218	222	246	287	111	108	102	107	105
SCAT	33.5	36.0	25.6	34.8	55.4	41.4	71.8	34.0	33.3	44.1	44.4	43.5
HMAXF	322	301	271	288	317	329	350	261	255	260	279	280
SHMAX	183	179	120	100	82	65	96	288	451	583	857	986
KM												
390								123				
380								123				
370								121				
360								118				
350								114				
340								109				
330	373					116	101					
320	373				122	115	88.5					
310	361	383			121	110	68.4					
300	332	383			119	102	39.7					
290	290	373		217	114	91.0	16.2				1292	
280	235	350	345	215	109	76.8		494		768	1075	1292
270	173	309	344	203	98.9	59.2		480	747	768	1028	1223
260	114	245	328	182	85.4	38.1		443	711	727	871	1012
250	59.6	165	265	151	68.8	18.4		480	744	757	963	1139
240	22.1	75.6	212	110	47.6			445	711	727	871	1012
230		26.3	111	61.9	24.8			385	646	676	749	843
220			42.1	17.8				362	539	601	624	667
210								223	419	507	510	521
200								160	316	420	423	418
190								118	245	346	361	357
180								90.1	196	284	318	318
170								71.8	160	237	281	288
160								64.2	134	203	244	261
150								60.8	117	157	210	234
140								58.0	99.6	132	178	205
130								54.3	90.8	122	152	176
120								45.3	86.5	117	138	159
110									43.8	110	88.1	104

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

13 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,KP	3	3	1	1		A3	S3	3	3	3	S3	1
HMIN	104	109	107	107	107		100	199	203	268	279	279
SCAT	37.1	48.8	42.9	34.4	39.7		43.4	41.4	60.0	37.8	37.0	40.0
HMAXF	271	307	307	279	267		286	297	319	369	364	371
SHMAX	803	1129	1376	1135	819		579	369	288	177	168	177
KM												
380												311
370										311	322	311
360										307	321	306
350										292	310	290
340										265	288	265
330										231	251	232
320										387	189	208
310		1240	1784							384	144	157
300		1233	1774							377	101	105
290		1201	1717				854	645	377	101	105	96.4
280	1105	1143	1610	1809			824	618	346	36.5	12.4	12.4
270	1105	1058	1459	1779	1269		824	575	321			
260	1083	949	1255	1669	1259		772	515	286			
250	1015	828	1027	1495	1209		705	438	237			
240	916	703	800	1258	1118		616	345	181			
230	776	590	614	1001	991		518	237	120			
220	635	497	485	741	816		402	130	68.3			
210	513	426	407	529	616		283	56.0	30.0			
200	416	376	359	344	436		195	12.4				
190	352	340	326	325	311		129					
180	312	312	301	283	244		87.3					
170	283	284	277	251	203		62.9					
160	254	256	251	225	170		49.2					
150	223	227	222	201	143		40.9					
140	195	195	194	178	122		36.9					
130	173	168	168	154	110		35.0					
120	160	157	152	140	106		33.4					
110	125	48.7	45.9	87.9	80.5		30.0					
100							13.0					

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

14 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q,KP	1	1	2	2	2	2	2	2	2	A2	2	0
HMIN	267	229	204	199	265	296	216	111	166	107	109	108
SCAT	36.0	25.1	26.5	30.0	47.0	38.0	47.1	35.3	28.0	40.0	44.8	40.1
HMAXF	348	284	254	253	361	371	315	241	239	255	271	276
SHMAX	153	144	111	43	50	42	78	252	462	523	729	836
KM												
380						80.4						
370					78.2	80.4						
360					78.2	78.7						
350	297				77.2	73.9						
340	294				74.4	67.0						
330	280				69.8	57.1						
320	253				63.2	44.9	123					
310	219				54.4	31.7	123					
300	176				44.5	17.0	120					
290	132	430			34.7		115					
280	83.6	428			25.4		107					
270	25.1	377			14.6		94.5					
260		332	342	114			78.6		779	943	1030	
250		230	340	114			60.0	450		776	905	956
240		44.3	319	109			42.6	450	747	752	846	857
230		22.0	271	97.4			28.1	438	729	705	741	741
220			177	76.8			14.8	408	665	629	606	622
210			53.6	44.0				360	543	511	483	517
200								288	466	394	392	433
190								702	303	306	331	369
180								130	234	251	293	321
170								95.8	191	202	264	284
160								78.1	161	155	234	253
150								68.6	140	139	200	222
140								62.7	124	130	169	189
130								52.5	109	126	149	163
120								41.2	95.4	118	133	152
110									46.0	49.3	25.3	39.5

ELECTRON DENSITY

RAYEY AFB, PUERTO RICO

60 W

14 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,KP	0	0	0	G	0	1	S1	1	1	A1	1	G
HMIN	105	108	105	107	106	107	118	210	211	248	280	259
SCAT	54.0	54.2	45.6	40.6	43.4	56.4	43.2	43.1	41.4	55.5	40.7	41.8
HMAXF	265	311	303	279	272	269	282	300	305	366	375	349
SHMAX	908	1134	1254	1148	996	665	433	256	155	160	130	130
KM												
380												231
370										215	230	
360										215	223	
350										211	210	226
340										204	188	223
330										193	158	214
320		1168								179	125	198
310		1168	1547						271	159	89.3	177
300		1157	1545					467	270	135	54.7	145
290	997	1126	1516				648	461	262	109	30.0	118
280	997	1073	1450	1776	1554		647	443	246	80.4		80.8
270	981	1005	1346	1753	1553	878	635	413	222	53.8		42.2
260	947	911	1206	1676	1526	872	605	367	191	32.6		12.4
250	895	804	1029	1546	1457	853	558	303	153	12.4		
240	827	693	840	1348	1349	818	496	209	108			
230	736	592	671	1083	1175	775	414	107	62.1			
220	630	501	535	766	920	708	323	43.2	30.4			
210	533	427	431	524	632	616	234	3.1				
200	446	374	365	370	410	467	166					
190	378	338	322	302	296	313	116					
180	331	312	292	262	238	210	82.8					
170	299	290	268	232	203	157	61.8					
160	270	266	248	202	172	126	48.6					
150	241	238	227	173	145	105	42.3					
140	205	204	197	155	123	87.8	38.5					
130	172	163	165	137	113	77.8	32.3					
120	158	157	150	125	108	70.7	19.7					
110	94.9	54.6	75.5	49.2	68.7	31.3						

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

15 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q ₁ KP	0	0	40	0	0	1	1	A1	0	0	0	1
HMIN	249	247	227	219	214	246	251	108	104	107	108	105
SCAT	41.5	34.2	27.2	20.4	55.4	53.2	69.3	34.5	41.2	39.8	34.4	44.6
HMAXF	336	315	281	259	307	343	358	242	247	259	261	290
SHMAX	120	112	93	60	78	70	98	264	397	562	693	950
KM												
360												
350												
340	214											
330	213											
320	207	254										
310	194	253										
300	174	242										
290	147	219	271									
280	115	181	271									
270	77.2	132	260									
260	41.8	67.3	230	227	95.0	34.2	28.4					
250	12.4	23.7	174	215	84.1	17.8						
240			78.6	174	69.3							
230			25.1	96.3	48.9							
220				21.8	22.5							
210												
200												
190												
180												
170												
160												
150												
140												
130												
120												
110												

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

15 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q ₁ KP	1	1	1	A1	1	A0	S0	A0	A0	A0	A0	0
HMIN	109	107	108	106	108	107	100	199	198	207	309	289
SCAT	35.2	44.7	46.1	35.0	42.4	36.4	39.9	45.6	56.0	56.8	42.8	38.3
HMAXF	281	280	289	271	276	267	265	302	328	348	392	362
SHMAX	933	918	991	877	838	606	402	220	167	147	99	102
KM												
400												
390												
380												
370												
360												
350												
340												
330												
320												
310												
300												
290												
280	1359	1240	1205	1372	1163							
270	1325	1225	1164	1372	1157	1031	651	297	153	94.3		
260	1237	1179	1092	1335	1122	1023	649	268	130	78.0		
250	1089	1104	936	1245	1051	978	629	232	107	63.0		
240	900	990	868	1105	954	895	588	192	84.2	49.9		
230	698	820	721	920	825	771	527	149	64.5	38.2		
220	533	641	583	698	679	610	444	101	47.3	26.8		
210	428	469	474	516	526	437	345	56.3	31.4	12.4		
200	364	370	395	387	397	293	251	12.4	12.4			
190	325	319	338	316	313	202	172					
180	299	286	299	273	258	151	113					
170	274	254	270	243	220	120	76.7					
160	248	242	243	220	191	98.3	55.6					
150	215	191	205	197	166	85.7	43.4					
140	185	166	170	167	143	73.9	37.2					
130	163	155	156	141	121	65.7	34.0					
120	152	149	149	132	111	58.7	32.3					
110	39.4	46.6	56.4	98.9	43.9	42.3	29.2					
100							12.4					

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

16 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q ₁ KP	A0	0	0	0	0	0	0	0	A0	A0	0	0
HMIN	207	238	228	223	217	236	198	111	108	109	109	107
SCAT	45.3	31.7	30.3	35.6	29.4	50.3	54.2	41.1	37.9	34.5	39.5	45.1
HMAXF	323	313	290	287	272	325	314	249	253	245	257	274
SHMAX	142	97	94	96	56	65	78	244	369	430	559	765
KM												
330	214											
320	213	222										
310	204	221										
300	199	213										
290	185	193	234	221								
280	162	164	228	218	149	81.5	89.8					
270	135	126	209	208	149	70.2	83.4					
260	108	76.9	179	188	143	55.6	75.1					
250	84.4	34.9	135	154	129	38.4	65.8	374	566	678	772	868
240	65.2	12.4	66.2	105	103	17.8	56.2	370	550	675	742	799
230	48.9		17.8	40.4	62.5			46.9	355	513	646	685
220	34.2				20.7			37.7	329	457	593	604
210	16.2							27.8	289	373	496	496
200								12.4	237	291	387	392
190									181	223	305	323
180									134	172	251	280
170									99.9	133	214	249
160									80.1	109	181	220
150									70.3	99.9	154	191
140									60.3	94.7	135	161
130									51.9	91.8	123	147
120									42.7	87.3	114	132
110										38.8	26.1	30.3

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

16 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q ₁ KP	0	0	A0	0	0	0	S0	0	0	0	0	A0
HMIN	110	106	107	105	105	110						
SCAT	45.3	45.4	37.6	49.5	34.7	53.0						
HMAXF	277	247	282	291	262	277						
SHMAX	727	432	909	1064	764	740						
KM												
380												
370												
360												
350												
340												
330												
320												
310												
300												
290												
280	858	1015	1298	1323								
270	852	954	1267	1278	1335	1018						
260	827	882	1190	1204	1333	996						
250	779	791	1067	1102	1242	957						
240	713	680	902	957	1194	906						
230	629	569	707	783	1034	814						
220	536	476	537	609	799	679						
210	453	404	413	471	554	505						
200	386	353	338	367	378	349						
190	340	320	299	303	279	239						
180	305	298	274	265	228	176						
170	278	281	256	238	194	140						
160	251	262	236	211	165	114						
150	218	232	204	182	140	94.8						
140	187	141	174	150	122	81.9						
130	170	163	151	133	107	76.8						
120	151	153	140	126	101	66.0						
110	13.0	120	68.7	103	71.8	13.0						

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO 60 W 17 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
G ₀ KP							52	2		0	A0	1
HMLN	107	A0	A0	AG	A0	A2	100	200	216	218	250	232
SCAT	38.6						37.6	49.1	42.1	45.8	52.8	54.4
HMAXF	270						260	300	306	322	353	340
SHMAX	660						356	196	139	116	118	110
KM												
360											174	
350											174	
340											172	153
330										178	166	152
320										178	157	148
310									246	175	145	141
300							292	245	167	127	133	
290							289	237	156	106	121	
280	PP6						280	222	141	79.1	105	
270	886						264	201	122	52.0	86.6	
260	870						747	244	171	100	28.2	66.4
250	824						734	217	132	76.2	1.9	46.1
240	749						695	186	87.6	53.2		25.2
230	634						628	148	50.4	37.2		
220	511						526	110	22.0	12.4		
210	402											
200	337							350	64.7			
190	300							227	12.4			
180	278							113				
170	257							65.7				
160	214							45.0				
150	185							36.2				
140	170							31.3				
130	162							28.3				
120	157							26.8				
110	82.4							25.8				
100								23.4				
10								12.4				

ELECTRON DENSITY

KAMEY AFB, PUERTO RICO 60 W 18 OCT 1961

[illegible]

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 h

19 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
CLMP	2	2	41	1		1	21	1		41	41	
HM1N	259	250	232	219	204	198	208	109	109			107
SCAT	38.1	34.0	32.2	35.0	55.2	54.1	42.3	34.2	34.1			46.2
HMAXF	355	330	307	287	277	322	298	235	240			285
SHMAX	104	99	93	110	167	75	58	204	317			842
KW												
360	186											
350	185											
340	179	188										
330	166	188				91.1						
320	147	185				91.0						
310	124	176	206			90.1						
300	96.6	161	203			87.9	95.4					
290	68.4	138	191	254		83.8	94.6					1013
280	45.3	104	169	252	193	79.3	91.1					1010
270	26.4	76.7	138	240	192	73.3	84.9					987
260	3.1	40.2	98.4	218	189	66.0	77.1					439
250		3.1	60.1	176	182	57.6	67.8					871
240			26.9	115	173	48.8	56.2	345	480			772
230				52.8	153	40.0	43.2	343	470			653
220				12.4	108	30.9	29.5	328	437			544
210					35.4	21.8	12.4	299	351			443
200						6.2		259	337			369
190								208	279			321
180								157	227			289
170								112	185			264
160								85.8	154			238
150								73.7	133			209
140								62.0	116			175
130								51.0	92.6			154
120								44.4	81.3			145
110								22.0	25.3			83.2

ELECTRON DENSITY

RAPEY AFB, PUERTO RICO

60 W

19 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
W.K.P	0	A0	A1	A1	A1	2	A2	2	5	5	5	5
H.K.I.N	109		109	110	110	107		211	238	268	257	286
S.C.A.T	34.6		41.5	41.6	39.2	44.5		41.3	41.9	42.1	43.3	34.9
H.M.A.X	284		289	292	271	262		294	348	371	360	380
S.H.M.A.X	829		901	993	776	558		215	168	183	204	163
K.K												
380										296		309
370										296		303
360										291		283
350									263	278	340	253
340									260	256	323	215
330									250	228	300	170
320									232	196	268	123
310									210	157	225	77.5
300				1385				403	182	118	176	44.0
290	1070		1184	1384				402	151	77.9	123	18.6
280	1067		1170	1355	1240			392	119	40.2	76.3	
270	1035		1121	1275	1240	882		370	88.5	12.4	40.8	
260	963		1037	1176	1215	881		334	59.3		16.2	
250	866		716	1035	1151	866		282	34.5			
240	740		765	848	1046	828		216	12.4			
230	615		614	643	883	770		138				
220	505		462	483	659	675		63.7				
210	404		385	368	468	533						
200	345		326	304	336	366						
190	309		290	263	259	232						
180	285		265	235	214	156						
170	264		242	209	181	122						
160	241		214	182	150	97.4						
150	216		184	152	124	81.2						
140	190		161	134	110	71.8						
130	170		146	127	102	66.2						
120	153		138	112	98.6	63.4						
110	37.2		59.7	12.4	13.0	39.5						

ELECTRON DENSITY

RAMEY AFR, PUERTO RICO

60 h

20 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q _z HP	5	5	4		4	2		42		0		AI
HPIV	297	267	228	212	268	291	200	109	107	108	107	109
SCAT	30.7	31.3	29.4	21.7	99.8	41.3	63.6	42.0	39.2	38.6	49.3	31.7
HPIAXF	376	363	290	252	426	389	307	248	249	263	295	275
SHFAP	164	168	167	99	196	136	141	239	411	579	945	973
KM												
430					170							
420					170							
410					169							
400	299				167							
390	296				165	228						
380	274				161	225						
370	248				156	214						
360	218				151	199						
350	184	363			145	178						
340	148	354			138	152						
330	110	326			129	123						
320	69.5	246			115	90.4						
310	59.2	232			97.1	56.2	185					
300	16.2	167			76.2	29.8	184				1070	
290		103	442		52.6		182				1068	
280		46.7	430		31.8		176				1046	1576
270		12.4	394		12.4		169			808	1003	1566
260			326	385			159			807	938	1472
250			220	384			145	383	636	786	852	1336
240			90.1	354			125	380	628	734	749	1147
230			20.5	263			102	366	600	665	638	893
220				85.7			73.2	343	552	573	535	667
210							41.1	299	465	466	450	483
200							3.1	241	361	375	380	381
190								175	277	307	326	327
180								111	216	257	288	289
170								80.2	174	220	257	254
160								65.1	143	189	227	221
150								56.9	121	159	197	193
140								53.3	104	138	168	170
130								45.8	97.3	126	147	156
120								42.5	91.4	120	138	145
110								22.0	54.4	79.1	109	33.3

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 *h*

20 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q,K,P	1	1	1	1	A1	A0	A0	A0	2	A2	A2	A1
HMIN	107	108	107	106				199	210	266	268	231
SCAT	48.4	47.3	41.1	41.9				53.4	45.9	41.1	42.1	43.4
HMAX,F	282	241	287	278				290	319	371	362	323
SHMAX	1076	943	1002	923				237	160	130	146	146
KM												
380										211		
370										211	258	
360										207	258	
350										197	253	
340										181	241	
330										160	221	259
320									242	135	191	259
310									239	109	152	253
300		1600								231	83.1	107
290	1347	1680	1329					373	218	57.0	69.3	221
280	1347	1667	1314	1287				370	198	35.4	40.0	191
270	1326	1631	1272	1276				360	174	17.8	12.4	151
260	1277	167	1183	1230				344	166			103
250	1146	691	1000	1148				320	117			60.8
240	1092	802	907	1027				287	84.9			30.0
230	965	703	736	863				236	55.0			
220	804	594	579	685				172	30.0			
210	631	505	451	527			90.9					
200	484	418	373	408			12.4					
190	377	345	324	327								
180	317	298	291	275								
170	279	264	261	240								
160	249	231	236	213								
150	222	196	210	186								
140	194	171	177	159								
130	166	160	156	130								
120	152	145	146	127								
110	90.5	35.5	100	95.8								

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

[illegible]

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO												60 W	23 OCT 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
Q _{RP}	A1	A1	A1	1	A1	1	1	H1	A0	A0	0	A2	
HMIN	218	247	237	219	222	232	223	109	109	106	108	107	
SCAT	57.8	41.4	43.7	35.6	33.7	52.3	39.0	38.7	32.6	40.1	42.7	44.9	
HMAXF	333	328	321	281	281	329	301	241	248	259	274	279	
SHMAX	119	99	113	88	75	93	61	231	332	496	681	852	
KM													
340	156												
330	156	186	206			135							
320	154	184	206			134							
310	150	177	203			131	116						
300	144	164	194			125	116						
290	135	145	181	206	186	116	113						
280	123	117	159	206	186	105	107				846	1075	
270	108	83.3	128	201	181	91.6	97.0				844	1065	
260	90.4	46.5	85.2	188	169	75.2	82.8				681	822	1029
250	72.1	19.3	44.6	165	145	55.1	65.4	368	541	674	775	965	
240	50.9		16.2	125	101	31.5	44.0	368	532	645	709	872	
230	31.4			65.4	43.6		23.1	361	498	596	622	750	
220	12.4			12.4				341	439	522	530	619	
210								309	364	435	437	496	
200								261	285	361	365	399	
190								209	220	301	316	337	
180								159	169	251	281	296	
170								114	131	208	251	268	
160								85.6	108	170	222	243	
150								72.5	98.5	140	191	217	
140								66.8	93.8	128	161	188	
130								53.8	91.0	122	144	160	
120								47.5	82.2	116	137	146	
110								23.7	24.2	47.4	80.5	89.6	

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO												60 W	23 OCT 1961
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
Q _{RP}	2	2	2	A2	A2	A3	A3	3	A2	2	2	3	
HMIN	106	105	106					209	218	257	269	217	
SCAT	41.5	42.0	47.6					42.3	57.1	53.6	37.6	31.0	
HMAXF	294	292	284					288	318	381	347	284	
SHMAX	989	1081	1094					122	101	117	98	90	
KM													
390											155		
380											155		
370											154		
360											149		
350											142	195	
340											133	193	
330											120	185	
320									145	103	171		
310									144	85.7	147		
300	1234	1464							141	68.2	116		
290	1231	1462	1477					234	136	52.4	79.7	215	
280	1199	1432	1474					232	129	38.4	41.8	215	
270	1130	1360	1444					223	119	26.2	12.4	205	
260	1025	1246	1381					208	104	12.4		184	
250	883	1091	1285					184	85.0			149	
240	741	893	1143					147	59.5			101	
230	613	680	944					90.4	35.5			55.5	
220	506	511	722					46.8	12.4			19.9	
210	421	399	519					12.4					
200	360	337	377										
190	318	299	307										
180	288	274	268										
170	265	249	240										
160	242	221	213										
150	216	191	189										
140	178	170	169										
130	159	158	154										
120	151	151	145										
110	79.6	74.8	84.4										

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO												60 W	24 OCT 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	
Q _{RP}	3	3	2	S2	A2	A2	S2	2	A1	1	A1	A0	
HMIN	212	225	251	217	218	228	197	114	109	109	111		
SCAT	35.0	33.3	32.5	47.7	37.4	48.2	40.8	31.1	36.5	26.1	49.9		
HMAXF	284	296	317	335	312	325	295	236	247	248	274		
SHMAX	81	75	74	110	85	88	78	203	363	485	738		
KM													
340				160									
330				160		140							
320				171	157	155	139						
310				169	150	155	136						
300		170	160	139	152	130	130						
290	179	169	142	123	142	122	129						
280	179	161	115	104	127	108	126				936		
270	172	145	79.0	84.3	108	89.7	118				935		
260	159	118	38.7	66.4	84.6	69.5	106				917		
250	134	85.5		50.5	60.5	48.0	90.7		541	831	880		
240	99.1	46.7		36.3	41.3	28.7	74.6	374	536	809	829		
230	59.2	20.7		23.8	26.4	7.7	58.3	371	512	725	743		
220	28.1			9.0	7.9			42.1	351	466	613	620	
210								27.6	311	405	494	493	
200								12.4	256	339	388	380	
190									197	275	308	312	
180									140	221	257	270	
170									100	180	221	240	
160									76.7	149	190	211	
150									66.3	126	161	183	
140									55.3	107	136	154	
130									44.1	92.9	120	140	
120									37.6	82.9	111	125	
110										25.3	33.1		

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO							60 W			24 OCT 1961		
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q _{RP}	A0	0	A1	1	A1	A0	S0	0	1	1	1	A1
HMIN	109	109		108	111		100	202	229	217	248	207
SCAT	39.2	45.4		48.3	51.7		40.4	39.2	41.4	49.8	51.3	54.1
HMAXF	266	290		273	281		267	301	307	311	355	319
SHMAX	765	939		793	767		333	197	166	150	161	163
KM												
360											236	
350											236	
340											231	
330											222	
320										246	209	242
310									338	325	246	190
300									338	323	243	165
290		1131			954				331	312	235	135
280		1117		1022	954				313	292	222	103
270	1080	1076		1021	943		541	284	260	204	70.4	187
260	1074	1004		1004	915		538	248	209	172	37.3	152
250	1035	914		965	867		519	207	135	132	12.4	115
240	960	799		903	805		483	157	65.6	83.7		80.3
230	849	675		822	722		431	107	12.4	43.3		53.0
220	708	554		714	623		357	67.9		16.2		32.8
210	556	451		587	513		272	34.1				15.3
200	433	374		465	393							
190	351	323		355	294							
180	301	288		279	229		84.1					
170	268	263		234	189		58.9					
160	239	240		201	159		43.4					
150	212	213		169	136		34.3					
140	184	182		143	119		29.2					
130	162	163		128	106		26.9					
120	151	152		120	98.7		25.7					
110	41.7	41.7		55.9			23.0					
100							13.0					

ELECTRON DENSITY

25 OCT 1961

[illegible]

ELECTRON DENSITY

26 OCT 1961

[illegible]

ELECTRON DENSITY

RAYEY AFR, PUERTO RICO

60 W

27 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
G.K.P	5	5	4	4	4	4	A4	4	3	3	3	3
HMIN	271	278	289	222	200	219	218	119	112	106	107	109
SCAT	49.3	46.9	40.5	24.7	58.9	44.4	48.2	36.9	52.5	54.3	55.9	42.1
HMAXF	327	308	402	279	297	319	322	249	277	287	287	290
SHMAX	192	196	187	170	140	78	80	225	478	713	897	926
KM												
410			279									
400			259									
390		296	292									
380		294	274									
370		285	253									
360		269	225									
350		248	192									
340		271	153									
330	275	190	112				121					
320	293	192	75.9				124	121				
310	265	105	48.4				123	119				
300	271	64.2	28.8				205	118	115			
290	252	37.3	7.4				204	111	108			
280	227	12.4		354	201	100	97.4		588	808	1022	1167
270	143			341	194	86.2	83.0		585	732	1002	1113
260	147			306	185	70.1	66.2		573	761	965	1032
250	76.0			224	173	53.0	50.7	390	549	719	914	917
240	45.3			131	155	37.6	36.5	385	516	659	840	782
230	28.8			47.6	123	24.2	24.9	365	466	582	741	634
220					PC.7	4.3	8.4	331	464	494	619	506
210					40.6			266	337	408	501	408
200					3.9			200	272	328	399	348
190								146	216	264	326	309
180								104	171	229	276	281
170								77.9	139	196	239	255
160								61.6	115	167	209	227
150								57.2	97.7	143	181	196
140								54.2	85.6	125	158	170
130								40.0	80.0	115	138	150
120								18.8	54.2	109	128	139
110									78.8	103	57.6	

ELECTRON DENSITY

RAYEY AFR, PUERTO RICO

60 W

27 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
G.K.P	A3	3	A4	A4	A4	A5	A5	A5	2	A2	A2	2
HMIN		108	108					200	218	246	299	276
SCAT		42.0	42.4					28.0	57.1	50.3	40.4	37.5
HMAXF		241	284					253	335	375	382	365
SHMAX		1199	1039					167	133	121	103	103
KM												
390											189	
380											163	189
370											162	185
360											159	174
350											152	160
340											170	142
330											170	129
320											168	112
310											162	93.6
300											154	76.5
290		1676	1484								144	60.7
280		1667	1480								132	47.3
270		1590	1462								118	35.4
260		1468	1363					467			101	24.6
250		1284	1243					466	83.7	12.4		
240		1041	1084					442	61.7			
230		774	870					388	35.8			
220		598	671					299	12.4			
210		422	466					157				
200		345	341					12.4				
190		279	280									
180		270	242									
170		252	206									
160		235	177									
150		210	158									
140		175	145									
130		154	137									
120		146	132									
110		102	96.5									

ELECTRON DENSITY

RAYEY AFR, PUERTO RICO

60 W

28 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
G.K.P	A2	A2	A5	A5	A6	A6	A6	A6	A8	A8	A8	A8
HMIN	278	279	216	207	207	110	109	110	207	110	109	110
SCAT	29.7	36.3	53.8	35.8		42.4	37.7	51.9	47.1			
HMAXF	255	297	268	274		297	264	277	307			
SHMAX	11	12	82	67		60	266	531	1061			
KM												
310										1234		
300		193					103		607	1228		
290	258	191	184				102		605	1154		
280	256	162	182	148			98.3		571	1129		
270	242	166	171	147			91.8	381	564	1044		
260	213	136	192	147			82.3	380	530	942		
250	187	101	121	131			68.7	269	464	831		
240	172	62.5	82.5	113			53.5	343	431	715		
230	28.3	32.9	43.8	84.5			39.7	368	372	597		
220			16.5	48.5			26.9	265	310	486		
210				19.3			12.4	220	253	394		
200								175	208	322		
190								138	170	265		
180								111	139	220		
170								51.0	113	184		
160								76.3	92.8	155		
150								64.5	82.8	132		
140								58.9	78.3	116		
130								54.9	76.2	107		
120								39.0	68.6	98.9		
110								12.4	22.2	13.0		

ELECTRON DENSITY

RAYEY AFR, PUERTO RICO

60 W

28 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
G.K.P	B	B	A7	A7	A7	A7	A7	A7	A6	A6	A6	A5
HMIN	107	105	107	106	110		100	200		199	209	278
SCAT	53.8	42.0	42.5	72.1	91.4		59.0	49.5		58.0	31.4	59.0
HMAXF	359	397	291	320	465		336	307		328	269	418
SHMAX	1943	1727	1518	1233	2431		1740	1051		725	275	301
KM												
470					1484							
460					1483							
450					1474							
440					1456							
430					1429							
420					1393							369
410					1339							367
400					1240							360
390					1234							348
380					1171							329
370					1105							307
360	1868				1033							278
350	1854				955							242
340	1809				878		1947					202
330	1730				806		1943			976		160
320	1619			1217	742		1913			971		117
310	1487	2440		1212	682		1856	1451		952		81.4
300	1365	2425	2363	1195	629		1762	1483		919		53.3
290	1199	2345	2362	1166	582		1655	1447		873		32.5
280	1053	2147	2322	1117	538		1529	1380		806		12.4
270	916	1984	2217	1069	497		1382	1278		706	714	
260	797	1704	2039	1013	458		1224	1162		591	700	
250	693	1468	1796	951	420		1053	1027		461	652	
240	604	1017	1422	874	383		866	874		319	565	
230	529	713	979	785	348		653	709		190	397	
220	466	535	663	685	313		457	532		101	154	
210	411	426	455	574	280		300	305		46.7	24.5	
200	363	255	345	454	247		192	12.4		12.4		
190	322	307	285	352	215		131					
180	287	271	246	279	187		87.9					
170	257	244	213	230	161		62.2					
160	229	220	163	197	141		47.8					
150	194	177	156	172	124		38.7					
140	159	160	138	149	109		34.0					
130	140	144	129	130	98.4		32.0					
120	132	138	124	121	87.8		30.3					
110	41.7	84.9	33.0	66.8	13.0		27.3					
100							16.3					

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	29 OCT 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
Q,KP	A5	A5	A6	A6	A6	A4	A4	A4	A2	A2	2	A1		
HMIN	280	199	239							107	106			
SCAT	45.2	25.4	21.4							39.9	41.1			
HMAXF	377	259	277							304	287			
SHMAX	213	174	100							1157	1272			
KM														
380	354													
370	352													
360	342													
350	323													
340	295													
330	255													
320	207													
310	152									1561				
300	83.4									1557				
290	40.2									1512	2020			
280	3.1									1415	2007			
270			383							1275	1936			
260		531	323							1092	1811			
250		513	211							902	1599			
240		455	29.7							733	1272			
230		310								582	888			
220		157								465	584			
210		64.3								382	418			
200		12.4								323	329			
190										281	278			
180										244	242			
170										212	211			
160										180	183			
150										148	159			
140										124	142			
130										111	132			
120										105	125			
110										55.8	49.3			

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	29 OCT 1961
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
Q,KP	A1	A1	A1	1	1	A2	A2	A2	A0	A0	A0	A0		
HMIN	107	108	108	106	104			199	246		237	248		
SCAT	45.6	36.8	39.4	43.2	42.3			41.5	57.0		40.1	45.7		
HMAXF	288	291	279	272	265			278	334		319	344		
SHMAX	1185	1256	1422	1068	869			154	107		90	92		
KM														
350												150		
340										163		149		
330										163		146		
320										161		170	139	
310										156		167	129	
300		1956								149		160	114	
290	1620	1956								140		147	93.9	
280	1606	1916	2256	1712				297	125			128	71.0	
270	1554	1803	2225	1711	1398			294	103			102	49.0	
260	1470	1617	2122	1681	1394			283	68.0			72.2	30.3	
250	1326	1314	1946	1605	1356			263	26.7			41.9	12.4	
240	1104	975	1690	1487	1277			232				16.2		
230	853	695	1329	1300	1160			183						
220	623	524	963	1033	959			120						
210	471	418	676	655	678			59.0						
200	385	350	464	390	446			12.4						
190	334	310	353	278	316									
180	302	282	294	225	245									
170	275	263	255	189	202									
160	246	246	224	155	168									
150	214	217	201	135	140									
140	183	179	175	123	119									
130	159	155	152	115	105									
120	146	146	140	111	97.2									
110	63.1	54.2	55.2	102	81.5									

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	30 OCT 1961
TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100		
Q,KP	0	A0	A2	A2	A2	A3	A3	A3	A2	2	2	3		
HMIN	268	223	201	203	198				109	108	107	107		
SCAT	32.4	28.9	38.8	23.5	44.0				36.4	49.3	42.3	33.5		
HMAXF	342	279	278	254	265				250	271	285	268		
SHMAX	77	84	88	63	37				375	700	1006	1094		
KM														
350	171													
340	171													
330	165													
320	151													
310	129													
300	97.3													
290	61.9													
280	36.1	224	171							1353				
270	12.4	218	169		73.4					870	1349			
260		199	162	197	73.2					870	1312	1956		
250		169	148	196	71.4					564	859	1234	1932	
240		120	131	180	67.9					564	831	1125	1823	
230		50.6	104	148	62.0					553	786	977	1626	
220			71.3	95.9	52.7					521	721	804	1294	
210			37.2	37.0	35.8					467	637	628	906	
200					12.4					392	534	490	587	
190										318	432	392	419	
180										259	349	329	339	
170										212	290	286	294	
160										176	243	253	261	
150										146	203	222	231	
140										121	170	193	203	
130										104	143	164	176	
120										89.8	125	142	153	
110										78.9	116	129	140	
										23.8	80.4	95.1	61.7	

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO													60 W	30 OCT 1961
TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300		
Q,KP	A3	A3	A1	A1	A1	A1	A1	1	1	1	1	1		
HMIN		107	108					200	199	263	251	230		
SCAT		45.4	51.6					33.0	87.2	36.0	42.8	49.0		
HMAXF		274	309					250	348	349	345	326		
SHMAX		880	1091					108	94	67	91	106		
KM														
350										81.9	124	155		
340										81.7	122	155		
330										81.0	115	150	163	
320										79.8	104	141	163	
310			1184							78.0	89.0	129	159	
300			1176							75.6	72.4	110	152	
290			1145							72.5	54.5	86.3	142	
280			1093							69.3	36.8	63.9	128	
270			1017							65.6	21.7	41.7	110	
260			1099	929						61.5		24.8	88.4	
250			1047	830				293	57.2			63.2		
240			967	726				287	52.8			37.1		
230			865	622				268	48.1			3.9		
220			745	524				225	42.7					
210			608	438				138	35.2					
200			475	370				12.4	12.4					
190			373	315										
180			311	270										
170			273	230										
160			246	192										
150			218	154										
140			184	138										

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

31 OCT 1961

TIME	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100
Q _o KP	1	1	3	3	3	A1	A1	A1	1	A1	A1	AO
HMIN	219	203	199	199	244	235	218	110	108	107		
SCAT	34.0	26.1	20.7	53.5	44.5	43.3	51.0	30.5	27.4	45.3		
HMAXF	291	255	239	276	320	331	314	243	242	255		
SHMAX	86	82	47	66	66	77	81	240	413	526		
KM												
340						129						
330					118	129						
320					118	127	123					
310					117	121	123					
300	187				112	112	121					
290	187				105	99.3	117					
280	182			112	94.6	82.4	110					
270	168			112	80.1	63.9	100					
260	146	254		109	60.5	46.3	87.6			701		
250	114	252		105	30.0	30.5	72.5	450	815	698		
240	76.5	235	182	99.7		16.7	54.5	449	814	680		
230	40.4	190	172	90.3			33.0	430	775	644		
220	12.4	106	138	72.7			12.4	387	682	594		
210		36.8	69.8	43.9				314	515	521		
200			12.4	12.4				235	361	431		
190								170	265	349		
180								124	210	289		
170								91.6	174	241		
160								71.1	145	202		
150								59.2	121	170		
140								54.1	101	144		
130								51.9	89.6	124		
120								43.8	81.1	114		
110								13.0	35.6	37.2		

ELECTRON DENSITY

RAMEY AFB, PUERTO RICO

60 W

31 OCT 1961

TIME	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
Q _o KP	AO	AO	AO	AO	AO	AO	AO	AO	1	1	S1	2
HMIN					108	108		202	200	281	268	258
SCAT					31.1	29.6		28.5	44.5	35.5	46.3	43.3
HMAXF					256	232		250	278	366	351	329
SHMAX					602	381		118	70	71	100	93
KM												
370										136		
360										135	178	
350										129	178	
340										118	176	
330										102	169	176
320										84.2	159	174
310										63.1	141	167
300										41.5	114	156
290										24.8	76.9	139
280											39.9	115
270											12.4	82.4
260												27.3
250					1079			369	112			
240					1006	898		358	102			
230					900	897		328	88.2			
220					735	863		236	70.5			
210					537	783		78.6	41.4			
200					369	562			3.1			
190					268	298						
180					212	172						
170					176	123						
160					150	97.6						
150					129	80.7						
140					112	70.0						
130					102	66.5						
120					93.6	60.9						
110					30.3	28.1						

AVERAGE ELECTRON DENSITY 60 M

RAPEY AFB, PUERTO RICO

TIME 0000 0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100

COUNT

KP 1.4 1.4 1.6 1.6 1.7 2.6 2.7 2.7 2.5 2.5 2.6 2.4 2.2

KP 1.3 1.5 1.6 1.6 1.7 2.6 2.7 2.7 2.5 2.5 2.6 2.4 2.2

HMIN 250 240 224 213 222 253 223 111 108 107 107 107 107

HATD 6.4 7.1 7.7 8.4 5.5 5.6 6.0 5.3 4.8 4.6 4.7 4.7

SCAT 38.9 35.1 33.1 32.0 51.8 48.8 48.5 34.8 37.3 41.0 44.7 42.5

NMAX 240 255 266 228 138 118 129 41.6 60.4 80.5 104.2 126.9

HMAX 337 315 297 276 314 347 315 24.3 25.0 26.4 27.8 28.3

SHMAX 128 119 113 88 89 75 80 236 356 596 808 952

SHIN 805 839 863 732 477 407 443 1410 2101 2866 3747 4531

KM

900 18.6 17.7 16.9 13.8 9.6 9.6 8.9 20.1 30.2 43.6 60.0 74.4

950 23.9 22.7 21.6 16.4 12.4 12.3 11.4 25.8 38.8 55.9 77.0 95.5

850 30.6 28.1 27.7 21.1 15.8 15.8 14.6 33.1 49.8 71.8 98.9 123

800 39.3 37.3 37.0 27.1 20.3 20.3 18.7 42.5 63.8 92.1 127 157

750 50.2 47.9 46.6 34.7 26.0 25.9 24.0 54.4 81.9 118 163 201

700 64.1 61.1 58.3 45.4 33.2 33.1 30.7 69.4 105 151 208 238

650 81.6 78.1 74.5 61.8 45.3 45.0 42.0 89.3 134 193 266 329

600 123 92.8 87.5 72.7 55.6 55.0 52.0 114 171 238 320 393

550 159 124 113 91.7 73.3 60.2 52.4 145 218 319 420 531

500 159 155 149 113 83.3 61.1 52.4 183 275 394 539 687

490 165 161 155 120 86.7 84.2 80.9 192 288 412 563 697

480 172 168 162 126 96.2 87.3 84.2 201 301 430 589 728

470 178 174 169 131 93.7 90.4 87.6 216 315 450 614 760

460 181 176 163 137 97.3 93.4 91.0 220 329 469 641 792

450 191 188 182 143 101 96.4 94.4 230 344 490 668 825

440 197 195 189 149 104 99.3 97.9 240 359 510 695 859

430 203 202 197 155 108 102 101 250 374 531 723 893

420 209 208 204 161 111 104 105 261 390 553 751 928

410 214 215 210 167 115 107 108 272 406 574 780 962

400 219 221 217 173 118 108 111 283 422 596 808 997

390 224 227 224 179 121 110 114 294 438 618 836 1031

380 227 232 229 185 123 111 117 305 455 640 864 1064

370 230 237 235 191 126 111 119 317 471 661 891 1097

360 231 242 240 197 128 110 121 328 487 682 916 1128

350 230 245 244 202 130 110 123 339 503 702 941 1157

340 227 247 247 207 131 108 125 350 519 721 964 1184

330 220 247 250 212 131 105 125 360 534 739 984 1208

320 208 244 252 216 131 99.7 125 371 548 755 1002 1229

310 191 238 253 219 129 92.4 123 380 561 769 1017 1246

300 169 226 252 222 126 83.0 120 389 572 781 1029 1258

290 143 206 247 222 121 72.1 114 397 583 789 1036 1265

280 114 178 236 221 114 61.3 107 403 591 789 1019 1230

270 84.5 142 214 216 104 48.5 96.3 409 597 789 1019 1230

260 58.4 102 180 206 92.3 34.8 83.0 412 600 776 982 1166

250 37.9 64.0 132 189 78.7 24.1 66.5 413 598 750 928

240 20.5 33.4 78.6 156 62.2 13.8 49.6 409 586 704 859

230 9.6 14.6 37.5 106 44.8 6.4 33.2 395 594 638 712 765

220 3.8 4.1 17.4 46.8 25.0 3.1 17.7 363 499 556 609

210 .6 1.4 5.9 13.9 10.9 1.3 7.6 309 422 465 469 479

200 .5 2.3 1.1 .2 2.1 2.0 242 340 381 381 391

190 177 269 315 32 337 177 269 315 32 337

180 126 214 266 282 300 126 214 266 282 300

170 93.2 173 227 250 271 93.2 173 227 250 271

160 74.8 143 193 220 242 74.8 143 193 220 242

150 64.9 120 164 191 211 64.9 120 164 191 211

140 58.4 104 140 165 183 58.4 104 140 165 183

130 52.9 93.6 124 147 161 52.9 93.6 124 147 161

120 43.6 85.0 114 136 149 43.6 85.0 114 136 149

110 10.5 42.6 66.1 63.4 67.5 10.5 42.6 66.1 63.4 67.5

AVERAGE ELECTRON DENSITY 60 M

RAPEY AFB, PUERTO RICO

TIME 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300

COUNT

KP 1.5 2.4 2.2 1.8 1.7 1.3 1.0 2.3 2.5 2.5 2.6 2.8

KP 1.3 1.5 2.2 1.8 1.7 1.3 1.0 2.3 2.5 2.5 2.6 2.8

HMIN 108 107 107 107 108 108 102 202 217 252 258 259

HATD 4.6 4.5 4.5 5.1 5.1 5.3 5.8 6.2 5.3 5.2 5.6 5.7

SCAT 44.6 46.6 47.5 41.0 42.9 44.9 38.7 41.7 50.3 44.5 43.6 42.7

NMAX 1225 1242 1209 1262 1193 950 735 403 257 244 266 269

HMAX 286 290 296 281 272 270 269 293 324 355 362 360

SHMAX 964 1038 1113 978 815 645 440 223 172 150 147 136

SHIN 4419 4541 5088 5121 4180 3324 2512 1360 898 838 841 838

KM

900 77.5 88.6 85.6 66.6 52.6 40.5 25.1 18.7 20.6 21.6 19.5

950 93.7 94.4 114 110 85.5 67.5 51.9 32.2 24.0 26.4 27.7 25.0

850 120 128 146 141 110 86.6 66.7 41.3 30.7 33.9 35.5 32.1

800 154 164 187 181 141 111 85.5 53.0 39.4 43.4 45.5 41.1

750 198 210 240 232 180 142 110 67.9 50.4 55.5 58.1 52.6

700 253 268 307 297 231 182 140 86.8 64.5 70.9 74.1 67.2

650 323 342 391 379 295 233 179 111 82.1 90.0 94.1 85.5

600 411 435 498 483 376 257 229 141 104 114 119 108

550 521 550 629 611 477 377 290 178 131 142 147 135

500 653 689 787 767 600 474 365 223 162 173 180 167

490 683 719 822 802 628 496 382 233 169 180 187 173

480 713 750 857 837 656 518 399 243 176 187 193 180

470 744 782 893 874 685 541 417 253 183 193 200 187

460 775 815 930 911 715 565 435 264 190 200 206 193

450 807 848 968 949 745 589 454 274 177 206 212 200

440 873 911 1006 988 776 614 473 285 203 212 218 206

430 907 943 1044 1026 808 639 492 296 210 218 224 213

420 940 982 1083 1067 840 664 512 307 217 223 229 219

410 973 1015 1118 1107 935 716 552 329 229 232 237 229

400 1006 1047 1158 1147 978 741 572 339 239 242 247 234

390 1038 1078 1230 1226 1001 792 611 359 240 239 242 238

380 1069 1108 1295 1298 1031 816 630 368 240 241 241 238

370 1098 1136 1395 1391 1061 839 648 368 240 241 241 238

360 1125 1161 1323 1331 1061 839 648 368 240 241 241 238

350 1151 1184 1348 1362 1088 861 668 368 240 241 241 238

340 1173 1203 1370 1390 1113 881 681 390 240 241 241 238

330 1192 1218 1396 1414 1136 900 695 390 240 241 241 238

320 1207 1228 1396 1414 1136 915 707 397 244 244 244 238

310 1216 1231 1397 1448 1171 928 718 397 244 244 244 238

300 1220 1222 1380 1456 1183 938 729 397 244 244 244 238

290 1210 1194 1341 1448 1189 942 729 397 244 244 244 238

280 1176 1138 1270 1406 1184 939 725 357 173 56.8 34.6 80.4

270 1111 1057 1164 1323 1157 921 707 325 143 35.5 17.8 54.2

260 1013 948 1027 1196 1100 883 673 281 109 21.8 7.4 34.8

250 885 818 868 1024 1007 825 616 227 76.7 12.1 2.4 20.4

240 738 681 702 823 876 741 536 164 48.4 6.1 .7 3.0

230 596 559 553 631 707 629 434 101 28.8 2.7 3.0

220 476 458 437 469 529 494 323 41.9 13.1 .5

210 391 385 360 362 389 356 219 5.9 2.6

200 336 336 314 301 293 246 141

190 300 303 284 284 239 181 93.3

180 271 277 259 236 204 143 66.3

170 242 252 234 211 176 118 51.1

160 214 223 206 185 151 98.1 42.5

150 186 191 178 160 130 84.5 37.7

140 167 167 157 141 116 76.7 34.8

130 152 155 146 130 108 71.4 31.9

120 65.0 77.7 74.2 68.7 50.6 30.4 27.1 13.5

110 65.0 77.7 74.2 68.7 50.6 30.4 27.1 13.5

100

TABLES OF IONOSPHERIC DATA

JULY 1961 - JUNE 1954

Table 1

Resolute Bay, Canada (74.7° N, 94.9° W)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	(290)	4.8 23	235	---	---	2.0	---	3.0
01	285	4.7 23	250	---	---	2.0	---	3.0
02	290	4.8 24	240	---	---	2.1	---	3.0
03	300	4.9 24	235	3.3	---	2.2	---	3.0
04	310	4.8 21	230	3.5	---	2.4	---	3.0
05	340	4.7 22	230	3.6	---	2.4	---	3.0
06	345	4.8 21	220	3.6	---	2.5	---	3.0
07	470	4.6 22	220	3.9	---	2.8	---	2.6
08	400	4.7 19	210	4.0	---	2.9	---	2.8
09	435	4.9 19	200	4.0	---	3.0	---	2.7
10	500	4.5 21	200	4.0	---	3.0	---	6
11	470	4.9 17	200	4.1	---	3.0	---	2.6
12	395	5.0 18	200	4.2	---	3.0	---	2.9
13	425	5.0 18	200	4.2	---	3.0	---	2.75
14	400	5.1 17	200	4.2	---	3.0	---	2.85
15	430	5.0 19	200	4.1	---	3.0	---	2.7
16	415	5.3 21	205	4.0	---	3.0	---	2.8
17	390	5.0 20	210	4.0	---	2.8	---	2.85
18	380	5.0 23	205	3.9	---	2.7	---	2.85
19	350	5.1 23	215	3.8	---	2.5	---	2.9
20	330	5.1 23	220	3.7	---	2.4	---	3.0
21	300	5.1 23	225	3.4	---	2.2	---	3.0
22	290	5.0 24	220	3.3	---	2.2	---	3.0
23	290	5.0 24	230	3.1	---	2.0	---	3.0

Time: 90.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 3

Sodankylä, Finland (67.4° N, 26.6° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	5.0 14	305	---	---	---	(2.4)	2.80
01	---	4.8 13	310	---	---	---	(3.0)	2.75
02	---	4.8 11	315	---	---	---	(3.2)	2.75
03	---	4.6 10	275	---	---	---	(2.8)	2.80
04	---	4.6 10	250	3.2	120	2.10	(3.3)	(2.80)
05	---	5.0 12	230	3.6	110	2.30	(3.3)	2.75
06	---	5.0 16	215	3.8	110	2.60	(3.3)	2.85
07	---	5.2 13	220	4.0	110	2.80	---	2.75
08	---	5.2 16	210	4.2	110	2.90	---	2.80
09	---	5.3 17	210	4.3	110	3.00	---	2.80
10	---	5.6 18	220	4.4	110	3.15	---	2.80
11	---	5.7 20	210	4.5	110	3.20	---	2.80
12	---	5.6 20	210	4.5	110	3.30	---	2.85
13	---	5.5 21	210	4.5	110	3.20	3.3	2.90
14	---	5.6 22	210	4.4	110	3.20	---	2.80
15	---	5.3 24	215	4.4	110	3.05	---	2.85
16	---	5.4 23	210	4.2	115	3.00	---	2.95
17	---	5.2 23	220	---	110	2.80	---	2.95
18	---	5.4 21	230	---	115	2.60	3.2	2.95
19	---	5.2 21	240	---	115	2.40	---	2.95
20	---	5.3 20	250	---	125	2.20	3.2	3.00
21	---	5.2 14	260	---	130	1.95	2.6	3.00
22	---	4.9 17	265	---	---	---	(2.6)	2.90
23	---	4.6 12	280	---	---	---	(2.5)	2.80

Time: 30.0°E.

Sweep: 1.4 Mc to 22.0 Mc in 8 minutes, automatic operation.

Table 5

Lycksele, Sweden (64.7° N, 18.8° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	4.4 25	290	---	---	---	3.1	2.75
01	---	4.4 24	290	---	---	---	3.5	2.7
02	---	4.4 24	280	---	100	1.55	3.3	2.7
03	---	4.4 23	260	2.80	---	1.70	3.4	2.7
04	---	4.6 20	240	3.30	100	2.00	3.7	2.7
05	---	4.7 23	230	3.55	100	2.30	3.5	2.7
06	---	4.8 24	225	3.80	100	2.50	3.5	2.8
07	---	4.00	5.0 23	210	4.00	100	2.70	3.9
08	---	4.00	5.2 23	210	4.20	100	2.90	3.3
09	---	4.00	5.4 26	210	4.30	100	3.00	3.6
10	---	380	5.6 23	210	4.40	100	3.10	3.8
11	---	345	5.8 22	205	4.40	100	3.10	3.6
12	---	355	5.6 25	200	4.50	100	3.10	4.0
13	---	360	5.5 27	200	4.40	100	3.10	3.4
14	---	385	5.6 26	205	4.40	100	3.10	2.8
15	---	355	5.4 27	210	4.30	100	3.00	2.8
16	---	345	5.3 26	215	4.20	100	2.90	3.2
17	---	330	5.4 26	215	4.10	100	2.70	3.4
18	---	315	5.4 26	230	3.80	105	2.40	3.5
19	---	(290)	5.3 26	240	3.55	100	2.20	3.2
20	---	---	5.4 26	250	---	100	2.00	3.2
21	---	---	4.9 27	250	---	100	1.60	2.8
22	---	---	4.7 26	265	---	100	1.50	2.5
23	---	---	4.5 26	270	---	100	---	3.2

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.

Occasionally, 1.4 Mc to 16.0 Mc in 6 minutes, automatic operation.

Table 2

Kiruna, Sweden (67.8° N, 20.4° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	(4.6)	8	300	---	---	4.0	(2.9)
01	---	(4.7)	8	300	---	---	4.2	(2.9)
02	---	4.6	11	280	---	---	1.6	4.0
03	---	365	4.5 13	255	3.1	---	1.8	4.2
04	---	375	4.6 15	240	3.4	---	2.2	4.0
05	---	390	4.8 18	220	3.6	---	2.4	4.0
06	---	385	4.9 18	220	3.8	105	2.6	2.8
07	---	385	5.1 21	205	4.0	105	2.8	2.8
08	---	400	5.2 21	205	4.2	100	2.9	2.8
09	---	365	5.4 22	210	4.4	100	3.0	2.9
10	---	360	5.4 23	205	4.4	100	3.0	2.9
11	---	360	5.4 25	205	4.4	100	3.0	2.9
12	---	355	5.6 21	210	4.4	100	3.0	2.9
13	---	350	5.4 24	200	4.5	105	3.0	3.0
14	---	360	5.3 25	210	4.4	105	3.0	3.0
15	---	350	5.3 24	210	4.3	105	3.0	2.95
16	---	340	5.0 26	210	4.2	105	2.8	3.0
17	---	335	5.2 23	225	4.2	105	2.7	3.6
18	---	320	5.0 24	230	3.8	105	2.4	3.4
19	---	300	5.2 24	235	3.4	110	2.2	3.4
20	---	---	5.0 20	250	---	---	2.0	2.8
21	---	---	4.8 18	270	---	---	---	3.1
22	---	---	4.5 13	290	---	---	---	3.0
23	---	---	(4.6)	9	300	---	---	3.4

Time: 15.0°E.

Sweep: 0.8 Mc to 15.0 Mc in 30 seconds.

Table 4

Luleå, Sweden (65.6° N, 22.1° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	4.6 12	290	---	---	---	(1.4)	2.9
01	---	4.5 12	290	---	---	---	(2.4)	2.9
02	---	4.6 10	280	---	---	---	(2.3)	2.9
03	---	(370)	4.6 16	270	3.1	140	2.0	2.9
04	---	(360)	4.7 18	245	3.4	130	2.3	2.8
05	---	390	4.9 19	235	3.7	125	2.5	2.8
06	---	385	5.1 16	225	4.0	120	2.7	2.8
07	---	405	5.3 14	225	4.1	115	2.9	2.8
08	---	380	5.4 12	225	4.2	110	3.0	2.85
09	---	350	5.6 16	(230)	4.4	115	3.1	2.8
10	---	360	5.7 18	230	4.4	110	3.3	2.9
11	---	350	5.8 16	220	4.4	115	3.2	2.9
12	---	350	5.5 16	215	4.4	110	3.4	2.9
13	---	355	5.8 14	215	4.4	110	3.2	2.9
14	---	350	5.7 15	(215)	4.3	110	3.2	2.9
15	---	350	5.4 18	(225)	4.3	120	3.1	3.0
16	---	(345)	5.4 19	225	4.1	120	3.0	3.0
17	---	(330)	5.3 19	225	---	120	2.8	3.0
18	---	---	5.3 21	240	---	125	2.6	3.0
19	---	---	5.3 21	250	---	145	2.2	3.0
20	---	---	5.3 21	255	---	145	2.0	2.9
21	---	---	5.0 19	260	---	140	1.7	3.0
22	---	---	4.8 17	275	---	1.6	---	2.9
23	---	---	4.6 18	280	---	---	(1.9)	2.9

Time: 15.0°E.

Sweep: 0.65 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 6

Anchorage, Alaska (61.2° N, 149.9° W)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(3.7) 21						(2.85)
01		(3.6) 23			---	----	2.6	(2.82)
02		(3.95) 22			---	E	2.2	(2.85)
03		(4.05) 20			---	E	2.2	2.80
04		4.3 23			<123	(1.80)	2.0	2.75
05		(4.65) 20		3.4	115	2.25	2.3	(2.75)
06		4.8 22		3.6	111	2.50		2.72
07		4.9 25		3.8	109	2.80		2.70
08		4.9 23		4.0	105	(2.90)		2.70
09		5.0 25		4.2	105	3.00	3.2	2.65
10		5.0 25		4.2	105	3.20	3.3	2.65
11		5.0 24		4.3	103	3.25	3.5	2.70
12		5.05 22		4.3	103	3.20	3.5	2.65
13		5.1 24		4.4	105	(3.20)	3.4	2.65
14		5.3 24		4.4	104	(3.18)	3.4	2.80
15		5.2 26		4.3	105	3.10		2.78
16		5.15 24		4.2	105	3.00		2.85
17		5.2 28		4.0	107	(2.75)		3.00
18		5.1 29		---	109	2.60		3.00
19		5.0 24			115	(2.20)	2.5	3.10
20		4.95 26			(125)	(2.00)	2.1	3.10
21		4.5 26			138	(1.60)	1.9	3.05
22		4.0 25					1.6	3.00
23		(3.8) 24					2.3	(2.90)

Table 7

Nurmijarvi, Finland (60.5° N, 24.6° E) July 1961								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(5.7) 5	290					(3.00)
01		(5.0) 4	290					----
02		(4.5) 7	290					(3.00)
03		(4.3) 7	300					(2.90)
04		4.5 14	280	---				2.90
05		4.8 17	245	3.3				3.00
06		4.9 17	230	3.7		2.25	2.3	2.95
07		5.0 20	210	4.0		2.60		3.00
08		5.4 20	210	4.2		2.90		3.00
09		5.6 20	220	4.3		3.00		2.90
10		6.0 18	210	4.4		----		3.00
11		6.0 26	210	4.6		----		3.00
12		6.0 23	220	4.5		----		3.05
13		5.9 24	215	4.5		----		3.10
14		5.6 27	210	4.5		----		3.00
15		5.6 25	210	4.5		----		3.05
16		5.6 27	210	4.4		----		3.10
17		5.5 27	215	4.2		----		3.10
18		5.5 23	230	4.0		2.60	2.8	3.10
19		5.6 24	270	---		2.30	2.5	3.15
20		5.8 23	270	---		----		3.15
21		5.9 15	270					3.10
22		5.5 11	270					3.10
23		(5.6) 5	270					----

Time: 30.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 1 minute.

Table 9

Churchill, Canada (58.8° N, 94.2° W) July 1961								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.2 22	300				5.2	(2.8)
01		4.1 27	290				4.5	(2.9)
02		4.1 27	310				4.8	(2.8)
03		4.0 25	290			---	3.8	---
04		4.0 24	295			---	>3.5	---
05	370	4.1 24	280	3.2		2.1	3.3	(2.9)
06	420	4.3 17	230	3.7		2.4	3.5	G
07	540	4.4 16	(235)	4.0		---	4.4	G
08	570	4.5 17	(260)	4.1		---	>4.0	G
09	490	4.8 19	(220)	4.3		3.4	4.0	2.4
10	480	4.8 22	220	4.4		3.3		2.6
11	620	4.8 22	220	4.5		3.4		2.3
12	570	4.9 23	210	4.5		3.4		2.5
13	470	5.2 24	210	4.5		3.4		2.6
14	470	5.2 24	220	4.5		3.3		2.8
15	405	5.5 25	220	4.4		3.1		2.8
16	400	5.7 25	220	4.3		3.0		2.9
17	380	5.8 25	235	4.2		2.7		2.9
18	370	5.5 25	235	4.0		2.8		(2.9)
19	340	5.2 24	280	3.6		2.7	3.3	3.0
20	---	5.0 23	300	---		2.6	3.2	(3.0)
21		4.6 23	290			---	4.3	(2.8)
22		4.6 21	300				9.0	(2.8)
23		4.3 22	290				9.0	(2.8)

Time: 90.0°W.

Sweep: 1.0 Mc to 17.0 Mc in 16 seconds.

Table 11

De Bilt, Holland (52.1° N, 5.2° E) July 1961								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.7 29	300					2.75
01		4.7 29	300					2.75
02		4.3 29	300					2.80
03	---	3.8 27	300	---				2.80
04	(370)	4.0 26	275	---	1.9	3.0		2.80
05	400	4.6 27	250	3.5	126	2.1	3.3	2.95
06	355	5.0 26	230	3.9	120	2.5	3.5	2.95
07	400	5.3 25	225	4.3	118	2.8	3.6	2.85
08	385	5.6 27	225	4.5	110	3.1	3.8	2.80
09	345	6.0 26	225	4.6	110	3.3	4.3	3.00
10	350	6.2 26	220	4.7	110	3.4	4.4	2.95
11	340	6.2 26	210	4.8	110	3.5	4.7	2.95
12	360	6.0 26	210	4.8	110	3.5	4.2	2.95
13	370	5.9 30	220	4.8	110	3.4	4.0	2.90
14	350	6.0 29	215	4.7	112	3.4	3.8	2.95
15	345	5.9 29	225	4.7	112	3.2	3.4	2.95
16	330	5.9 28	225	4.4	118	3.0	3.6	2.95
17	320	6.0 30	225	4.2	120	2.8	<3.9	3.00
18	300	6.1 26	255	---	126	2.3	4.8	3.00
19	---	6.2 30	270	---	1.9	3.5		3.00
20		6.3 30	265			3.4		3.00
21		6.1 30	270					2.95
22		5.5 29	280				2.4	2.85
23		5.1 30	300					2.75

Time: 0.0°.

Sweep: 1.8 Mc to 18.0 Mc in 4 minutes.

Table 8

Upsala, Sweden (59.8° N, 17.6° E) July 1961								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.4 30	280		---	----	2.4	2.7
01		4.2 31	280		---	----	2.5	2.7
02		4.0 30	290		125	1.40	2.5	2.7
03	---	3.9 29	285		---	1.55	3.2	2.7
04	460	4.2 30	250	3.20	100	1.90	3.7	2.7
05	380	4.6 30	245	3.60	110	2.25	3.8	2.8
06	410	5.0 30	220	3.90	105	2.50	4.4	2.8
07	420	5.1 29	220	4.20	105	2.70	4.1	2.75
08	405	5.3 30	220	4.30	105	3.00	4.5	2.8
09	395	5.8 30	210	4.50	105	3.15	4.4	2.8
10	380	5.8 30	210	4.60	105	3.20	4.5	2.8
11	360	6.1 29	210	4.60	100	3.20	4.5	2.85
12	365	5.9 28	210	4.70	100	3.30	4.5	2.9
13	380	5.7 30	210	4.70	100	3.30	4.5	2.8
14	375	5.7 30	210	4.60	105	3.20	4.3	2.8
15	360	5.6 30	210	4.50	105	3.15	4.0	2.9
16	355	5.7 28	210	4.40	105	2.90	4.1	2.8
17	340	5.7 28	225	4.25	105	2.70	3.8	2.9
18	315	5.8 31	240	4.00	110	2.50	3.7	3.0
19	(305)	5.8 30	250	3.70	115	2.20	3.8	3.0
20		5.8 30	260		115	1.80	3.2	3.0
21		5.7 30	255		105	1.50	2.3	2.95
22		5.2 31	255		130	1.00	1.4	2.9
23		5.0 29	260		130	----	2.3	2.8

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.

Table 10

Inverness, Scotland (57.4° N, 4.2° W) July 1961								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4.4) 31						(2.90)
01		(4.0) 30						(2.80)
02		(3.7) 29						(2.90)
03		>3.2 30						2.90
04		4.0 27						2.85
05		4.2 30						2.90
06		4.6 28						2.85
07		4.6 30						2.90
08		4.8 31						2.85
09		5.3 30						2.95
10		5.6 26						3.00
11		5.6 26						2.95
12		5.6 27						3.00
13		5.5 30						2.90
14		5.5 30						2.95
15		5.7 27						2.95
16		>5.7 21						3.00
17		5.8 27						3.00
18		5.8 28						3.00
19		5.8 29						3.05
20		5.9 29						3.05
21		5.6 29						3.00
22		(5.3) 31						3.00
23		(4.9) 31						----

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 12

Adak, Alaska (51.9° N, 176.6° W) July 1961								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4.6) 19	280				3.2	2.85
01		4.1 22	286				2.3	2.82
02		(3.6) 21	300				2.8	2.75
03		3.6 23	309				(3.0)	2.80
04	370	3.8 27	280	----	---	----	>1.7	2.70
05	402	4.5 30	255	3.30	122	----	2.4	2.70
06	436	4.7 27	(247)	3.60	110	(2.55)	2.8	2.70
07	433	5.05 30	<230	4.00	107	2.90	3.3	2.75
08	430	5.05 26	(220)	4.15	105	(3.10)	3.7	2.70
09	441	5.2 28	215	4.30	103	3.20	3.9	2.70
10	432	5.2 29	(210)	4.40	104	(3.38)	4.0	2.70
11	438	5.2 30	(206)	4.50	103	(3.38)	4.0	2.75
12	435	5.25 30	200	4.50	102	3.40	3.7	2.70
13	435	5.2 28	206	4.50	103	(3.42)	3.6	2.65
14	426	5.3 29	205	4.50	102	3.30	3.4	2.75
15	400	>5.2 30	211	4.40	103	3.22		2.88
16	398	>5.1 30	<220	4.30	104	(3.00)	3.1	2.85
17	359	5.1 31	<235	4.10	106	2.80	3.0	2.95
18	313	5.25 30	(253)	----	105	2.45	3.3	3.00
19	286	5.3 29	<260	----	124	----	3.2	3.00
20		5.65 28	(270)				4.4	3.00
21		5.95 28	266				3.5	2.95
22		5.6 26	262				3.5	2.95
23		5.0 25	265				3.6	2.90

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 13

Dourbes, Belgium (50.1° N, 4.6° E)							
July 1961							
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		5.0 28	290				1.6 2.85
01		4.8 27	295				1.2 2.80
02		4.6 26	280				1.4 2.80
03		4.2 26	290				1.4 2.80
04	(410)	4.0 29	285		<130	1.30	1.8 2.90
05	370	4.6 29	250	3.50	<121	2.00	2.5 2.95
06	370	5.1 27	(240)	3.80	113	2.40	3.2 3.00
07	385	5.2 27	<250	4.10	109	2.80	3.6 2.90
08	370	5.6 28	<255	4.25	105	3.10	4.0 2.90
09	370	6.1 25	<230	4.50	105	3.20	4.0 3.00
10	360	6.2 27	(220)	4.65	105	3.35	4.0 3.00
11	350	6.0 24	<225	4.70	105	3.40	3.9 2.95
12	350	6.1 26	(220)	4.80	105	3.50	3.9 3.00
13	375	6.0 27	(220)	4.70	105	3.45	3.8 2.90
14	350	6.1 31	(220)	4.60	105	3.40	3.6 3.05
15	340	5.9 30	(230)	4.50	105	3.25	3.5 3.00
16	330	6.0 29	(240)	4.25	107	3.05	3.6 3.00
17	320	6.0 28	<250	4.00	109	2.70	3.7 3.10
18	305	6.4 27	<280		(115)	2.30	3.6 3.05
19	---	6.4 28	<275		<125	1.75	3.4 3.10
20		6.8 29	<265		133	<1.30	2.8 3.10
21		6.4 31	260				2.4 2.95
22		5.8 28	270				2.0 2.85
23		5.4 28	295				1.4 2.80

Time: 0.0°.
Sweep: 1.0 Mc to 20.0 Mc in 3 minutes.

Table 15

Winnipeg, Canada (49.9° N, 97.4° W)							
July 1961							
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		3.2 24	300				3.0 2.75
01		3.2 27	310				3.8 2.7
02		3.3 25	320			---	3.5 2.8
03		3.4 22	310			---	3.4 2.8
04		3.2 23	300			---	2.6 2.9
05	---	3.4 22	290	---		---	2.9
06	460	4.0 20	240	3.4		2.2	2.8
07	435	4.2 22	220	3.8		2.8	2.6
08	460	4.5 18	210	4.0		3.0	2.65
09	470	4.9 16	(200)	4.3		3.0	2.7
10	440	5.1 19	(200)	4.4		3.2	2.65
11	415	5.1 17	(200)	4.5		3.4	2.8
12	470	5.2 16	(210)	4.5		---	2.65
13	480	5.3 18	(210)	4.5		---	2.6
14	470	5.2 22	(220)	4.5		3.5	2.5
15	400	5.4 22	(210)	4.5		3.4	2.7
16	390	5.4 23	(220)	4.5		3.2	2.8
17	365	5.5 24	210	4.3		3.1	2.85
18	330	5.6 27	240	4.0		2.9	2.9
19	300	5.8 26	260	3.5		2.5	2.9
20		6.0 24	275			2.0	3.0
21		5.8 25	270			---	2.5 3.0
22		5.0 25	260				2.9
23		3.9 26	285				2.3 2.8

Time: 90.0°W.
Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 17

Graz, Austria (47.1° N, 15.5° E)							
July 1961							
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		>5.1 22	300				
01		5.2 24	300				
02		(4.9) 25	300				
03		(4.7) 27	300				
04		(4.3) 26	300				
05		4.6 29	<280				
06		5.4 22	245	>3.3			3.1
07	350	>5.5 25	(260)	4.1	130	2.9	3.5
08	350	>5.8 23		4.5	130	3.1	3.5
09	350	6.1 23		4.6			(4.0)
10	370	6.1 27		4.7			
11	360	>5.9 23		4.8			3.2
12	350	>5.8 22		4.8			(4.4)
13	360	(6.1) 24		4.7			
14	360	(6.2) 27		4.8			
15	335	(6.2) 26		4.7			3.0
16	330	6.2 29		4.4	(130)	(3.2)	
17	310	6.0 25		4.3	130	(2.9)	(3.8)
18	315	6.3 21	<260				3.1
19		>6.5 25	280				3.2
20		>6.4 26	260				(2.6)
21		>5.9 20	270				(2.3)
22		>5.7 19	275				(2.4)
23		>5.6 23	300				2.4

Time: 15.0°E.
Sweep: 2.0 Mc to 13.0 Mc in 50 seconds.

Table 14

Pruhonice, Czechoslovakia (50.0° N, 14.6° E)							
July 1961							
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		5.2 28	280		---	---	
01		4.8 31	290		---	---	1.1
02		4.4 30	260		---	---	2.0
03		4.3 30	270		---	---	2.2
04		4.3 30	250		110	2.0	2.1
05		4.8 28	235		100	2.4	2.6
06		5.2 27	215		100	2.7	3.2
07		5.7 24	(205)		100	3.0	4.0
08		6.0 23	(200)		95	3.2	4.1
09		6.4 25	200		95	3.3	4.2
10		6.9 23	200		95	3.3	4.1
11		6.3 26	200		95	3.4	4.0
12		6.4 27	200		90	3.5	4.0
13		6.2 31	200		95	3.4	3.8
14		6.1 31	200		95	3.4	3.8
15		6.1 30	210		100	3.2	3.5
16		6.0 28	210		100	3.0	3.8
17		6.2 29	220		100	2.7	3.7
18		6.6 30	250		105	2.1	3.9
19		6.5 29	250		105	2.0	3.9
20		6.8 26	250		---	---	3.8
21		6.6 28	250		---	---	
22		6.0 25	250		---	---	
23		5.6 27	(275)		---	---	

Time: 0.0°.
Sweep: 1.0 Mc to 18.0 Mc.

Table 16

St. John's, Newfoundland (47.6° N, 52.7° W)							
July 1961							
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		3.8 21	280				2.8
01		3.3 22	280				2.8
02		3.2 20	275				2.8
03		3.0 18	265				3.0
04		3.2 22	255				3.2
05	G	4.0 26	230	3.6		---	3.2
06	400	4.4 26	230	3.8		2.60	3.1
07	380	4.8 26	205	4.1		2.95	2.9
08	400	5.0 25	200	4.3		3.10	2.9
09	400	5.2 22	200	4.5		---	2.9
10	400	5.3 22	200	4.5		---	2.8
11	405	5.4 24	205	4.6		---	2.85
12	400	5.5 23	205	4.6		---	2.7
13	415	5.4 22	205	4.6		---	2.8
14	380	5.6 25	205	4.5		3.45	2.9
15	390	5.5 27	205	4.5		3.20	2.8
16	365	5.6 29	225	4.2		3.00	2.9
17	320	6.0 29	230	4.0		---	3.0
18	<310	6.3 29	270	---		---	3.3
19	---	6.3 27	260				3.0
20		6.1 27	260				2.9
21		(5.6) 23	255				(2.8)
22		(5.0) 23	270				(2.9)
23		(4.6) 24	280				2.8

Time: 60.0°W.
Sweep: 1.6 Mc to 20.0 Mc in 15 seconds.

Table 18

Ottawa, Canada (45.4° N, 75.9° W)							
July 1961							
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs (M3000)F2
00		4.0 29	280				---
01		3.2 30	300				---
02		3.0 31	300				3.0
03		2.9 30	310				3.1
04		3.0 29	300				---
05	---	3.4 29	260	---		2.0	(3.0)
06	465	4.1 29	240	3.7		2.4	3.0
07	400	4.3 29	210	4.0		2.8	4.0
08	450	4.8 30	200	4.2		3.0	4.0
09	440	5.0 30	200	4.4		3.2	3.7
10	405	5.2 29	200	4.5		3.4	4.0
11	430	5.2 27	200	4.6		3.7	4.0
12	410	5.2 28	200	4.6		3.6	4.0
13	450	5.4 29	200	4.6		3.7	4.2
14	450	5.4 30	210	4.5		3.6	3.9
15	400	5.5 30	220	4.5		3.4	2.9
16	390	5.8 30	210	4.3		3.2	3.2
17	360	6.0 30	230	4.1		3.0	3.3
18	310	6.0 29	245	(3.8)		2.6	4.3
19	280	6.1 30	260	(3.0)		2.0	3.7
20		6.2 31	265				3.2
21		6.0 30	260				3.6
22		5.0 30	270				3.0
23		4.7 30	285				---

Time: 75.0°W.
Sweep: 1.0 Mc to 20.0 Mc in 16 seconds.

Table 19

Formosa, China (25.0° N, 121.5° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.2 19	<300				(2.9)	2.80
01		(7.2) 18	270				(2.6)	2.85
02		6.6 20	250				(2.6)	2.90
03		5.8 21	250				(2.9)	3.00
04		5.4 20	250				(2.8)	3.00
05		(5.0) 22	265				(3.0)	(3.00)
06		5.9 26	240				2.8	(3.20)
07	(280)	6.5 26	225		<113	----	3.4	3.25
08	315	7.0 27	(220)	---	109	----	3.9	3.00
09	320	7.0 29	<220	(4.8)	(109)	----	(4.5)	2.90
10	360	7.5 27	(210)	5.0	<109	----	(5.4)	2.70
11	365	8.1 27	(210)	4.9	(109)	----	(6.0)	2.70
12	370	>8.5 29	<240	5.0	<111	----	(5.2)	2.75
13	370	>9.0 30	(220)	(5.0)	<111	----	4.7	(2.65)
14	350	10.0 29	(230)	4.8	<109	----	4.8	2.80
15	330	10.4 29	<250	4.6	(107)	----	4.6	2.85
16	310	11.0 29	(230)	(4.6)	<111	----	(5.1)	3.00
17	285	>9.5 27	(230)	---	---	----	(5.1)	3.00
18	<265	>9.2 29	245	---	---	----	(3.9)	3.05
19		>8.9 28	245				3.0	3.00
20		7.4 28	275				(2.7)	2.75
21		>6.8 28	290					(2.70)
22		>6.9 26	310					2.65
23		7.0 22	305				(2.5)	2.70

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 21

Singapore, British Malaya (1.3° N, 103.8° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.7 22					1.8	3.10
01		7.0 21					2.6	3.30
02		5.5 21					3.0	3.30
03		4.5 18					2.4	3.20
04		3.3 18					2.5	3.20
05		2.6 17					2.7	3.15
06		4.0 25			125	1.30	2.2	3.10
07		7.3 29			115	2.35	3.2	3.15
08	---	9.4 31	---	---	110	3.00	3.6	3.05
09	315	10.6 28	---	(4.7)	105	3.30	4.0	2.90
10	330	11.0 31		(4.8)	105	3.55	3.9	2.65
11	340	11.4 29	---	4.9	105	3.70		2.45
12	350	11.0 27	220	4.9	105	3.75		2.55
13	330	11.1 30	225	4.8	105	3.70		2.45
14	330	10.8 27	230	4.8	105	3.65		2.40
15	345	10.8 31	230	(4.6)	105	3.40	3.4	2.40
16	325	10.7 29	215	---	110	3.10	3.5	2.50
17	---	10.8 26	225		110	2.50	3.0	2.65
18	---	10.6 20			150	1.90	2.6	2.85
19		10.7 21			---	----	2.5	3.15
20		10.3 23					2.8	3.20
21		9.4 26					2.2	3.40
22		8.3 26					2.6	3.30
23		7.6 24					2.5	3.05

Time: 105.0°E.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 23

Mundaring, W. Australia (32.0° S, 116.2° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		3.2 25	280					3.10
01		3.2 25	<270					3.15
02		3.0 25	(270)					3.20
03		3.2 25	(260)					3.20
04		3.0 22	(250)					3.25
05		2.7 24	245					3.35
06		2.4 26	(250)					3.20
07		3.5 28	250					3.20
08		6.0 27	225			(2.20)		3.55
09		6.5 24	225	---		2.60		3.50
10		7.0 21	230	---		2.90		3.40
11		7.0 26	215	4.5		3.05	3.4	3.40
12		7.5 22	220	4.5		3.10	3.8	3.40
13		7.0 22	220	4.4		3.10	3.6	3.40
14		7.3 23	220	---		3.00	3.7	3.35
15		7.3 22	230	4.0		2.80	3.8	3.35
16		7.3 24	230	---		2.35	3.0	3.40
17		7.0 26	220			2.00		3.40
18		5.3 21	210					3.40
19		3.6 25	<225					3.30
20		3.2 27	235					3.35
21		3.0 24	(250)					3.20
22		3.0 24	<280					3.05
23		>3.1 23	270					3.10

Time: 120.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 18 seconds.

Table 20

Baguio, P. I. (16.4° N, 120.6° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(6.4) 22	330				2.0	(2.70)
01		(7.0) 23	300				2.2	(2.85)
02		(6.2) 24	295					(2.80)
03		5.3 24	290					2.80
04		4.6 22	280					3.05
05		3.8 25	<280				2.5	3.00
06		5.5 31	270				140 (1.90)	2.8
07	---	7.1 31	<260				123 (2.60)	4.3
08	---	7.5 31	<240				121 (3.15)	5.1
09		400 8.0 29	<245	---			121 (3.50)	4.6
10		400 8.5 30	230	(4.9)			121 (3.65)	5.0
11		450 9.1 29	225	(5.0)			121 (3.85)	4.9
12		450 9.6 29	(225)	5.0	119	(3.90)	4.3	2.45
13		425 10.1 29	<230	(5.0)	119	(3.80)	4.3	2.45
14		420 10.2 30	<230	(4.8)	121	(3.65)	4.4	(2.45)
15		400 >10.1 30	(230)	(4.6)	121	(3.40)	4.2	(2.60)
16		370 (10.4) 31	(245)	---	(122)	>3.10	4.1	(2.60)
17		335 >10.0 30	(260)		(125)	(2.65)	4.0	(2.70)
18	---	>10.0 31	280		135 (1.95)		3.1	(2.70)
19		>9.5 31	290				2.7	(2.70)
20		(9.0) 29	310				2.3	(2.65)
21		(7.8) 29	340				2.5	(2.60)
22		>7.0 22	360				2.0	(2.55)
23		(6.8) 21	370					(2.60)

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 22

Brisbane, Australia (27.5° S, 152.9° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		3.5 25					2.0	2.75
01		3.7 24					2.1	2.80
02		3.7 27					2.1	2.80
03		3.7 25					2.6	2.80
04		3.5 28					2.8	(2.80)
05		3.2 29					2.7	(2.85)
06		3.0 30						2.85
07		5.5 30						3.30
08		6.5 30						3.25
09		7.4 30					3.0	3.25
10		7.6 30					3.6	3.30
11		7.4 30				3.25	3.6	3.20
12		7.4 30				3.30	3.8	3.10
13		7.5 29				3.20	4.0	3.15
14		7.5 29					4.4	3.00
15		7.3 31					3.8	3.20
16		7.0 31					3.9	3.20
17		6.4 31					3.5	3.20
18		5.0 31					3.3	3.00
19		4.5 31					2.5	2.85
20		3.7 28					1.9	2.80
21		3.6 22						2.70
22		3.7 24						2.80
23		3.6 21					2.0	2.80

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 24

Canberra, Australia (35.3° S, 149.0° E)

July 1961

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		3.0 21					2.3	2.90
01		2.9 21					3.0	2.90
02		3.0 17					3.4	2.90
03		3.4 18					3.1	3.00
04		3.1 19					2.6	3.05
05		3.5 17					2.8	3.20
06		2.4 16						3.05
07		3.6 22						3.20
08		5.6 23						3.40
09		6.4 20						3.40
10		6.5 14					3.2	3.35
11		6.8 12					3.5	3.35
12		7.0 12					3.8	3.30
13		7.1 12						3.20
14		7.0 11					3.2	3.40
15		6.9 12					3.8	3.30
16		6.7 13						3.35
17		6.2 26						3.25
18		5.3 27					2.1	3.15
19		4.4 27					2.6	3.20
20		3.8 25						3.10
21		3.3 26						2.90
22		3.4 26						2.90
23		3.1 21						2.85

Time: 150.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 30 seconds.

Table 25

Hobart, Tasmania (42.9° S, 147.2° E)								July 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		2.0 20					3.5	3.05	
01		2.0 19					2.8	(3.00)	
02		1.9 19					2.9	(3.00)	
03		2.0 22					2.9	3.00	
04		2.1 24						3.10	
05		2.1 24						3.20	
06		2.0 21						3.15	
07		2.2 23						(3.05)	
08		4.3 23						3.55	
09		5.4 23						3.60	
10		6.1 26					3.0	3.60	
11		6.4 26					3.4	3.50	
12		6.8 26					3.3	3.50	
13		7.0 26					4.0	3.60	
14		7.2 27					3.0	3.55	
15		6.8 28						3.40	
16		6.8 27						3.55	
17		6.0 28						3.45	
18		5.2 28						3.35	
19		3.9 25						3.30	
20		3.1 25						3.20	
21		2.6 25						3.15	
22		2.3 25						3.10	
23		2.2 22					2.3	3.00	

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 27

Falkland Is. (51.7° S, 57.8° W)								July 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		2.6 17	340					----	(1.6)
01		2.7 21	330						(2.60)
02		2.8 22	310						2.70
03		2.8 24	300						2.80
04		2.7 21	300						2.70
05		2.6 20	280						(2.85)
06		2.4 16	255						(3.05)
07		2.4 23	255						----
08		4.4 17	210		155	----		(2.2)	----
09	215	5.2 18	210		130	----		2.6	----
10	220	5.8 14	215		110	----		2.8	----
11	230	7.9 13	225		110	----		2.9	(3.60)
12	235	6.8 10	220		110	----		3.1	(3.65)
13	245	(6.0)	8 220		110	----		2.8	----
14	225	(6.4)	9 215		110	----		2.6	----
15	210	5.6 12	210		120	----		2.3	----
16		(5.6)	6 210		165	E		2.2	----
17		3.8 14	210		---	----		1.7	----
18		3.0 19	250		170	----		(1.7)	(3.00)
19		2.8 20	250					(2.2)	----
20		2.7 20	255						----
21		2.7 23	290						----
22		2.4 20	310						(2.60)
23		2.6 22	320						(2.60)

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 29

Wakkanai, Japan (45.4° N, 141.7° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.8 24	295					(2.4)	2.90
01		5.6 25	295					(2.2)	2.85
02		5.4 25	285					(2.8)	2.85
03		5.4 24	290					(2.3)	2.90
04	----	5.5 26	275	----		1.50			2.90
05	350	6.3 27	250	3.4		2.15	3.0		2.85
06	330	6.2 27	250	4.1		2.65	4.3		2.95
07	350	6.4 26	(245)	4.3		3.00	(5.3)		2.90
08	350	5.8 24	(225)	4.4		3.10	(5.3)		2.90
09	370	5.8 21	(230)	4.6		3.25	(5.9)		2.95
10	385	5.9 18	(210)	4.7		3.30	(5.8)		2.90
11	390	6.1 17	(230)	4.8		3.30	(6.4)		2.85
12	390	6.0 19	235	4.8		3.25	(6.0)		2.85
13	420	6.0 23	230	(4.7)		3.30	5.0		2.80
14	385	6.2 26	(225)	4.6		3.20	(5.0)		2.85
15	370	6.2 27	230	4.5		3.05	(4.8)		2.90
16	360	6.0 26	240	4.3		3.00	4.6		2.90
17	330	6.0 27	250	4.1		2.70	(5.0)		3.00
18	310	6.2 27	255	----		2.10	(5.3)		2.95
19		6.8 27	(275)				(5.1)		2.90
20		6.9 27	265				(5.0)		2.90
21		6.8 28	275				(4.5)		2.85
22		6.3 26	285				(4.6)		2.85
23		6.2 24	290				(3.3)		2.80

Time: 135.0°E.

Sweep: 1.0 Mc to 18.0 Mc in 1 minute.

Table 26

Christchurch, New Zealand (43.6° S, 172.8° E)								July 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		2.7 15	(290)					<2.2	2.65
01		2.8 11	(300)					2.8	2.70
02		(2.6)	16 (290)					<1.8	2.75
03		(2.9)	21 (270)					<2.0	(2.75)
04		(2.3)	21 (260)					<1.4	2.85
05		(2.1)	19 (260)					<1.7	2.90
06		(2.1)	18 (260)					<1.5	(3.05)
07		(2.0)	22 ----					<1.4	2.95
08		3.9 28	250						3.20
09		5.0 28	230					110 2.3	2.6
10	----	5.8 28	230					(105) 2.6	3.0
11	260	6.2 29	230	----				(105) 2.8	3.1
12	260	6.8 27	230	----				110 2.9	3.5
13	260	7.0 27	220	----				110 3.0	3.4
14	260	7.0 29	230	(4.0)				105 2.9	3.2
15	250	6.8 28	220	----				110 2.7	3.0
16	(230)	6.7 31	230					105 2.4	2.6
17		5.6 30	230					---- (1.8)	<1.9
18		4.8 29	240					----	<1.8
19		4.4 30	250						<1.7
20		3.5 28	260						<1.7
21		3.2 24	260						<1.7
22		3.1 23	----						<1.8
23		3.1 17	----						<1.8

Time: 180.0°E.

Sweep: 1.0 Mc to 22.0 Mc in 7 seconds.

Table 28

Inverness, Scotland (57.4° N, 4.2° W)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		>4.9	30						(2.95)
01		>4.8	28						(2.90)
02		4.7	29						2.85
03		4.4	30						2.85
04		4.7	28						2.85
05		>4.8	29						2.90
06		5.3	29						2.90
07		5.5	27						2.90
08		5.7	29						2.90
09		6.0	29						2.95
10		6.0	27						2.95
11		5.9	29						2.90
12		5.9	28						2.95
13		6.1	26						2.95
14		6.0	28						2.90
15		5.8	28						2.90
16		6.0	29						2.95
17		6.0	26						2.90
18		6.2	29						3.00
19		6.4	26						3.00
20		6.2	30						3.00
21		(6.3)	29						(3.00)
22		>5.7	29						(3.00)
23		>5.8	27						(2.95)

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 30

Akita, Japan (39.7° N, 140.1° E)								June 1961	
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.8 12	295					(4.8)	2.70
01		5.6 14	290					(3.3)	2.80
02		5.4 13	295					(3.0)	2.85
03		5.1 14	290					(3.4)	2.80
04		5.3 19	280					(2.7)	2.85
05	305	5.6 27	250	----		2.00		(2.8)	2.90
06	305	6.0 28	245	4.0		2.60	3.8		2.95
07	340	6.4 26	(245)	(4.2)		2.95	(5.6)		2.90
08	320	6.8 20	----	4.6		----	(6.0)		3.05
09	(345)	6.3 17	(240)	----		----	(7.1)		3.00
10	345	6.3 15	----	(4.6)		----	(6.0)		2.80
11	395	6.2 20	(220)	4.6		----	(5.7)		2.80
12	395	6.4 23	(225)	4.9		----	(6.1)		2.80
13	380	6.4 26	(220)	(4.8)		----	(6.5)		2.90
14	360	6.5 28	(220)	4.6		----	(6.3)		2.90
15	355	6.4 27	(245)	4.6		3.35	(5.4)		2.90
16	340	6.3 29	245	4.3		3.05	(4.9)		3.00
17	320	6.4 29	(245)	4.1		2.60	(6.0)		2.95
18	295	6.7 29	(255)	----		----	(6.0)		3.00
19		6.8 28	280				(5.0)		3.00
20		7.0 22	290				(5.6)		2.80
21		6.8 16	295				(5.0)		2.80
22		6.2 12	290				(5.0)		2.80
23		(6.3)	9 290				(3.6)		(2.75)

Time: 135.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 20 seconds.

Table 31

Tokyo, Japan (35.7° N, 139.5° E)									
									June 1961
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		6.2 26	<340				(5.0)	2.70	
01		6.1 26	300				(4.1)	2.75	
02		(6.0) 28	290				(4.2)	(2.80)	
03		(5.7) 27	300				(3.0)	(2.75)	
04		(5.4) 28	290				(2.8)	(2.80)	
05	(355)	5.5 30	260	---	1.90		(3.2)	2.95	
06	310	6.2 30	(250)	---	2.50	3.8		2.95	
07	325	(6.7) 27	250	(4.6)	(2.85)	4.9		(2.95)	
08	(310)	6.7 24	(250)	---	3.15	(6.3)	2.90		
09	340	(6.7) 19	(245)	---	3.30	6.8	2.90		
10	(370)	(6.3) 17	(250)	---	(3.50)	(7.0)	(2.75)		
11	<400	(6.6) 19	(240)	---	(3.55)	(7.7)	(2.65)		
12	390	6.6 21	(240)	---	(3.60)	(8.0)	2.70		
13	355	6.7 23	(245)	4.8	3.65	6.8	2.80		
14	355	7.1 24	250	4.6	3.50	6.8	2.80		
15	350	7.0 24	245	4.8	3.40	5.8	2.80		
16	<350	7.0 27	(250)	4.4	3.10	6.3	2.85		
17	310	7.2 28	250	4.1	(2.70)	(5.6)	2.90		
18	300	7.3 30	255		(2.00)	(5.0)	2.90		
19		7.2 30	<300			(5.8)	2.95		
20		7.2 30	(300)			(5.4)	2.80		
21		(6.6) 30	(330)			(5.2)	(2.70)		
22		6.7 26	(340)			(5.3)	2.70		
23		6.5 26	315			(5.4)	2.70		

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 33

Singapore, British Malaya (1.3° N, 103.8° E)									
									June 1961
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.1 24	240				2.8	3.15	
01		4.8 21	250				1.8	3.05	
02		4.1 20	245				1.5	3.25	
03	---	3.7 19	250	---				3.20	
04		3.0 17	245				2.1	3.35	
05		3.0 14	250				1.9	3.25	
06	---	4.3 21	265	---	175	----	1.4	3.15	
07	---	7.5 25	230	---	120	2.40	3.1	3.15	
08	300	9.3 21	220	(4.2)	110	2.95	3.8	3.00	
09	305	10.4 22	205	(4.8)	105	3.30	4.0	2.90	
10	330	11.0 23	200	(4.8)	105	3.60	3.7	2.75	
11	335	10.6 20	200	4.9	105	3.70	4.0	2.40	
12	340	10.3 22	200	4.9	105	3.80	4.0	2.40	
13	355	9.6 21	195	4.8	105	3.70		2.35	
14	345	9.9 23	200	4.8	105	3.50	3.7	2.50	
15	320	9.8 19	200	(4.6)	110	3.30	3.4	2.70	
16	255	10.2 19	215	4.0	110	3.05	3.4	2.80	
17	---	10.3 19	235	---	115	2.40	3.0	2.90	
18		9.9 18	250	---	---	----	3.0	3.10	
19		9.5 16	245				2.7	3.20	
20		8.8 20	230				2.5	3.45	
21		7.4 19	220				2.8	3.35	
22		5.8 21	225				3.0	3.20	
23		5.6 22	240				2.8	3.15	

Time: 105.0°E.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 35

Thule, Greenland (76.0° N, 68.0° W)									
									July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00	(413)	(5.25) 22	240	----	119	2.25	3.4	(2.80)	
01	(462)	(5.4) 25	240	(3.50)	117	2.30	3.1	(2.80)	
02	(590)	(5.2) 25	240	(3.60)	118	2.35	3.0	(2.85)	
03	470	(5.2) 25	229	(3.70)	115	2.40	3.5	(2.70)	
04	525	(5.1) 23	229	(3.80)	110	2.55	3.7	(3.00)	
05	468	(5.0) 23	224	(3.90)	110	2.70	3.8	(2.70)	
06	438	(5.1) 24	222	(4.10)	110	2.90	3.6	(2.75)	
07	460	(5.0) 25	218	4.25	108	3.00	3.5	(2.62)	
08	520	(5.2) 25	216	4.30	105	3.00	4.2	(2.60)	
09	442	(5.35) 24	215	(4.40)	105	3.10	4.0	(2.70)	
10	520	(5.2) 25	210	4.45	105	3.20	4.4	(2.52)	
11	489	(5.25) 24	210	4.50	105	3.15	4.6	(2.50)	
12	484	(5.3) 22	208	(4.50)	105	3.20	4.7	(2.62)	
13	445	(5.3) 21	209	(4.60)	105	3.15	5.2	(2.65)	
14	481	(5.5) 22	209	4.50	108	3.15	5.4	(2.60)	
15	436	(5.35) 24	215	(4.40)	105	3.10	5.2	(2.60)	
16	410	(5.7) 23	216	4.30	109	3.00	4.6	(2.65)	
17	408	(5.6) 26	219	(4.20)	110	2.90	4.1	(2.72)	
18	400	(5.6) 25	222	(4.00)	112	2.75	4.0	(2.70)	
19	417	(5.2) 24	227	(4.00)	115	2.68	3.5	(2.70)	
20	(432)	(5.25) 26	230	(3.90)	115	2.55	2.8	(2.85)	
21	(392)	(5.2) 23	<235	(3.55)	117	2.40	3.6	(2.75)	
22	(400)	(5.2) 23	<240	----	118	2.30	3.0	(2.80)	
23	(410)	(5.45) 22	246	----	118	2.25	2.5	(2.80)	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 32

Yamagawa, Japan (31.2° N, 130.6° E)									
									June 1961
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		(7.4) 8	325				(5.1)	(2.70)	
01		(7.2) 8	300				(5.2)	(2.90)	
02		(7.5) 9	290				(4.4)	(2.95)	
03		(6.2) 15	275				(3.8)	(3.00)	
04		5.1 17	290				(3.7)	2.90	
05		4.6 17	290				(2.6)	3.00	
06	---	5.8 28	255			2.00	3.2	3.20	
07	(290)	6.6 29	250	---		2.60	(5.1)	3.20	
08	290	6.5 26	250	4.3		3.05	(6.0)	3.15	
09	320	6.3 25	245	4.7		3.30	(7.0)	3.05	
10	380	6.6 23	240	5.0		3.45	(6.6)	2.80	
11	410	6.9 23	(220)	(5.0)		3.55	8.1	2.80	
12	400	7.4 25	220	5.0		3.60	(6.8)	2.70	
13	370	8.0 26	(230)	4.9		3.65	(8.4)	2.75	
14	360	8.0 28	250	5.0		3.60	(6.0)	2.75	
15	350	8.4 30	250	4.7		3.40	(5.6)	2.75	
16	335	8.8 30	245	4.6		3.30	(5.4)	2.85	
17	310	8.9 29	250	4.4		3.00	(5.9)	2.95	
18	290	8.8 29	250	(3.9)		2.35	(5.3)	3.05	
19	---	8.0 28	260			----	(5.4)	3.05	
20		(7.5) 27	270				(4.9)	(2.90)	
21		(6.8) 25	305				(5.1)	(2.75)	
22		6.8 16	325				(5.0)	2.70	
23		(6.4) 14	320				(5.0)	(2.80)	

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 30 seconds.

Table 34

Falkland Is. (51.7° S, 57.8° W)									
									June 1961
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		2.6 22	340					(2.70)	
01		2.6 20	315					----	
02		2.7 21	315					----	
03		2.7 20	310					(2.60)	
04		2.7 21	295					----	
05		2.6 22	270					----	
06		2.6 20	230					----	
07		2.4 18	250					----	
08		4.1 16	215		155	----	(2.3)	----	
09		5.1 10	210		125	----	(2.6)	----	
10		5.8 10	210		115	----	2.9	----	
11		6.0 11	215		110	----	2.8	----	
12		(6.3) 9	225		110	----	2.9	----	
13		6.6 10	210		110	----	2.8	----	
14		(6.1) 7	220		110	----	2.6	----	
15		5.6 11	210		135	----	(2.6)	----	
16		4.4 10	210		---	E	2.2	----	
17		3.1 10	210		---	----	(1.8)	(3.20)	
18		2.7 13	240					----	
19		2.3 17	245					----	
20		2.4 18	260				2.1	----	
21		2.5 19	270					----	
22		2.5 21	315					(2.80)	
23		2.5 19	340				1.9	----	

Time: 60.0°W.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 36

Point Barrow, Alaska (71.3° N, 156.8° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4.9) 22					4.8	(2.80)
01		(4.8) 23					4.1	(2.80)
02		(4.7) 23					4.4	(2.70)
03		(5.05) 10					4.4	(2.80)
04		(4.75) 16					4.9	(2.65)
05		4.65 18					3.7	2.55
06		(5.0) 15					4.0	(2.45)
07		5.0 18						2.35
08		5.0 19						2.20
09		5.0 25					3.3	2.30
10		5.3 25					4.0	2.45
11		5.2 27						2.35
12		5.45 26					3.9	2.40
13		5.4 28					3.5	2.50
14		5.6 30					3.8	2.52
15		5.7 31						2.55
16		5.7 31						2.60
17		5.8 29						2.60
18		5.7 28						2.70
19		5.4 26						2.70
20		5.2 27					3.0	2.80
21		5.3 27					3.8	2.88
22		(5.1) 25					3.5	(2.80)
23		(5.0) 21					4.7	(2.85)

Table 37

Godhavn, Greenland (69.3° N, 53.5° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(5.0) 25		---	(147)	(1.95)		2.85
01		4.6 28		(3.0)	(153)	1.95		2.85
02		(4.6) 27		(3.0)	137	(2.00)		2.82
03		(4.8) 24		(3.0)	(136)	(2.00)		2.90
04		(4.9) 22		(3.4)	119	(2.20)		(2.80)
05		(5.0) 19		(3.7)	109	(2.50)		2.82
06		(4.7) 19		(3.9)	105	(2.70)		(2.85)
07		(4.8) 15		(4.0)	101	2.90		G
08		5.15 12		(4.2)	(101)	(3.00)		G
09		(5.45) 10		(4.3)	101	(3.15)		----
10		(5.7) 13		(4.5)	101	3.40		(2.90)
11		(5.95) 18		(4.6)	(101)	3.40		(2.70)
12		(6.0) 20		(4.6)	101	(3.40)		2.70
13		5.9 19		(4.6)	101	(3.30)		2.75
14		(6.0) 18		(4.7)	101	(3.30)		2.75
15		(5.75) 20		(4.7)	101	(3.28)	4.6	2.78
16		(5.45) 20		4.5	101	(3.05)	5.2	(2.80)
17		5.2 24		(4.4)	101	(3.00)	4.3	2.60
18		5.15 28		(4.3)	(107)	(2.80)	3.8	2.75
19		(5.1) 29		(4.0)	(113)	(2.60)	3.3	2.80
20		(5.0) 27		(3.7)	<125	(2.40)		2.90
21		5.2 28		(3.6)	(127)	(2.25)		2.85
22		4.95 28		(3.4)	(142)	(2.00)		2.80
23		(5.0) 28		---	151	(2.00)		2.85

Time: 45.0°W.

Sweep: 1.6 Mc to 20.0 Mc in 18 seconds.

Table 39

Reykjavik, Iceland (64.1° N, 21.8° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		>4.9 10	350		---	----	3.7	(2.80)
01		>4.75 10	355		---	----	3.5	(2.75)
02		(4.85) 10	(360)		---	----	3.8	(2.75)
03		(4.95) 8	(320)		---	----	3.9	(2.70)
04	---	5.0 13	310		---	----	3.5	2.90
05	(410)	5.3 15	260	3.5	105	2.40		2.78
06	(550)	5.05 16	240	3.9	103	2.70		2.75
07	400	5.2 16	230	4.2	106	3.00		2.92
08	450	5.4 20	220	4.5	101	3.10		2.75
09	400	5.75 20	220	4.7	101	3.20		2.85
10	400	5.8 21	220	4.8	103	3.40		2.75
11	450	5.8 27	220	4.8	107	3.45		2.65
12	420	6.0 26	220	4.9	105	(3.50)		2.65
13	<4.90	6.0 26	220	4.9	108	(3.50)		2.70
14	470	5.9 26	215	4.9	104	3.50		2.70
15	425	6.0 28	220	4.9	107	3.40		2.70
16	430	5.9 26	(220)	4.7	109	3.30		2.70
17	380	6.0 24	230	4.6	109	3.20		2.80
18	390	5.8 26	240	4.3	109	3.05		2.90
19	(400)	5.75 22	260		<117	3.30		2.90
20	---	5.2 25	290		---	----		2.90
21	---	(5.3) 21	305		115	3.00		2.78
22	---	>4.9 16	310		119	----	2.9	2.82
23		(4.9) 11	350		125	2.60	3.8	(2.80)

Time: 15.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 16.2 seconds.

Table 41

Narsarsuaq, Greenland (61.2° N, 45.4° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4.6) 12					4.5	(2.65)
01		(4.05) 12					4.2	(2.62)
02		(4.1) 13					3.5	(2.60)
03		(4.3) 10					4.0	(2.72)
04	4.3	11			105	(2.90)	3.6	3.00
05	4.4	15			99	2.85	4.1	2.90
06	4.75	20		3.9	103	3.00	4.0	2.75
07	5.1	24		4.4	101	3.20		2.65
08	5.0	22		4.6	99	3.40		2.60
09	5.4	25		4.6	99	3.50		2.55
10	5.55	26		4.7	99	3.50		2.60
11	5.6	29		4.8	99	3.70		2.60
12	5.9	30		4.9	99	3.60		2.55
13	6.0	29		4.8	97	3.60		2.65
14	6.1	27		4.9	99	3.50		2.65
15	6.0	27		4.8	98	3.40		2.65
16	5.8	26		4.7	99	3.30		2.65
17	6.0	23		(4.5)	99	3.15	3.3	2.80
18	5.8	27		4.0	101	(3.00)	3.6	2.78
19	5.4	25		---	103	(2.95)	3.4	2.90
20	(5.4) 26				116	2.80	3.5	(2.80)
21	(4.95) 22				115	----	3.6	(2.80)
22	(5.2) 13				---	----	4.4	(2.80)
23	(4.8) 17				---	----	5.3	(2.80)

Time: 45.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 38

Fairbanks, Alaska (64.9° N, 147.8° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4.7) 15					4.4	(2.80)
01		(4.9) 11					5.2	(2.68)
02		(4.8) 11					5.0	(2.72)
03		(5.0) 9					4.8	(2.70)
04		(5.5) 12					4.5	(2.65)
05		5.1 14					4.5	2.62
06		(5.7) 13					4.1	2.65
07		5.7 15					3.2	2.48
08		5.4 18					3.2	2.45
09		5.45 18						2.50
10		5.2 22						2.30
11		5.55 22					3.6	2.50
12		5.5 26					3.6	2.50
13		5.6 25						2.45
14		5.5 25						2.50
15		5.65 22						2.62
16		5.6 23						2.60
17		5.8 26					3.2	2.70
18		(5.8) 27					3.1	2.75
19		5.7 24					2.9	2.90
20		5.5 21					3.0	2.95
21		(5.1) 21					2.6	(2.98)
22		(4.9) 17					3.0	2.90
23		(4.7) 19					3.8	(2.80)

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 40

Anchorage, Alaska (61.2° N, 149.9° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(4.05) 24					2.1	(2.68)
01		(3.9) 22					2.7	(2.60)
02		(4.2) 23					2.1	(2.60)
03		(4.3) 25					2.2	(2.60)
04		(4.6) 25		---	115	1.65	2.1	(2.55)
05		5.0 27		3.2	113	2.00	2.5	2.52
06		5.35 24		3.6	113	2.40	2.6	2.55
07		5.4 26		3.8	110	2.60	3.0	2.50
08		5.55 26		4.2	107	2.90	3.1	2.50
09		5.7 22		4.3	107	(3.02)	3.5	2.60
10		5.4 25		4.5	105	3.30	3.4	2.45
11		5.6 25		4.6	105	3.35	3.8	2.50
12		5.7 26		4.7	106	3.45	3.6	2.48
13		5.5 23		4.8	107	3.52	3.6	2.38
14		5.5 25		4.7	105	(3.40)	3.5	2.55
15		5.55 26		4.7	109	3.25		2.55
16		5.75 24		4.5	107	3.12		2.60
17		5.7 24		4.3	108	2.90		2.70
18		5.65 24		---	111	2.72	3.3	2.85
19		5.6 28		---	115	2.50	2.9	2.85
20		5.6 27			128	2.08	2.4	2.90
21		5.5 25			139	1.85	1.8	2.92
22		(5.0) 27			---	----	2.7	(2.85)
23		(4.5) 23					2.0	(2.75)

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 42

Adak, Alaska (51.9° N, 176.6° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		5.3 27	284					2.70
01		4.95 28	293					2.65
02		4.7 29	305					2.60
03		4.3 31	335					2.60
04	432	4.6 31	293	2.85	133	----	1.9	2.55
05	434	5.2 31	260	3.60	110	(2.20)	2.6	2.50
06	450	5.8 31	<239	4.05	105	2.70	3.2	2.45
07	451	5.9 31	(240)	4.30	102	3.05	3.9	2.50
08	434	6.0 27	(232)	4.50	100	3.30	4.1	2.60
09	480	6.1 29	(226)	4.80	100	(3.45)	4.3	2.60
10	466	6.0 29	(221)	4.90	100	>3.55	4.4	2.55
11	464	6.1 29	(215)	5.00	100	>3.60	4.4	2.60
12	467	6.0 29	209	5.00	100	>3.60	4.2	2.58
13	498	5.8 30	208	5.00	100	>3.60	4.0	2.50
14	500	5.7 31	213	4.95	100	(3.50)	3.8	2.50
15	452	5.8 31	217	4.90	100	(3.40)	3.7	2.65
16	430	5.8 31	225	4.75	100	3.25	>3.4	2.75
17	400	5.8 31	235	4.45	104	3.00	3.2	2.85
18	(350)	5.9 31	<254	----	108	2.60	3.3	2.90
19	---	6.0 30	(272)		117	>2.10	3.0	2.90
20		6.3 31	275		120	----	3.7	2.90
21		6.5 29	265				3.5	2.80
22		6.35 30	272				3.1	2.80
23		5.9 27	275				2.5	2.80

Time: 180.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 43

Boulder, Colorado (40.0° N, 105.3° W)									July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.1 21						2.70	
01		4.9 21						2.70	
02		4.3 22						2.65	
03		4.2 22						2.70	
04		3.85 22						2.68	
05		4.0 23						2.75	
06		4.95 24				2.6		2.70	
07		5.5 24				3.3		2.60	
08		5.95 24				3.8		2.70	
09		6.1 23				4.1		2.55	
10		6.35 24				4.0		2.65	
11		6.4 23				4.2		2.55	
12		6.6 21				4.2		2.60	
13		6.5 23				4.0		2.65	
14		6.5 25				4.0		2.70	
15		6.6 24				3.8		2.70	
16		6.5 24				4.0		2.75	
17		6.5 25				3.4		2.80	
18		6.8 23				3.0		2.90	
19		7.0 23				3.3		3.00	
20		6.6 23				3.2		2.95	
21		6.5 22				3.0		2.85	
22		5.65 22				3.1		2.85	
23		5.3 23				1.7		2.70	

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 45

Grand Bahama I. (26.6° N, 78.2° W)									July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		6.9 30	285				2.6	2.75	
01		6.7 29	<273				2.3	2.75	
02		6.05 30	260				2.4	2.80	
03		5.8 27	268				2.4	2.80	
04		5.3 26	278				2.2	2.70	
05		5.1 27	292				2.80		
06	---	5.7 29	263	---	<120	2.15	2.2	2.85	
07	375	6.5 31	230	4.2	110	2.75	3.2	2.85	
08	350	7.4 29	219	4.6	105	3.30	4.0	2.80	
09	350	7.4 27	<215	4.9	105	3.55	4.0	2.70	
10	425	7.4 29	(205)	5.2	105	3.80	4.7	2.65	
11	372	8.3 28	205	5.4	105	3.98	4.5	2.65	
12	375	8.7 27	(222)	5.5	105	4.00	4.8	2.65	
13	385	8.7 29	(212)	5.5	105	4.00	4.3	2.68	
14	350	8.7 29	213	5.3	105	4.00	4.2	2.72	
15	368	8.45 30	<220	5.2	108	3.78	4.2	2.70	
16	360	8.5 28	(225)	4.8	109	3.50	4.1	2.72	
17	330	8.45 28	(230)	4.6	109	3.10	3.9	2.80	
18	298	8.0 30	<248		111	2.50	3.2	2.88	
19		7.9 28	250	---	---	---	2.8	2.80	
20		7.55 28	250				2.9	2.75	
21		7.0 29	265				2.5	2.70	
22		>6.8 30	280				2.4	2.70	
23		6.7 30	295				2.6	2.65	

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 47

Baguio, P. I. (16.4° N, 120.6° E)									July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		(9.6) 27	310					(2.80)	
01		9.3 29	280					2.88	
02		7.95 30	270					2.90	
03		7.4 30	265					2.90	
04		6.05 28	265					2.95	
05		5.05 28	260					2.90	
06		6.75 28	275				2.9	3.00	
07		8.3 31	255		(129)	2.90	3.3	2.90	
08	---	8.8 31	(240)	---	<128	(3.40)	4.1	2.70	
09	---	9.2 31	<240	---	<123	(3.65)	4.3	2.35	
10	---	9.8 31	(230)	---	---	---	4.3	2.28	
11	430	10.3 31	<235	(5.8)	---	---	>4.5	(2.28)	
12	450	(10.6) 31	<250	(5.7)	---	---		(2.30)	
13	460	10.7 31	<240	(5.6)	---	---	4.3	2.30	
14	460	10.8 31	<240	(5.5)	---	---		(2.25)	
15	435	11.0 31	(235)	(5.6)	<123	---	4.0	2.35	
16	390	>11.0 31	(250)	---	123	(3.30)	3.7	(2.40)	
17	(355)	>10.8 30	<260	---	---	---	3.4	(2.48)	
18		>10.5 31	290				3.6	(2.52)	
19		>10.0 31	325				3.2	(2.50)	
20		(9.85) 28	380					(2.38)	
21		>9.4 29	380					(2.42)	
22		>9.0 29	370					(2.55)	
23		(9.2) 25	340						

Time: 120.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 44

White Sands, New Mexico (32.3° N, 106.5° W)									July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		5.5 30	<305					2.7	2.60
01		5.6 31	310					2.2	2.60
02		5.4 31	301					2.4	2.65
03		5.3 31	300					2.7	2.70
04		5.0 31	310					2.5	2.65
05		4.55 30	307					1.9	2.75
06	433	5.5 31	250	3.60	115	2.40		2.7	2.78
07	400	6.4 31	<235	4.20	108	(3.00)		3.5	2.65
08	408	7.2 31	(218)	4.60	106	---		4.2	2.65
09	414	7.6 29	207	4.90	102	3.55		4.2	2.65
10	425	7.5 29	(210)	5.10	102	(3.85)		4.6	2.50
11	406	7.75 28	(206)	5.30	105	---		4.6	2.60
12	418	7.6 28	215	5.25	104	(3.90)		4.4	2.60
13	386	7.95 26	215	5.20	103	---		4.3	2.65
14	400	7.7 29	215	5.20	107	(3.85)		4.2	2.65
15	388	7.5 30	220	5.00	106	(3.70)		4.0	2.70
16	372	7.6 29	222	4.80	105	(3.50)		3.8	2.72
17	332	7.4 30	241	4.35	108	(3.00)		3.6	2.80
18	(305)	7.5 31	(244)		114	---		3.5	2.85
19		7.4 31	268		---	---		2.9	2.90
20		7.0 31	260					3.0	2.85
21		6.4 31	(275)					3.4	2.70
22		6.05 30	(288)					3.4	2.65
23		5.7 30	300					3.2	2.65

Time: 105.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 46

Maui, Hawaii (20.8° N, 156.5° W)									July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2	
00		7.8 29	<300					2.7	2.72
01		7.5 29	290					2.1	2.80
02		7.5 29	275					2.2	2.85
03		6.8 29	275						2.85
04		6.3 29	295						2.80
05		6.1 29	305						2.75
06	---	5.75 30	280	---	---	---			2.80
07	285	6.9 31	240	---	113	2.60	3.1	2.95	
08	510	7.2 31	220	4.9	107	3.20	3.8	2.60	
09	<455	7.9 31	210	5.2	107	3.60	4.5	2.40	
10	450	9.0 31	205	5.6	107	3.80	4.4	2.35	
11	430	9.7 31	200	5.5	107	3.95	4.2	2.45	
12	405	10.3 31	210	5.5	107	4.05	4.5	2.50	
13	390	10.6 31	205	5.5	107	4.05	4.4	2.60	
14	370	11.1 31	215	5.4	107	3.98	4.4	2.65	
15	350	11.3 31	220	5.3	107	3.80	4.2	2.75	
16	335	11.4 31	225	5.1	109	3.55	4.0	2.80	
17	310	11.4 31	230	4.8	110	3.15	3.8	2.90	
18	285	11.0 31	240		115	2.60	3.9	3.00	
19		10.9 31	260				3.2	3.00	
20		9.5 31	<260				3.1	2.90	
21		8.7 31	275				2.7	2.75	
22		8.7 29	285				2.8	2.70	
23		8.1 29	305				2.2	2.70	

Time: 150.0°W.

Sweep: 1.0 Mc to 25.0° Mc in 13.5 seconds.

Table 48

La Paz, Bolivia (16.5° S, 68.1° W)								July 1960
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.1 28	220				2.8	3.12
01		6.75 30	220					3.20
02		6.4 31	225					3.20
03		5.8 29	220					3.10
04		5.0 29	240					3.15
05		4.1 28	250					3.10
06		3.7 29	255				3.0	3.10
07		4.95 30	270		<154 1.50	3.2		3.00
08		8.3 30	240		113 2.55	3.6		3.12
09	---	10.2 31	225		105 3.10	5.0		2.98
10	---	10.6 28	215		103 (3.45)	6.0		2.70
11	---	>10.4 27	210	---	---	(3.70) 7.3		2.68
12	---	9.95 28	200	---	---	(3.70) 7.2		2.55
13	---	9.85 30	200	---	---	(3.75) 7.2		2.45
14	---	9.7 29	200		---	(3.68) 7.3		2.40
15	---	9.35 30	200		---	(3.50) 7.0		2.40
16	---	9.35 30	220		109 (3.20)	6.0		2.40
17		9.0 29	240		109 (2.70)	5.6		2.50
18		9.0 31	270		<131 1.90	4.6		2.55
19		8.8 31	295			2.6		2.52
20		8.15 30	280			2.5		2.55
21		8.4 29	250			2.6		2.70
22		8.1 29	230			3.1		2.98
23		7.7 29	225			3.1		3.08

Table 49

Concepcion, Chile (36.6° S, 73.0° W) July 1960

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		4.25 28	310				1.8	2.68
01		4.1 28	300				2.4	2.70
02		4.0 28	290				2.7	2.80
03		4.0 28	290				3.0	2.80
04		3.85 28	260				2.6	2.95
05		3.5 29	250				2.7	2.90
06		3.3 29	280		---	---	2.6	2.80
07		5.4 28	250		(163)	(1.80)		3.20
08		8.3 27	230		119	2.40		3.40
09	---	9.5 27	230		115	2.90	3.2	3.50
10	---	9.45 28	220		109	3.20	3.5	3.48
11	250	9.6 29	220		109	3.30	3.5	3.40
12	250	9.75 28	220		109	3.40		3.35
13	260	9.9 30	215		111	3.35		3.25
14	270	10.1 30	230		111	3.15		3.30
15	(250)	9.4 29	230		119	2.80	3.1	3.30
16	---	9.6 28	230		121	2.30		3.40
17		8.5 30	220		---	---	2.0	3.40
18		7.0 31	210				2.2	3.20
19		6.6 31	230				2.6	3.00
20		6.4 30	240					3.00
21		5.8 29	240					3.00
22		5.0 29	270					2.80
23		4.5 28	300					2.70

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 51

Upsala, Sweden (59.8° N, 17.6° E) October 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.2 30	315		105	0.90	2.3	2.5
01		4.0 30	310		105	0.80	2.5	2.5
02		(3.8) 27	305		105	0.80	2.5	2.5
03		(3.6) 29	290		110	0.85	2.9	2.6
04		3.5 29	290		105	0.80	2.8	2.6
05		3.4 30	280		105	0.85	2.7	2.6
06	---	4.2 31	260		110	1.25	2.8	2.8
07	---	5.8 31	250	---	105	1.70		3.0
08	---	7.1 31	245	---	110	2.30		3.0
09	---	8.9 31	240	---	<115	2.50		3.0
10	---	9.8 31	235	---	<115	2.70	3.0	3.0
11	---	10.3 31	235	---	<115	2.90		3.0
12	---	10.6 31	240	---	<115	2.90		3.0
13	---	10.7 31	235	---	<110	2.80		2.9
14	---	10.6 31	240	---	<110	2.60		3.0
15	---	10.4 30	240		(110)	2.35		3.0
16	---	9.7 31	235		105	1.95		3.0
17		9.0 31	240		105	1.35	1.7	3.0
18		7.9 30	240		105	1.00	2.4	3.0
19		7.2 29	240		105	1.00	1.4	3.0
20		6.4 27	240		105	1.00		2.9
21		5.2 30	250		105	0.90		2.7
22		4.7 29	280		105	(0.95)	2.3	2.6
23		4.1 29	305		105	0.85	2.7	2.5

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.

Occasionally, 1.4 Mc to 16.0 Mc in 6 minutes, automatic operation.

Table 53

Churchill, Canada (58.8° N, 94.2° W) August 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		5.1 28	300				5.0	---
01		4.8 25	300		---	---	5.0	---
02		4.7 23	300		---	---	4.8	---
03		4.5 20	300		---	(1.8)	4.5	---
04		4.6 21	340		---	2.1	4.7	---
05	---	4.7 25	320	(3.4)	---	2.3	4.2	---
06	(550)	4.8 25	280	3.7	(120)	2.7	4.5	---
07	(520)	5.1 22	260	4.2	110	3.1	4.3	---
08	480	5.2 22	250	4.5	110	3.5	4.5	---
09	500	5.7 26	250	4.8	110	3.6	3.8	---
10	540	5.9 25	230	5.0	105	3.8		(2.6)
11	500	5.8 29	240	5.0	105	3.8		2.5
12	510	6.0 30	230	5.0	105	3.8		2.5
13	500	6.3 28	220	5.1	105	3.8		2.5
14	480	6.6 28	230	5.1	105	3.7		2.4
15	460	6.8 30	230	5.0	110	3.5		2.5
16	440	6.7 30	240	4.8	110	3.4		2.6
17	420	6.7 29	250	4.5	110	3.1		(2.6)
18	400	6.2 30	260	4.2	110	3.0		(2.7)
19	---	6.0 31	300	(3.7)	120	2.8	3.5	(2.7)
20		5.7 30	310		130	2.6	3.5	---
21		5.6 28	310		---	2.0	6.0	---
22		5.0 27	340		---	(2.0)	6.0	---
23		5.0 28	310		---	---	5.0	---

Time: 90.0°W.

Sweep: 1.0 Mc to 17.0 Mc in 16 seconds.

Table 50

Byrd Station (80.0° S, 120.0° W) July 1960

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(5.2)	6	<325			3.3	----
01		(5.0)	6	<365			3.9	----
02		(4.1)	6	<350			4.0	----
03		(5.1)	8	<350			3.9	(2.78)
04		(4.45)	8	<310			3.6	(2.90)
05		(3.2)	7	(300)				(2.95)
06		(2.75)	4	(270)			2.3	----
07		(2.4)	1	---				----
08		(2.3)	4	---				----
09		(2.05)	4	---				----
10		(2.2)	7	<290				(3.10)
11		(2.5)	9	275				(2.90)
12		(2.75)	10	<300				(3.00)
13		>2.65	6	<315				(3.10)
14		(2.3)	4	<390			2.5	----
15		(2.6)	8	385			2.4	(2.80)
16		(2.7)	5	<410			2.5	(2.65)
17		(3.8)	7	(340)			5.2	(2.60)
18		(4.3)	5	<370	---	----	4.2	(2.55)
19		(4.8)	5	<345	---	----	3.8	----
20		(4.9)	8	310			4.3	(2.78)
21		(4.95)	2	(290)			4.4	----
22		(5.5)	4	(320)			3.6	----
23		(4.8)	5	<310				----

Time: Local.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 52

Upsala, Sweden (59.8° N, 17.6° E) September 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.6 26	330		---	----	2.6	2.4
01		4.3 26	315		---	----	2.2	2.4
02		(4.0)	23	340	---	----	3.0	2.4
03		3.8 24	325		---	----	2.7	2.5
04	---	3.6 22	305		---	0.85	2.6	2.4
05	---	4.0 28	295		110	1.45	2.1	2.6
06	---	4.8 29	270	---	105	1.95	2.9	2.7
07	---	5.4 29	250	4.0	105	2.40	3.0	2.8
08	(450)	6.2 29	245	4.5	105	2.70	3.4	2.8
09	355	6.5 29	240	4.6	105	3.00	3.9	2.7
10	450	6.9 29	235	4.9	105	3.15		2.7
11	390	7.1 29	235	5.1	(105)	3.30	3.9	2.7
12	(435)	7.8 30	240	5.2	(105)	3.30		2.7
13	(410)	7.6 29	235	5.2	(105)	3.30		2.7
14	(380)	7.8 30	240	5.0	(105)	3.15		2.7
15	---	7.8 30	240	(4.8)	(105)	3.00		2.7
16	---	7.9 30	245	4.9	105	2.65	2.6	2.8
17	---	7.9 30	250	---	105	2.25	2.3	2.8
18	---	8.0 30	250		105	1.60		2.8
19	---	7.8 30	250		110	1.40	1.4	2.7
20		6.9 30	250		---	0.70	1.4	2.7
21		5.8 28	260		---	----	1.7	2.7
22		5.0 26	280				1.6	2.6
23		4.7 23	310				1.3	2.5

Time: 15.0°E.

Sweep: 0.33 Mc to 20.0 Mc in 3 minutes.

Occasionally, 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Table 54

De Bilt, Holland (52.1° N, 5.2° E) August 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		6.0 30	305				2.4	2.50
01		5.7 31	320				3.0	2.45
02		5.4 31	310				3.0	2.50
03		5.1 31	315				2.5	2.50
04		5.0 31	300				3.1	2.65
05	(385)	5.6 31	270	(3.6)	100	2.0	3.5	2.95
06	425	6.3 31	250	4.3	105	2.6	3.9	2.90
07	405	6.8 30	235	4.8	100	3.0	4.2	2.85
08	380	7.2 30	225	5.0	100	3.3	4.0	2.80
09	400	7.2 31	225	5.2	100	3.4	4.8	2.75
10	380	7.9 31	220	5.4	100	3.6	4.8	2.85
11	400	7.8 30	215	5.5	100	3.6	4.6	2.70
12	400	7.6 31	210	5.6	100	3.7	4.6	2.70
13	410	7.7 30	220	5.6	100	3.7	4.4	2.70
14	400	7.6 30	225	5.5	100	3.6	4.3	2.70
15	400	7.8 31	230	5.2	100	3.5	4.1	2.75
16	350	7.6 31	240	(4.6)	100	3.3	3.9	2.80
17	(315)	7.6 30	250	(4.6)	105	3.0	3.6	2.85
18	---	8.0 31	270	---	115	2.4	3.9	2.90
19		8.0 29	270		(150)	---	3.9	2.95
20		7.9 30	270				4.2	2.80
21		7.5 31	275				3.1	2.75
22		6.9 31	275				2.5	2.65
23		6.4 31	300				2.5	2.55

Time: 0.0°.

Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 55

Wakkanai, Japan (45.4° N, 141.7° E)

August 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.1 28	310				3.5	2.55
01		6.8 27	305				3.1	2.55
02		6.7 28	300				3.4	2.60
03		6.4 28	300				3.1	2.60
04		6.3 30	310			1.30	3.0	2.55
05	420	7.0 31	280	3.5		2.00	3.2	2.65
06	410	7.9 30	260	4.2		2.65	3.5	2.80
07	400	8.0 29	250	4.6		3.10	5.3	2.85
08	380	8.0 26	245	5.0		3.45	6.0	2.85
09	415	8.3 25	245	5.3		3.60	6.5	2.70
10	410	8.3 25	235	5.5		3.70	6.2	2.60
11	450	8.1 27	250	5.5		3.70	5.9	2.60
12	375	8.4 27	250	5.6		3.70	5.4	2.65
13	375	8.4 27	250	5.6		3.70	5.4	2.70
14	390	8.2 28	250	5.5		3.75	4.9	2.70
15	350	8.3 28	250	5.3		3.55	5.0	2.75
16	385	8.1 28	250	(5.0)		3.30	5.3	2.75
17	375	8.2 28	260			2.75	5.8	2.75
18		8.3 29	270			2.05	5.3	2.80
19		8.0 26	275				4.7	2.70
20		(8.0)	26	275			5.0	(2.70)
21		7.8 26	280				5.3	2.60
22		7.6 27	280				4.5	2.55
23		7.3 27	300				3.5	2.55

Time: 135.0°E.

Sweep: 1.0 Mc to 20.7 Mc in 1 minute.

Table 57

Tokyo, Japan (35.7° N, 139.5° E)

August 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		(8.1) 30	320				3.3	(2.60)
01		8.0 29	305				3.0	2.65
02		7.6 30	305					2.65
03		7.1 31	305					2.65
04		6.9 31	300					2.55
05	400	7.2 31	300					2.70
06	350	9.0 31	250	(4.2)		(2.55)	2.9	2.90
07	320	9.6 31	250	(5.0)		(3.05)	4.8	2.95
08	320	9.6 30	250	(5.0)		(3.50)	4.9	2.90
09	320	9.5 29	225			(3.80)	6.7	2.80
10	350	9.6 28	245	(5.7)		(4.00)	6.8	2.70
11	355	10.1 28	250	(6.0)		(4.05)	6.2	2.65
12	350	10.4 29	245	(5.9)		(4.05)	5.0	2.65
13	355	10.5 30	250	(6.0)		(4.10)	5.2	2.70
14	350	10.6 31	245	(5.6)		(3.95)	4.8	2.70
15	350	10.0 31	245	(5.4)		(3.85)	4.9	2.70
16	325	9.9 31	250			(3.50)	4.7	2.75
17	305	9.8 31	260			(2.85)	5.0	2.80
18	310		8.4 30	260			4.5	2.85
19		(9.3)	29	260			3.9	(2.80)
20		8.4 29	275				4.1	2.65
21		(8.3)	27	305			5.5	2.55
22		8.4 27	310				4.0	2.60
23		8.3 29	320				3.5	2.55

Time: 135.0°E.

Sweep: 1.0 Mc to 20.0 Mc in 20 seconds.

Table 59

Inverness, Scotland (57.4° N, 4.2° W)

July 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		6.6 28	300				1.8	2.45
01		6.2 28	300				1.5	2.45
02		5.9 28	315			<135	----	2.7
03		5.7 26	315			(105)	1.30	1.8
04	(450)	5.6 27	300	(3.5)		105	1.80	1.8
05	(495)	5.6 27	260	3.9		105	2.30	2.60
06	520	5.7 27	250	4.2		105	2.70	2.60
07	525	6.2 26	240	4.6		110	3.00	3.0
08	505	6.5 25	235	4.9		105	3.25	3.4
09	475	6.8 27	235	5.0		105	3.45	3.9
10	490	6.8 27	235	5.2		105	3.60	4.0
11	440	7.0 25	220	5.3		100	3.70	4.1
12	480	7.0 27	220	5.4		100	3.75	4.0
13	450	7.0 27	220	5.4		105	3.75	4.0
14	465	7.0 26	225	5.4		105	3.70	2.55
15	460	7.0 27	225	5.2		105	3.65	3.9
16	460	7.0 28	230	5.1		105	3.50	2.60
17	(450)	7.3 29	235	(5.0)		110	3.30	2.65
18		6.9 28	250			110	3.00	3.8
19		7.0 26	270			115	2.55	3.2
20		7.0 28	270			<145	2.10	2.4
21		7.0 27	285			1.65	<1.8	2.70
22		7.0 26	290			----	<1.6	2.55
23		7.0 26	300				<1.6	2.50

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 56

Akita, Japan (39.7° N, 140.1° E)

August 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.8 28	320				4.6	2.55
01		7.6 29	310				4.0	2.60
02		7.2 30	300				2.9	2.60
03		7.0 30	300				3.1	2.60
04		6.7 31	305				2.6	2.55
05	450	7.1 31	290	3.5			2.0	2.60
06	325	8.8 31	255	4.4		2.50	4.0	2.90
07	290	9.1 29	250	4.8		3.10	5.1	2.90
08	310	9.3 29	240	5.3		3.50	6.6	2.80
09	340	9.0 28	230	(5.4)		3.80	7.8	2.75
10	350	9.3 29	230	(5.8)		3.90	8.2	2.70
11	370	9.3 29	230	6.0		3.95	7.0	2.65
12	375	9.6 30	245	6.0		4.00	6.6	2.70
13	370	9.6 30	240	6.0		3.95	6.2	2.70
14	360	9.4 30	240	5.8		3.95	5.9	2.70
15	350	9.4 30	245	(5.4)		3.70	6.3	2.75
16	340	9.2 30	245	5.2		3.40	4.7	2.75
17	305	9.0 30	255	(4.0)		2.90	5.9	2.80
18	(300)	9.0 31	270			2.10	5.8	2.85
19		8.6 28	260				4.5	2.80
20		8.3 27	285				5.6	2.70
21		8.1 27	290				4.2	2.60
22		8.0 27	300				3.8	2.60
23		7.8 27	310				4.4	2.55

Time: 135.0°E.

Sweep: 1.6 Mc to 20.0 Mc in 20 seconds.

Table 58

Yamagawa, Japan (31.2° N, 130.6° E)

August 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		8.9 26	320				4.2	2.50
01		8.9 27	300				3.4	2.60
02		8.3 27	300				3.1	2.60
03		7.6 28	300				3.0	2.55
04		7.3 28	295				2.9	2.60
05		6.8 26	300				2.8	2.60
06		7.7 29	275			1.90	2.6	2.80
07	310	9.3 29	250			2.80	3.5	2.95
08	400	9.8 29	250			3.40	5.6	2.95
09	350	9.4 30	240	5.7		3.70	5.5	2.80
10	350	9.8 31	250	6.0		4.00	6.7	2.60
11	375	10.5 30	250	6.2		4.10	6.0	2.60
12	390	11.4 30	240	6.4		4.10	6.0	2.60
13	380	12.0 30	250	6.2		4.15	6.4	2.55
14	370	11.8 30	250	6.2		4.10	5.5	2.60
15	355	11.6 30	250	6.2		4.00	5.7	2.60
16	350	11.4 30	250	5.7		3.65	4.9	2.65
17	325	11.2 30	250			3.25	4.2	2.70
18	325	11.2 29	280			2.60	4.0	2.75
19		10.8 29	280				3.2	2.75
20		9.2 28	270				5.0	2.65
21		8.7 26	295				4.0	2.45
22		8.8 27	320				3.6	2.65
23		8.8 25	330				3.8	2.45

Time: 135.0°E.

Sweep: 1.0 Mc to 20.3 Mc in 30 seconds.

Table 60

Concepcion, Chile (36.6° S, 73.0° W)

July 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		5.0 30	320					2.62
01		4.85 30	295					2.68
02		4.8 30	295					2.70
03		4.7 30	290					2.78
04		4.5 30	<270			---	----	2.78
05		3.95 28	<265			---	----	2.68
06		4.0 29	<285			---	----	2.80
07		6.6 29	250			<165	1.85	3.10
08		10.3 29	230			115	(2.40)	3.40
09		11.0 29	225			109	3.00	3.40
10		(260)	11.0 29	220		109	3.30	3.38
11	---	10.65 28	220			108	3.50	3.30
12	---	10.8 29	210			109	3.50	>3.7
13	---	11.8 29	205			109	3.48	3.15
14	---	12.1 29	220			111	3.30	3.4
15		11.2 28	230			111	3.00	3.20
16		10.5 30	230			116	2.60	3.20
17		9.6 29	220			---	----	2.2
18		8.85 30	220					2.8
19		8.75 30	225					2.3
20		7.6 29	220					3.08
21		6.8 29	230				2.0	2.90
22		6.0 30	265					2.75
23		5.65 30	290					2.65

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 13.5 seconds.

Table 61

Inverness, Scotland (57.4° N, 4.2° W)

June 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		7.3 29	310				<1.6	2.45
01		6.8 29	310				1.2	2.45
02		6.9 29	315		(115) ----		2.3	2.45
03		6.7 29	315		115 1.50		1.6	2.50
04		6.7 29	290		105 1.90		2.1	2.50
05	(380)	6.8 29	260	---	105 2.40		2.6	2.60
06	465	6.9 29	250	4.4	105 2.80		3.0	2.60
07	470	6.8 29	240	4.7	105 3.05		3.5	2.50
08	430	>7.0 27	235	5.1	105 3.35		3.8	2.60
09	425	7.4 26	220	5.1	105 3.60		3.9	2.55
10	455	7.4 25	215	5.3	100 3.60		4.1	2.60
11	470	7.5 26	220	5.4	100 3.70		4.1	2.55
12	435	7.5 25	220	5.4	100 3.80		4.1	2.50
13	470	7.3 27	225	5.5	100 3.80		3.9	2.50
14	480	7.3 26	220	5.5	100 3.75		4.0	2.50
15	480	7.3 26	220	5.4	105 3.65		3.8	2.50
16	445	7.4 28	230	5.3	105 3.50		2.60	
17	475	7.4 28	240	4.8	105 3.30		3.8	2.60
18		7.3 29	245		110 3.00		3.8	2.70
19		7.4 28	255		115 2.70		3.8	2.70
20		7.6 29	260		125 2.25		3.0	2.75
21		7.6 29	275		(120) 1.80		2.8	2.65
22		7.2 28	290		----		2.5	2.50
23		7.2 29	295				<1.7	2.50

Time: 0.0°.

Sweep: 0.67 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 63

De Bilt, Holland (52.1° N, 5.2° E)

April 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		6.6 29	315				1.8	2.45
01		6.2 29	315				2.1	2.50
02		5.9 29	315				2.2	2.45
03		5.6 29	315				2.5	2.50
04		5.2 29	300		---	---	2.6	2.60
05	---	5.8 29	280	---	150 1.9		3.6	2.75
06	---	6.6 29	250	---	100 2.5		3.1	2.90
07	450	7.2 29	235	4.7	100 2.9		3.9	2.80
08	400	8.0 29	225	4.9	100 3.3		3.9	2.80
09	400	8.5 30	225	5.3	100 3.6		3.9	2.70
10	385	9.2 30	220	5.7	100 3.7		4.0	2.70
11	400	9.8 29	220	5.8	100 3.8		3.9	2.70
12	400	10.0 29	220	5.6	100 3.8		4.1	2.65
13	380	9.8 29	225	6.1	100 3.8		3.9	2.70
14	360	9.6 29	225	5.4	100 3.6		3.7	2.70
15	400	9.6 29	230	5.3	100 3.4			2.70
16	330	9.4 30	235	5.1	100 3.1			2.75
17	---	9.1 30	250	---	100 2.7			2.85
18	---	9.0 30	250	---	125 2.1			2.90
19	---	>8.6 30	250	---	1.8			2.85
20		8.0 30	250					2.75
21		7.6 30	270					2.60
22		7.1 30	280					2.55
23		6.8 30	310					2.50

Time: 0.0°.

Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 65

Ahmedabad, India (23.0° N, 72.6° E)

March 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	foEs	(M3000)F2
00		14.6 27	260					2.75
01		13.0 27	260					2.75
02		11.7 27	260					2.75
03		10.0 27	250				2.2	3.00
04		8.1 28	250				1.9	2.90
05		6.9 30	260				1.6	2.80
06		7.3 29	250					2.80
07		10.7 29	250		115 2.2			3.00
08		12.6 29	250		110 3.0			3.00
09	250	13.7 28	250	---	110 3.6			2.80
10	300	14.6 25	230	---	110 3.9			2.65
11	350	15.3 28	225	(5.0)	110 4.0			2.50
12	400	16.1 26	210	(5.0)	110 ---			2.60
13	400	16.7 17	---	---	110 ---			2.60
14	400	16.8 17	230	---	110 4.0			2.60
15	365	16.5 19	240	(4.9)	110 3.9			2.65
16	350	16.4 18	250	---	110 3.5			2.50
17	340	16.4 19	250	---	115 2.9			2.55
18	265	16.4 28	265		120 2.0			2.55
19		16.6 27	300				1.7	2.50
20		(17.2) 15	300					2.45
21		>16.0 26	250					2.65
22		>16.0 23	250					2.75
23		15.2 24	250				2.0	2.75

Time: 75.0°E.

Sweep: 0.6 Mc to 25.0 Mc in 5 minutes, automatic operation.

Table 62

De Bilt, Holland (52.1° N, 5.2° E)

May 1959

Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		7.0 31	305				2.2	2.45
01		6.5 31	305				2.1	2.45
02		6.1 31	305				2.5	2.50
03		5.9 31	300				3.1	2.55
04	---	6.1 31	295	---	---	1.8	2.9	2.65
05	---	6.6 31	260	---	105	2.3	3.4	2.80
06	480	6.9 30	240	4.5	100	2.9	3.8	2.80
07	515	7.7 30	225	4.8	100	3.2	3.5	2.85
08	470	7.7 31	215	5.0	100	3.5	4.1	2.70
09	395	8.4 31	215	5.4	100	3.7	4.0	2.80
10	395	8.4 31	210	5.4	100	3.8	4.1	2.65
11	415	8.5 31	210	5.6	100	3.9	4.6	2.70
12	410	8.4 30	220	5.7	100	3.9	4.0	2.65
13	405	8.5 30	220	5.7	100	3.8	4.2	2.65
14	380	8.5 31	220	5.5	100	3.7	4.0	2.65
15	400	8.4 31	225	5.4	100	3.6	3.7	2.70
16	---	8.3 31	230	---	100	3.3	3.8	2.75
17	---	>8.3 31	240	---	100	3.0	3.7	2.75
18	---	8.5 30	260	---	105	2.5	3.1	2.80
19	---	>8.4 31	270	---	130	2.0	2.7	2.90
20		8.4 31	270				2.5	2.70
21		8.0 31	270				2.2	2.60
22		7.4 31	290					2.55
23		7.4 31	300				2.0	2.55

Time: 0.0°.

Sweep: 1.4 Mc to 16.0 Mc in 40 seconds.

Table 64

Delhi, India (28.6° N, 77.2° E)

March 1959

Time	*	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	(380)	>8.9 29						(2.85)
01	---	>8.2 25						---
02	---	(7.1) 5						---
03	---	>6.9 6						---
04	---	>6.0 27						---
05	340	>5.8 31						(2.80)
06	(300)	>7.2 29						(3.15)
07	(260)	>9.8 22						---
08	280	>12.1 28			100	3.0		3.25
09	300	13.2 28			100	3.6		3.10
10	320	(14.0) 28			100	3.9		3.00
11	360	(14.6) 26			100	3.8		2.85
12	(360)	>14.6 23			100	3.8		(2.80)
13	(340)	(15.2) 23			100	3.9		(2.85)
14	---	>15.2 20			100	3.8		---
15	---	>15.0 23			100	3.6		---
16	(340)	>14.7 26			---	---		(2.85)
17	---	>14.4 27			---	---		---
18	---	>14.2 29						---
19	---	>13.7 29						---
20	---	>13.3 24						---
21	---	>11.7 24						---
22	---	(11.0) 27						---
23	---	>9.5 28						---

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

*Height at 0.83 foF2.

Table 66

Bombay, India (19.0° N, 72.8° E)

March 1959

Time	*	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	>11.0 11						---
01	(340)	>9.2 13						---
02	(320)	>8.4 20						(3.0)
03	320	>7.5 26						3.1
04	280	6.4 27						3.25
05	280	5.9 27						3.3
06	(280)	(6.8) 27						(3.3)
07	(280)	>8.9 27			---	---		(3.25)
08	---	---	0		---	---		---
09	---	>13.0 28			100	4.4		---
10	---	>13.5 29			100	3.9		---
11	---	>14.3 28			---	---		---
12	---	>14.6 26			---	---		---
13	---	>12.8 6			---	---		---
14	---	>14.2 26			---	---		---
15	---	>14.5 28			---	---		---
16	---	>14.4 28			---	---		---
17	---	>14.1 26			---	---		---
18	---	>14.4 28			---	---		---
19	---	>13.9 28			---	---		---
20	---	(13.4) 3			---	---		---
21	---	>12.6 8			---	---		---
22	---	>12.6 5			---	---		---
23	---	>11.5 7			---	---		---

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

* Height at 0.83 foF2.

Table 67

Tiruchy, India (10.8° N, 78.7° E) March 1959								
Time	*	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	(11.3)	3					
01	---	>11.5	3					
02	---	>11.1	2					
03	---	(10.2)	5					
04	---	(8.0)	7					
05	---	7.0	11					
06	(280)	8.2	17					(3.25)
07	(320)	(11.2)	30				>7.0	(3.05)
08	360	13.1	30				>10.0	2.65
09	440	13.4	29				12.8	2.40
10	480	12.7	29				>13.3	2.35
11	480	12.2	30				13.7	2.30
12	480	12.1	31				13.3	2.25
13	520	12.6	27				13.2	2.25
14	520	12.9	30				>12.5	2.20
15	520	13.5	30				12.0	2.20
16	(520)	13.4	13				>10.4	(2.15)
17	---	---	0					
18	---	>11.0	30					
19	---	(9.7)	11					
20	---	>10.3	3					
21	---	>12.5	3					
22	---	>11.6	4					
23	---	(11.0)	4					

Time: 75.0°E.

Sweep: 1.5 Mc to 18.0 Mc in 5 minutes, manual operation.

* Height at 0.83 foF2.

Table 69

Trivandrum, India (8.5° N, 77.0° E) March 1959								
Time	*	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00	---	>10.0	7					
01	---	>10.0	7					
02	---	>9.9	8					
03	---	>9.2	8					
04	---	>9.0	9					
05	280	7.4	13					(3.30)
06	320	7.8	24					3.00
07	360	10.8	30				>4.8	2.90
08	400	12.7	31				>11.3	2.60
09	440	13.0	30				12.6	2.40
10	480	12.6	28				13.0	2.35
11	480	12.0	28				13.1	2.35
12	480	12.1	31				13.0	2.35
13	480	>12.5	30				13.0	2.30
14	480	13.0	14				12.5	2.30
15	480	>13.0	28				11.2	2.30
16	520	13.3	30				>9.4	2.30
17	---	>12.7	25					---
18	---	>10.5	21					
19	---	>9.5	10					
20	---	>9.5	5					
21	---	>10.3	2					
22	---	>10.5	5					---
23	---	>9.7	8					

Time: 75.0°E.

Sweep: 1.5 Mc to 15.0 Mc in 5 minutes, manual operation.

* Height at 0.83 foF2.

Table 71

Freiburg, Germany (48.1° N, 7.8° E) July 1954								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		3.6	30	262			2.8	3.07
01		3.4	26	270			2.4	3.03
02		3.2	26	270			2.7	3.00
03		3.0	28	270			2.8	3.00
04		3.0	29	260			2.6	3.09
05	325	3.5	27	240	2.80	129	1.59	3.05
06	380	4.2	26	232	3.40	116	2.16	3.2
07	370	4.2	21	220	3.70	111	2.48	2.93
08	372	4.6	22	(208)	3.90	109	2.78	4.2
09	335	5.0	24	210	4.00	105	2.98	4.2
10	360	5.0	22	215	4.15	105	3.08	4.0
11	365	4.8	27	(215)	4.20	105	3.16	3.5
12	388	4.9	26	205	4.20	104	3.22	3.8
13	395	4.7	22	(225)	4.20	104	3.21	3.8
14	410	4.6	24	(220)	4.15	104	3.13	3.6
15	372	4.7	24	(220)	4.00	105	3.03	3.8
16	370	4.6	27	228	3.90	107	2.82	3.0
17	340	4.6	26	(225)	3.75	111	2.58	3.2
18	315	4.9	25	240	3.40	117	2.20	4.1
19	290	5.4	25	(250)		125	1.61	3.6
20		5.6	29	250				3.3
21		5.4	28	245				3.3
22		4.7	30	240				3.1
23		4.0	29	255				3.2

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

Table 68

Kodaikanal, India (10.2° N, 77.5° E) March 1959								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		11.8	11	255				2.90
01		11.5	17	240				2.85
02		11.0	21	235				2.90
03		9.6	24	230				3.00
04		8.7	21	235				3.05
05		7.6	21	230				3.15
06		7.8	25	260				2.95
07	---	10.9	29	250	---	115	2.8	7.0
08	---	12.7	30	235	---	110	---	10.6
09	---	13.3	29	225	---	---	---	11.8
10	---	12.4	30	220	---	---	---	13.4
11	---	11.8	28	215	---	---	---	13.5
12	---	11.8	29	215	---	---	---	13.4
13	---	12.3	29	210	---	110	---	13.2
14	---	12.7	29	220	---	110	---	12.8
15	---	12.9	29	230	---	110	---	11.4
16	---	13.1	31	240	---	120	3.3	8.6
17	---	12.8	30	260	---	120	---	8.0
18		11.9	30	300				2.05
19		(9.8)	27	450				(1.95)
20		(10.0)	10	430				(2.00)
21		(10.8)	5	400				(2.25)
22		(11.7)	5	320				(2.50)
23		(10.8)	8	270				(2.60)

Time: 75.0°E.

Sweep: 1.0 Mc to 25.0 Mc in 27 seconds.

Table 70

Upsala, Sweden (59.8° N, 17.6° E) February 1959								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		4.1	27	320			2.4	2.4
01		4.0	27	325			2.7	2.4
02		3.6	26	320			2.6	2.3
03		3.3	28	320			2.6	2.4
04		3.6	26	300			2.4	2.4
05		3.5	28	290			2.5	2.5
06		3.8	28	270			2.3	2.5
07		5.0	28	250		0.70	2.8	2.6
08		7.0	28	240	---	115	1.80	3.0
09	---	9.0	28	240	---	115	2.30	2.8
10	---	10.4	28	240	---	115	2.60	3.1
11	---	11.4	28	240	---	115	2.85	2.9
12	---	12.6	28	240	---	115	2.85	2.9
13	---	13.0	28	235	---	115	2.80	3.0
14	---	12.7	28	235	---	115	2.70	3.0
15		12.2	28	235		115	2.30	2.8
16		11.2	28	230		115	1.90	2.6
17		10.5	27	230		---	1.25	2.6
18		8.2	27	230		E	1.0	2.8
19		7.0	27	240		---	---	1.0
20		5.3	26	260		---	---	0.6
21		4.8	27	280		---	---	1.7
22		4.7	28	300		---	---	1.6
23		4.7	27	310		---	---	2.4

Time: 15.0°E.

Sweep: 1.4 Mc to 17.0 Mc in 6 minutes, automatic operation.

Occasionally, 0.3 Mc to 20.0 Mc in 3 minutes.

Table 72

Freiburg, Germany (48.1° N, 7.8° E) June 1954								
Time	h'F2	foF2-Count	h'F	foF1	h'E	foE	fEs	(M3000)F2
00		3.8	29	250			2.2	3.13
01		3.6	27	255			1.6	3.08
02		3.4	30	262			1.5	3.03
03		3.2	29	270			1.8	3.03
04	315	3.3	28	268			2.0	3.09
05	328	4.0	29	242	3.02	127	1.73	2.4
06	322	4.4	28	240	3.50	113	2.24	3.1
07	320	4.6	24	228	3.80	110	2.55	3.4
08	318	4.8	28	220	3.95	108	2.80	3.9
09	338	4.9	27	212	4.20	104	2.99	3.9
10	340	5.0	26	215	4.25	104	3.10	4.0
11	360	5.0	25	210	4.25	104	3.18	4.0
12	392	4.9	29	202	4.25	104	3.24	4.2
13	380	4.8	22	210	4.20	104	3.12	3.7
14	380	4.8	24	215	4.20	105	3.12	3.7
15	355	4.8	23	222	4.08	105	3.00	3.3
16	348	4.9	26	220	3.90	108	2.83	3.4
17	340	4.9	25	235	3.75	111	2.60	3.0
18	305	5.2	24	235	3.50	117	2.23	3.6
19	280	5.6	28	250		126	1.68	3.2
20		6.2	28	250				3.1
21		5.8	26	240				2.8
22		5.2	28	235				2.9
23		4.6	27	238				2.4

Time: Local.

Sweep: 1.25 Mc to 20.0 Mc in 10 minutes, automatic operation.

US-COMM-NBS-BL

Fig. 1. RESOLUTE BAY, CANADA
74.7°N, 94.9°W

JULY 1961

Fig. 2. RESOLUTE BAY, CANADA

JULY 1961

Fig. 3. KIRUNA, SWEDEN
67.8°N, 20.4°E

JULY 1961

Fig. 4. KIRUNA, SWEDEN

JULY 1961

Fig. 5. SODANKYLÄ, FINLAND
67.4°N, 26.6°E

JULY 1961

Fig. 6. SODANKYLÄ, FINLAND

JULY 1961

Fig. 7. LULEÅ, SWEDEN
65.6°N, 22.1°E

JULY 1961

Fig. 8. LULEÅ, SWEDEN

JULY 1961

Fig. 9. LYCKSELE, SWEDEN
64.7°N, 18.8°E

JULY 1961

— LIMITING FREQUENCY = 3 Mc.
- - - LIMITING FREQUENCY = 5 Mc
- · - LIMITING FREQUENCY = 7 Mc.

Fig. 10. LYCKSELE, SWEDEN

JULY 1961

Fig. 11. ANCHORAGE, ALASKA
61.2°N, 149.9°W

JULY 1961

— LIMITING FREQUENCY = 3 Mc.
- - - LIMITING FREQUENCY = 5 Mc
- · - LIMITING FREQUENCY = 7 Mc.

Fig. 12. ANCHORAGE, ALASKA

JULY 1961

Fig. 13. NURMIJARVI, FINLAND
60.5°N, 24.6°E

JULY 1961

Fig. 14. NURMIJARVI, FINLAND

JULY 1961

Fig. 15. UPSALA, SWEDEN
59.8°N, 17.6°E

JULY 1961

Fig. 16. UPSALA, SWEDEN

JULY 1961

Fig. 17. CHURCHILL, CANADA
58.8°N, 94.2°W

JULY 1961

— LIMITING FREQUENCY = 3 Mc.
— LIMITING FREQUENCY = 5 Mc
— LIMITING FREQUENCY = 7 Mc.

Fig. 18. CHURCHILL, CANADA

JULY 1961

Fig. 19. INVERNESS, SCOTLAND
57.4°N, 4 2°W

JULY 1961

Fig. 20. De BILT, HOLLAND
52.1°N, 5.2°E

JULY 1961

Fig. 21. De BILT, HOLLAND

JULY 1961

Fig. 22. ADAK, ALASKA
51.9°N, 176.6°W

JULY 1961

Fig. 23. ADAK, ALASKA

JULY 1961

Fig. 24. DOURBES, BELGIUM
50.1°N, 4.6°E

JULY 1961

Fig. 25. DOURBES, BELGIUM

JULY 1961

Fig. 26. PRUHONICE, CZECHOSLOVAKIA
50.0°N, 14.6°E

JULY 1961

Fig. 27. PRUHONICE, CZECHOSLOVAKIA JULY 1961

Fig. 28. WINNIPEG, CANADA

49.9°N, 97.4°W

JULY 1961

NBS 503

Fig. 29. WINNIPEG, CANADA

JULY 1961

NBS 450

Fig. 30. ST. JOHN'S, NEWFOUNDLAND

47.6°N, 52.7°W

JULY 1961

NBS 503

Fig. 31. ST. JOHN'S, NEWFOUNDLAND

JULY 1961

NBS 450

Fig. 36. FORMOSA, CHINA
25.0°N, 121.5°E

JULY 1961

Fig. 37. FORMOSA, CHINA

JULY 1961

Fig. 38. BAGUIO, P.I.
16.4°N, 120.6°E

JULY 1961

Fig. 39. BAGUIO, P.I.

JULY 1961

Fig. 40. SINGAPORE, BRITISH MALAYA
1.3°N, 103.8°E JULY 1961

Fig. 41. SINGAPORE, BRITISH MALAYA JULY 1961

Fig. 42. BRISBANE, AUSTRALIA
27.5°S, 152.9°E JULY 1961

Fig. 43. BRISBANE, AUSTRALIA JULY 1961

Fig. 44. MUNDARING, W. AUSTRALIA
32.0°S, 116.2°E JULY 1961

Fig. 45. MUNDARING, W. AUSTRALIA JULY 1961

Fig. 46. CANBERRA, AUSTRALIA
35.3°S, 149.0°E JULY 1961

Fig. 47. CANBERRA, AUSTRALIA JULY 1961

Fig. 48. HOBART, TASMANIA
42.9°S, 147.2°E

JULY 1961

Fig. 49. HOBART, TASMANIA

JULY 1961

Fig. 50. CHRISTCHURCH, NEW ZEALAND
43.6°S, 172.8°E

JULY 1961

Fig. 51. CHRISTCHURCH, NEW ZEALAND JULY 1961

Fig. 52. FALKLAND IS.
51.7°S, 57.8°W

JULY 1961

NBS 503

Fig. 53. FALKLAND IS.

JULY 1961

NBS 490

Fig. 54. INVERNESS, SCOTLAND
57.4°N, 4.2°W

JUNE 1961

NBS 503

Fig. 55. WAKKANAI, JAPAN
45.4°N, 141.7°E

JUNE 1961

Fig. 56. WAKKANAI, JAPAN

JUNE 1961

Fig. 57. AKITA, JAPAN
39.7°N, 140.1°E

JUNE 1961

Fig. 58. AKITA, JAPAN

JUNE 1961

Fig. 63. SINGAPORE, BRITISH MALAYA
1.3°N, 103.8°E
JUNE 1961

Fig. 64. SINGAPORE, BRITISH MALAYA JUNE 1961

Fig. 65. FALKLAND IS.
51.7°S, 57.8°W
JUNE 1961

Fig. 66. FALKLAND IS.
JUNE 1961

Fig. 67. THULE, GREENLAND
76.0°N, 68.0°W

JULY 1960

Fig. 68. THULE, GREENLAND

JULY 1960

Fig. 69. POINT BARROW, ALASKA
71.3°N, 156.8°W

JULY 1960

Fig. 70. POINT BARROW, ALASKA

JULY 1960

Fig. 71. GODHAVN, GREENLAND
69.3°N, 53.5°W

JULY 1960

Fig. 72. GODHAVN, GREENLAND

JULY 1960

Fig. 73. FAIRBANKS, ALASKA
64.9°N, 147.8°W

JULY 1960

Fig. 74. FAIRBANKS, ALASKA

JULY 1960

Fig. 79. NARSSARSSUAQ, GREENLAND
61.2°N, 45.4°W

JULY 1960

Fig. 80. NARSSARSSUAQ, GREENLAND JULY 1960

Fig. 81. ADAK, ALASKA
51.9°N, 176.6°W

JULY 1960

Fig. 82. ADAK, ALASKA

JULY 1960

Fig. 83. BOULDER, COLORADO
40.0°N, 105.3°W

JULY 1960

NBS 513

Fig. 84. BOULDER, COLORADO

JULY 1960

NBS 490

Fig. 85. WHITE SANDS, NEW MEXICO
32.3°N, 106.5°W

JULY 1960

NBS 513

Fig. 86. WHITE SANDS, NEW MEXICO

JULY 1960

NBS 490

Fig. 87. GRAND BAHAMA I.
26.6°N, 78.2°W

JULY 1960

Fig. 88. GRAND BAHAMA I.

JULY 1960

Fig. 89. MAUI, HAWAII
20.8°N, 156.5°W

JULY 1960

Fig. 90. MAUI, HAWAII

JULY 1960

Fig. 91. BAGUIO, P.I.
16.4°N, 120.6°E

JULY 1960

NBS 505

Fig. 92. BAGUIO, P.I.

JULY 1960

NBS 470

Fig. 93. La PAZ, BOLIVIA
16°S, 68°W

JULY 1960

NBS 505

Fig. 94. La PAZ, BOLIVIA

JULY 1960

NBS 470

Fig. 95. CONCEPCION, CHILE
36.6°S, 73.0°W

JULY 1960

Fig. 96. CONCEPCION, CHILE

JULY 1960

Fig. 97. BYRD STATION
80.0°S, 120.0°W

JULY 1960

Fig. 98. BYRD STATION

JULY 1960

Fig. 103. CHURCHILL, CANADA
58.8°N, 94.2°W

AUGUST 1959

Fig. 104. CHURCHILL, CANADA

AUGUST 1959

Fig. 105. De BILT, HOLLAND
52.1°N, 5.2°E

AUGUST 1959

Fig. 106. De BILT, HOLLAND

AUGUST 1959

Fig. 107. WAKKANAI, JAPAN
45.4°N, 141.7°E

AUGUST 1959

NBS 503

Fig. 108. WAKKANAI, JAPAN

AUGUST 1959

NBS 490

Fig. 109. AKITA, JAPAN
39.7°N, 140.1°E

AUGUST 1959

NBS 503

Fig. 110. AKITA, JAPAN

AUGUST 1959

NBS 490

Fig. III. TOKYO, JAPAN
35.7°N, 139.5°E

AUGUST 1959

Fig. II2. TOKYO, JAPAN

AUGUST 1959

Fig. III3. YAMAGAWA, JAPAN
31.2°N, 130.6°E

AUGUST 1959

Fig. II4. YAMAGAWA, JAPAN

AUGUST 1959

Fig. 115. INVERNESS, SCOTLAND
57.4°N, 4.2°W

JULY 1959

Fig. 116. INVERNESS, SCOTLAND

JULY 1959

Fig. 117. CONCEPCION, CHILE
36.6°S, 73.0°W

JULY 1959

Fig. 118. CONCEPCION, CHILE

JULY 1959

Fig. 119. INVERNESS, SCOTLAND
57.4°N, 4.2°W

JUNE 1959

Fig. 120. INVERNESS, SCOTLAND

JUNE 1959

Fig. 121. De BILT, HOLLAND
52.1°N, 5.2°E

MAY 1959

Fig. 122. De BILT, HOLLAND

MAY 1959

Fig. 127. AHMEDABAD, INDIA
23.0°N, 72.6°E

MARCH 1959

NBS 503

Fig. 128. AHMEDABAD, INDIA

MARCH 1959

NBS 490

Fig. 129. BOMBAY, INDIA
19.0°N, 72.8°E

MARCH 1959

NBS 503

Fig. 130. BOMBAY, INDIA

MARCH 1959

NBS 490

Fig. 131. TIRUCHY, INDIA
10.8°N, 78.7°E

MARCH 1959

Fig. 132. TIRUCHY, INDIA

MARCH 1959

Fig. 133. KODAIKANAL, INDIA
10.2°N, 77.5°E

MARCH 1959

Fig. 134. KODAIKANAL, INDIA

MARCH 1959

Fig. 135. TRIVANDRUM, INDIA
8.5°N, 77.0°E

MARCH 1959

NBS 503

Fig. 136. TRIVANDRUM, INDIA

MARCH 1959

NBS 490

Fig. 137. UPSALA, SWEDEN
59.8°N, 17.6°E

FEBRUARY 1959

NBS 503

Fig. 138. UPSALA, SWEDEN

FEBRUARY 1959

NBS 490

Index of Tables and Graphs of Ionospheric Data
in CRPL-F210 (Part A)

	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
July 1961	2	18
July 1960	7	33
Ahmedabad, India		
March 1959	11	45
Akita, Japan		
June 1961	5	27
August 1959	10	40
Anchorage, Alaska		
July 1961	1	15
July 1960	7	32
Baguio, P. I.		
July 1961	4	22
July 1960	8	36
Bombay, India		
March 1959	11	45
Boulder, Colorado		
July 1960	8	34
Brisbane, Australia		
July 1961	4	23
Byrd Station		
July 1960	9	37
Canberra, Australia		
July 1961	4	24
Christchurch, New Zealand		
July 1961	5	25
Churchill, Canada		
July 1961	2	17
August 1959	9	39
Concepcion, Chile		
July 1960	9	37
July 1959	10	42
De Bilt, Holland		
July 1961	2	18
August 1959	9	39
May 1959	11	43
April 1959	11	44
Delhi, India		
March 1959	11	44

Index (CRPL-F210 (Part A), continued)

	<u>Table page</u>	<u>Figure page</u>
Dourbes, Belgium		
July 1961	3	19
Fairbanks, Alaska		
July 1960	7	31
Falkland Is.		
July 1961	5	26
June 1961	6	29
Formosa, China		
July 1961	4	22
Freiburg, Germany		
July 1954	12	48
June 1954	12	48
Godhavn, Greenland		
July 1960	7	31
Grand Bahama I.		
July 1960	8	35
Graz, Austria		
July 1961	3	21
Hobart, Tasmania		
July 1961	5	25
Inverness, Scotland		
July 1961	2	17
June 1961	5	26
July 1959	10	42
June 1959	11	43
Kiruna, Sweden		
July 1961	1	13
Kodaikanal, India		
March 1959	12	46
La Paz, Bolivia		
July 1960	8	36
Lulea, Sweden		
July 1961	1	14
Lycksele, Sweden		
July 1961	1	15
Maui, Hawaii		
July 1960	8	35
Mundaring, W. Australia		
July 1961	4	24
Narssarssuaq, Greenland		
July 1960	7	33

Index (CRPL-F210 (Part A), concluded)

	<u>Table page</u>	<u>Figure page</u>
Nurmiyarvi, Finland		
July 1961	2	16
Ottawa, Canada		
July 1961	3	21
Point Barrow, Alaska		
July 1960	6	30
Pruhonice, Czechoslovakia		
July 1961	3	19
Resolute Bay, Canada		
July 1961	1	13
Reykjavik, Iceland		
July 1960	7	32
St. John's, Newfoundland		
July 1961	3	20
Singapore, British Malaya		
July 1961	4	23
June 1961	6	29
Sodankyla, Finland		
July 1961	1	14
Thule, Greenland		
July 1960	6	30
Tiruchy, India		
March 1959	12	46
Tokyo, Japan		
June 1961	6	28
August 1959	10	41
Trivandrum, India		
March 1959	12	47
Upsala, Sweden		
July 1961	2	16
October 1959	9	38
September 1959	9	38
February 1959	12	47
Wakkanai, Japan		
June 1961	5	27
August 1959	10	40
White Sands, New Mexico		
July 1960	8	34
Winnipeg, Canada		
July 1961	3	20
Yamagawa, Japan		
June 1961	6	28
August 1959	10	41

CRPL Reports

[A detailed list of CRPL publications is available from the Central Radio Propagation Laboratory upon request]

Daily:

Radio disturbance forecasts, every half hour from broadcast stations WWV and WWVH of the National Bureau of Standards.
Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL—J. North Atlantic Radio Propagation Forecast.
CRPL—Jp. North Pacific Radio Propagation Forecast.

Semimonthly:

CRPL—Ja. Semimonthly Frequency Revision Factors For CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL—D. Basic Radio Propagation Predictions—Three months in advance. (Dept. of the Army, TB 11—499—, monthly supplements to TM 11—499; Dept. of the Air Force, TO 31—3—28 series).
On sale by Superintendent of Documents. Members of the Armed Forces should address cognizant military office.
CRPL—F. (Part A). Ionospheric Data.
(Part B). Solar-Geophysical Data.

Limited distribution. These publications are in general disseminated only to those individuals or scientific organizations which collaborate in the exchange of ionospheric, solar, geomagnetic, or other radio propagation data.

Catalog of Data:

A catalog of records and data on file at the U. S. IGY World Data Center A for Airglow and Ionosphere, Boulder Laboratories, National Bureau of Standards, which includes a fee schedule to cover the cost of supplying copies, is available upon request.

The publications listed above may be obtained without charge from the Central Radio Propagation Laboratory, National Bureau of Standards, Boulder Laboratories, Boulder, Colorado, unless otherwise indicated. Please note that the F series is not generally available.

Circulars of the National Bureau of Standards pertaining to Radio Sky Wave Transmission:

NBS Circular 462. Ionospheric Radio Propagation. \$1.25.
NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions. 30 cents.
NBS Circular 557. Worldwide Radio Noise Levels Expected in the Frequency Band 10 Kilocycles to 100 megacycles. 30 cents.
NBS Circular 582. Worldwide Occurrence of Sporadic E. \$3.25.

These Circulars are on sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Members of the Armed Forces should address the respective military office having cognizance of radio wave propagation.

Selected Technical Notes of the National Bureau of Standards:

NBS Tech. Note 2. PB151361. World Maps of F2 Critical Frequencies and Maximum Usable Frequency Factors. \$3.50. PB151361-2. \$3.50.
NBS Tech. Note 13. PB151372. Technical Considerations Leading to an Optimum Allocation of Radio Frequencies in the Band 25 to 60 Mc. \$2.50.
NBS Tech. Note 18. PB151377. Radio Noise Data for the IGY. \$2.50.
18-2. PB151377-2. Quarterly Radio Noise Data (Mar.-May 1959). \$1.00.
18-3. PB151377-3. (June-Aug. 1959). \$1.00.
18-4. PB151377-4, etc. (Sept.-Nov. 1959). \$1.50.
NBS Tech. Note 31. PB151390. An Atlas of Oblique-Incidence Ionograms. \$2.25.
NBS Tech. Note 40-1. PB151399-1. Mean Electron Density Variations of the Quiet Ionosphere, 1: March 1959. \$1.25.
40-2. PB151399-2. etc. 2: April 1959. \$1.25.
NBS Tech. Note 117. PB161618. Variations in Frequency of Occurrence of Sporadic E, 1949—1959. \$0.75.
These Technical Notes are on sale by the Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C. Order by PB number.